



**Name of Journal:** *World Journal of Diabetes*

**ESPS manuscript NO:** 28589

**Manuscript Type:** Minireviews

**Integrating insulin-like growth factor 1 and sex hormones into neuroprotection:  
Implications for diabetes**

**Jacob Huffman, Christina Hoffmann, George T. Taylor**

## Match Overview

1	Internet 22 words crawled on 07-Aug-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	<1%
2	Internet 13 words crawled on 30-Mar-2010 <a href="http://chemweb.com">chemweb.com</a>	<1%
3	Internet 12 words crawled on 06-Nov-2014 <a href="http://intl.pharmrev.org">intl.pharmrev.org</a>	<1%
4	Internet 12 words crawled on 14-May-2016 <a href="http://onlinelibrary.wiley.com">onlinelibrary.wiley.com</a>	<1%
5	Internet 11 words crawled on 12-Jan-2016 <a href="http://www.jneuroinflammation.com">www.jneuroinflammation.com</a>	<1%
6	Internet 11 words crawled on 07-Dec-2009 <a href="http://stroke.ahajournals.org">stroke.ahajournals.org</a>	<1%

学术搜索

找到约 1,070 条结果 (用时0.20秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

## Interactions of estrogens and insulin-like growth factor-I in the brain: implications for neuroprotection

GP Cardona-Gómez, P Mendez, LL DonCarlos... - Brain Research ..., 2001 - Elsevier

... Sign in. Sign in OpenAthens login. Login via your institution. Other institution login. Sign in using your ScienceDirect credentials. Username: Password: Remember me. | Not Registered? Forgotten username or password? Help. Download PDF Opens in a new window. ...

被引用次数: 166 相关文章 所有 5 个版本 引用 保存

## [HTML] An antagomir to microRNA Let7f promotes neuroprotection in an ischemic stroke model

A Selvamani, P Sathyan, RC Miranda, F Sohrabji - PloS one, 2012 - journals.plos.org

... potentially targets multiple components of the IGF signaling pathway including IGF1 and 2 ... 4A), indicating that inter-hemispheric integration of forelimb placement ability was maintained in ... Integrated sensorimotor function was also preserved in the anti-Let7f treated animals as ...

被引用次数: 102 相关文章 所有 13 个版本 引用 保存 更多

## Sex, stress and the hippocampus: allostasis, allostatic load and the aging process

BS McEwen - Neurobiology of aging, 2002 - Elsevier

... Studies of the hippocampus as a target of stress and sex hormones have revealed a ... Neurotransmitters and hormones are usually released during a discrete period of activation and then are shut off ... are removed from the intracellular space by reuptake or metabolism in order ...

被引用次数: 562 相关文章 所有 13 个版本 引用 保存

## The insulin-like growth factor I system: physiological and pathophysiological implication in cardiovascular diseases associated with metabolic syndrome

J Ren, P Anversa - Biochemical pharmacology, 2015 - Elsevier

... Consistently, increased metabolic syndrome prevalence is also consolidated in patients with growth hormone (GH) deficiency, which is partially reversed by GH replacement therapy. IGF-1



Scholar

About 1,210 results (0.04 sec)

Articles

Case law

My library

Any time

Since 2016

Since 2015

Since 2012

Custom range...

Sort by relevance

Sort by date

☒ include patents

☒ include citations

Create alert

# Interactions of estrogens and insulin-like growth factor-I in the brain: implications for neuroprotection

GP Cardona-Gómez, P Mendez, LL DonCarlos... - Brain Research ..., 2001 - Elsevier

... Sign in. Sign in OpenAthens login. Login via your institution. Other institution login. Sign in using your ScienceDirect credentials. Username: Password: Remember me. | Not Registered? Forgotten username or password? Help. Download PDF Opens in a new window. ...

Cited by 167 Related articles All 5 versions Cite Save

## [HTML] An antagomir to microRNA Let7f promotes neuroprotection in an ischemic stroke model

A Selvamani, P Sathyan, RC Miranda, F Sohrabji - PloS one, 2012 - journals.plos.org

... potentially targets multiple components of the IGF signaling pathway including IGF1 and 2 ... 4A), indicating that inter-hemispheric integration of forelimb placement ability was maintained in ... Integrated sensorimotor function was also preserved in the anti-Let7f treated animals as ...

Cited by 107 Related articles All 13 versions Cite Save More

## Sex, stress and the hippocampus: allostasis, allostatic load and the aging process

BS McEwen - Neurobiology of aging, 2002 - Elsevier

... Studies of the hippocampus as a target of stress and sex hormones have revealed a ... Neurotransmitters and hormones are usually released during a discrete period of activation and then are shut off ... are removed from the intracellular space by reuptake or metabolism in order ...

Cited by 568 Related articles All 13 versions Cite Save

[全部](#)[视频](#)[新闻](#)[图片](#)[更多 ▾](#)[搜索工具](#)

找到约 88,300 条结果（用时 0.82 秒）

## Google 学术: Integrating insulin-like growth factor 1 and sex hormones into neuroprotection: Implications for diabetes

... and insulin-like growth factor-I in the brain: implications ... - Cardona-Gómez - 被引用次数: 168

... role of the insulin-like growth factor pathway as a ... - Ryan - 被引用次数: 143

Insulin-like growth factor 1 (IGF-1) and aging: ... - Bartke - 被引用次数: 135

## Human conditions of insulin-like growth factor-I (IGF-I) deficiency - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JE Puche - 2012 - 被引用次数: 63 - 相关文章

2012年11月14日 - As an hormone with a wide range of physiological roles, IGF-I levels must ... of IGF-I to its putative receptor, IGF-IR, a tyrosine kinase that is one of the ... In an attempt to provide a coherent and integrated review of certain ... So, taking into account all these data, we can conclude that both GH and IGF-I has ...

## Estrogen-IGF-1 interactions in neuroprotection: Ischemic Stroke as a ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: F Sohrabji - 2015 - 被引用次数: 8 - 相关文章

2014年5月29日 - Estrogen and IGF-1 share common actions on many tissues and this .... may also be IGF-1 dependent, rather than sex hormone dependent. .... Hence MTOR signaling integrates extracellular signals from growth factors and hormones to .... mast cell infiltration into the brain parenchyma (Theoharides et al.

## Insulin-like growth factor 1 - Wikipedia

[https://en.wikipedia.org/wiki/Insulin-like\\_growth\\_factor\\_1](https://en.wikipedia.org/wiki/Insulin-like_growth_factor_1) ▾ 翻译此页

Insulin-like growth factor 1 (IGF-1), also called somatomedin C, is a protein that in humans is encoded by the IGF1 gene. IGF-1 has also been referred to as a "sulfation factor" and its effects were termed