

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 46431

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Immune response pattern varied along with the natural history of chronic hepatitis B

Wang WT *et al.* NK and T cells in viral hepatitis

Wen-Tao Wang, Xue-Qi Zhao, Gui-Ping Li, Yi-Zhi Chen, Lin Wang, Mei-Fang Han, Wei-Na Li, Tao Chen, Guang Chen, Dong Xu, Qin Ning, Xi-Ping Zhao

Match Overview

1	Internet 33 words crawled on 26-Jan-2017 repub.eur.nl	1%
2	Crossref 28 words In Soo Oh, Su-Hyung Park. "Immune-mediated Liver Injury in Hepatitis B Virus Infection", Immune Network, 2015	1%
3	Internet 24 words crawled on 11-Mar-2018 journals.plos.org	1%
4	Internet 21 words crawled on 26-Feb-2018 www.jimmunol.org	1%
5	Internet 21 words crawled on 28-May-2010 jvi.asm.org	1%
6	Crossref 15 words Jang-June Park, David K. Wong, Abdus S. Wahed, William M. Lee et al. "Hepatitis B Virus-Specific and Global T...	<1% ➡
7	Internet 15 words crawled on 16-Nov-2018 publine.xiahepublishing.com	<1%
8	Crossref 14 words Yun-Fan Liaw. "Asian-Pacific consensus statement on the management of chronic hepatitis B: a 2005 update", Liver	<1%
9	Crossref 13 words Stelma, F., A. de Niet, M. J. Tempelmans Plat-Sinnige, L. Jansen, R. B. Takkenberg, H. W. Reesink, N. A. Kootstra, a	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 6,960,000 条结果 (用时 0.85 秒)

Natural history of chronic hepatitis B virus infection from infancy to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4618235/> ▼ [翻译此页](#)

作者: JF Wu - 2015 - 被引用次数: 36 - [相关文章](#)

2015年10月20日 - The **natural course of chronic HBV** infection was generally sub-divided into **immune**-tolerant, **immune** clearance/inflammatory, post HBeAg seroconversion inactive phases. ... Very minority of **chronic HBV** infected subjects may developed HBsAg seroconversion, and get rid off **chronic** infected status.

Natural history of chronic hepatitis B: Phases in a complex relationship

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4130846/> ▼ [翻译此页](#)

作者: CMN Croagh - 2014 - 被引用次数: 60 - [相关文章](#)

2014年8月14日 - This review article on the **natural history of chronic hepatitis B** focuses on the phases of disease. ... The prevalence of **HBV** infection **varies** in different countries[6]. ... These phases have differing **patterns** of **HBV** viral load, **hepatitis B** e ... The host **immunological response** plays a key role in the natural ...

Natural history of chronic hepatitis B in Euro-Mediterranean and ...

[https://www.journal-of-hepatology.eu/article/S0168-8278\(11\)00023-7/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(11)00023-7/pdf) - [翻译此页](#)

作者: SJ Hadziyannis - 2011 - 被引用次数: 150 - [相关文章](#)

determine the **natural history of chronic HBV** infection and its significant ... attributed to the immaturity of the host **immune system** of these very young age data taken **together** with the short duration in the Mediterra- ... is intermediate (**varying** between 2% and 8%, Fig. Epidemiologic **patterns** of viral hepatitis in eastern.

The immune response during hepatitis B virus infection - Journal of ...

jgv.microbiologyresearch.org/content/journal/jgv/10.../vir.0.81920-0? ... ▼ [翻译此页](#)

作者: A Bertolotti - 2006 - 被引用次数: 494 - [相关文章](#)

2006年3月7日 - **Hepatitis B** virus (**HBV**) is a major cause of **chronic** liver inflammation worldwide.



All

Images

Videos

翻译成中文

关闭取词

19,100 Results

Any time ▾

Natural history of chronic hepatitis B: Phases in a ...

www.ncbi.nlm.nih.gov › ... › v.20(30); 2014 Aug 14

Aug 14, 2014 · EPIDEMIOLOGY: GLOBAL. The **natural history** of CHB is considered to evolve through a number of clinical phases reflecting different points in the host-virus **immune** relationship. These phases have **differing patterns** of HBV viral load, **hepatitis B e antigen** (HBeAg) status and serum transaminase concentration.

Cited by: 26

Author: Catherine Mn Croagh, John S Lubel

Publish Year: 2014

Natural history of acute and chronic hepatitis B: The role ...

<https://www.sciencedirect.com/science/article/pii/S1521691817300331>

Most patients with **chronic** HBV infection acquire the virus early in life [2]. On the basis of **immune** interactions between virus and host, **HBV infection** has diverse clinical manifestations, including **acute hepatitis**, chronic **hepatitis**, **liver cirrhosis**, and **hepatocellular carcinoma** (HCC) [1].

Cited by: 13

Author: Chih-Lin Lin, Jia-Hong Kao

Publish Year: 2017

Natural History of Chronic Hepatitis B – Clinical Implications

www.ncbi.nlm.nih.gov › ... › Medscape J Med › v.10(4); 2008

Apr 16, 2008 · [6,8,9] Thus, in the **immune-active** phase of **chronic hepatitis B**, infected persons can be either HBeAg-positive or HBeAg-negative/anti-HBe antibody positive. Persons in the **immune-active** phase of HBV infection are those at highest risk of developing cirrhosis and/or HCC and may need antiviral treatment.

Cited by: 32

Author: Brian J. McMahon

Publish Year: 2008

The natural history of chronic hepatitis B virus infection ...

https://www.researchgate.net/publication/7313482_The_natural...



Immune response pattern varied along with the natural history of chronic h



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 6,970,000 条结果 (用时 0.56 秒)

Natural history of chronic hepatitis B virus infection from infancy to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4618235/> ▼ 翻译此页

作者: JF Wu - 2015 - 被引用次数: 38 - 相关文章

2015年10月20日 - The **natural course of chronic HBV** infection was generally sub-divided into **immune-tolerant**, **immune** clearance/inflammatory, post HBeAg seroconversion inactive phases. ... Very minority of **chronic HBV** infected subjects may developed HBsAg seroconversion, and get rid off **chronic** infected status.

Natural history of chronic hepatitis B: Phases in a complex relationship

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4130846/> ▼ 翻译此页

作者: CMN Croagh - 2014 - 被引用次数: 61 - 相关文章

2014年8月14日 - The **natural history** of CHB is considered to evolve through **a** number of clinical phases reflecting different points **in** the host-virus **immune** relationship. These phases have differing **patterns** of **HBV** viral load, **hepatitis B** e antigen (HBeAg) status and serum transaminase concentration.

Natural history of chronic hepatitis B in Euro-Mediterranean and ...

[https://www.journal-of-hepatology.eu/article/S0168-8278\(11\)00023-7/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(11)00023-7/pdf) - 翻译此页

作者: SJ Hadziyannis - 2011 - 被引用次数: 147 - 相关文章

determine the **natural history of chronic HBV** infection and its significant attributed to the immaturity of the host **immune system** of these very young age data taken **together** with the short duration in the Mediterra- ... is intermediate (**varying** between 2% and 8%, Fig. Epidemiologic **patterns** of viral hepatitis in eastern.

[PDF] Natural History of Hepatitis B and Prognostic Factors of Disease ...

https://www.aphc.info/wp-content/uploads/.../07PHC_Book_Chapter15.pdf ▼ 翻译此页

作者: G Fattovich - 被引用次数: 4 - 相关文章

interaction between virus replication and the host **immune response** ... **chronic HBV** infection **varies** with age at infection; ranging from more than 90% of infants born to ... The **natural history of chronic**