

"En bloc" caudate lobe and inferior vena cava resection following Cytoreductive S

全部

图片

视频

新闻

购物

地图

图书

找到约 488 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Cytoreductive Surgery and Peritonectomy Procedures | SpringerLink](#)

link.springer.com/article/10.1007/s13193-016-0505-5

This is achieved by peritonectomy procedures and **en-bloc resection** of the ... [4] Primary tumors arising from the **peritoneum** are rare and **cancer** spread to **Liver metastases** may also be a contraindication except for **colorectal** carcinomatosis. **vena cava** or the **caudate lobe** veins that pass between the **vena cava** and ...

[Cytoreductive surgery using peritonectomy and visceral resections ...](#)

tgc.amegroups.com/article/view/1710/2386

The visceral **resections** and parietal peritonectomy procedures that one must utilize to ... Layering of **cancer** on a **peritoneal** surface or a portion of the **bowel** requires and from the surface of the **liver** forms an envelope as it is removed **en bloc**. ... the **peritoneal** reflection between left **caudate lobe** and superior **vena cava**.

[\[PDF\] Surgical technique of parietal and visceral peritonectomy for ...](#)

onlinelibrary.wiley.com/doi/10.1002/jso.21388/pdf

KEY WORDS: **cytoreductive surgery**; **peritoneal** carcinomatosis; **peritoneal** ... Peritoneal surface malignancies (PSM), both primary or **metastatic**, ... efficacy of CRS and HIPEC in the treatment of **colorectal cancer** triangular ligament is **resected** and the left **liver lobe** is retracted to the right ... **hepatic vena cava** is identified.

[\[PDF\] best free orals: biliary - NCBI](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29212

Manuscript Type: CASE REPORT

**"En bloc" caudate lobe and inferior vena cava resection following
Cytoreductive Surgery and hyperthermic intraperitoneal chemotherapy for
peritoneal and liver metastasis of colorectal cancer**

Patricia Sánchez-Velázquez, Nicolas Moosmann, Ingolf Töpel, Pompiliu Piso

Abstract

There are diverse protocols to manage patients with recurrent disease after

Match Overview

1	Internet 17 words crawled on 10-Jun-2010 www.hbpdint.com	1%
2	Crossref 14 words Antoine Brouquet. "The Second Procedure Combining Co mplete Cytoreductive Surgery and Intraperitoneal Chemoth	1%
3	Crossref 14 words Lana Bijelic. "Treatment failure following complete cytoredu ctive surgery and perioperative intraperitoneal chemothera	1%
4	Internet 14 words crawled on 29-Jul-2016 wjso.biomedcentral.com	1%

"En bloc" caudate lobe and inferior vena cava resection following Cytoreductive S

全部

图片

视频

新闻

购物

地图

图书

找到约 4,730 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Cytoreductive Surgery and Peritonectomy Procedures | SpringerLink](#)

link.springer.com/article/10.1007/s13193-016-0505-5

Cytoreductive surgery (CRS) and hyperthermic intraperitoneal ... This is achieved by peritonectomy procedures and en-bloc resection of the viscera Liver metastases may also be a contraindication except for colorectal carcinomatosis. the vena cava or the caudate lobe veins that pass between the vena cava and the ...

[Cytoreductive surgery using peritonectomy and visceral resections ...](#)

tgc.amegroups.com/article/view/1710/2386

As cancer surgery expanded in the midst of a technological revolution in ... for the resection of primary tumor but also the surgical management of metastatic disease. ... patient for chemotherapy used in the operating room with hyperthermia with the peritoneal reflection between left caudate lobe and superior vena cava.

[\[PDF\] Surgical technique of parietal and visceral peritonectomy for ...](#)

onlinelibrary.wiley.com/doi/10.1002/jso.21388/pdf

KEY WORDS: cytoreductive surgery; peritoneal carcinomatosis; peritoneal mesothelioma; ... hyperthermic intraperitoneal chemotherapy; HIPEC ... efficacy of CRS and HIPEC in the treatment of colorectal cancer triangular ligament is resected and the left liver lobe is retracted to the right ... hepatic vena cava is identified.

[\[PDF\] Technical Handbook for the Integration of Cytoreductive Surgery ...](#)

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 4,570 条结果 (用时 1.01 秒)

Cytoreductive Surgery and Peritonectomy Procedures | SpringerLink

link.springer.com/article/10.1007/s13193-016-0505-5 - 翻译此页

作者 : SS Mehta - 2016 - 相关文章

Cytoreductive surgery (CRS) and **hyperthermic intraperitoneal** ... This is achieved by peritonectomy procedures and **en-bloc resection** of the viscera **Liver metastases** may also be a contraindication except for **colorectal** carcinomatosis. the **vena cava** or the **caudate lobe** veins that pass between the **vena cava** and the ...

Surgical technique of parietal and visceral peritonectomy for ...

onlinelibrary.wiley.com/doi/10.1002/jso.21388/pdf ▾ 翻译此页

KEY WORDS: **cytoreductive surgery**; **peritoneal** carcinomatosis; **peritoneal** mesothelioma; ...

hyperthermic intraperitoneal chemotherapy; HIPEC ... efficacy of CRS and HIPEC in the treatment of **colorectal cancer** triangular ligament is **resected** and the left **liver lobe** is retracted to the right ... **hepatic vena cava** is identified.

[PDF] Technical Handbook for the Integration of Cytoreductive Surgery and ...

www.surgicaloncology.com/Technical%20Handbook%20for%20Prevention... ▾ 翻译此页

作者 : PH Sugarbaker - 2005 - 被引用次数 : 31 - 相关文章

cytoreductive surgery plus **intraperitoneal chemotherapy**, these conditions operating room **after** a complete **resection** of a primary **cancer** or **after** the cytoreduction of ... **peritoneal** surface **cancer** nodules if administered with **hyperthermic** Care is taken not to traumatize the **vena cava** or to disrupt **caudate lobe** veins.

Cytoreductive surgery using peritonectomy and visceral resections for ...

tgc.amegroups.com/article/view/1710/2386 ▾ 翻译此页

作者 : PH Sugarbaker - 2013 - 被引用次数 : 8 - 相关文章

As **cancer surgery** expanded in the midst of a technological revolution in ... for the **resection** of primary tumor but also the **surgical** management of **metastatic** disease. ... patient for **chemotherapy** used in the operating room with **hyperthermia** with ... the **peritoneal** reflection between left **caudate**