

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 55,300 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Google 学术: Radiofrequency ablation for hepatic hemangiomas: A consensus from Chinese panel of experts](#)[... for contrast enhanced ultrasound \(CEUS\) in the liver- ...](#) - Claudon - 被引用次数: 594[... Canadian consensus recommendations for the ...](#) - Sherman - 被引用次数: 49[... and treatment of primary liver cancer \(2011 edition\)](#) - **Panel** - 被引用次数: 11[Radiofrequency ablation for large hepatic hemangiomas: initial ...](#)<https://www.ncbi.nlm.nih.gov/pubmed/22853860>[Multidisciplinary Canadian consensus ... - NCBI - NIH](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3185900/>

At least 300,000 of the 600,000 deaths worldwide occur in China alone, with most of the ...  
**Consensus** was defined as agreement by two thirds of the **expert panel**. .... For patients with lesions in the **liver** that are not clearly **hemangioma**, the .... **Radiofrequency ablation** can also be used for patients with hcc up to about 4 cm ...

[Laparoscopic Radiofrequency Ablation for Large Subcapsular ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4765839/>

22 Feb 2016 ... Out of 124 **hepatic hemangiomas**, 118 (95.2%) were completely ablated, ...  
Laparoscopic **RF ablation** therapy is a safe, feasible and effective ... base of six hospitals in **China**: Beijing Chaoyang Hospital affiliated with Capital ...

[\[PDF\] Expert consensus on local ablation therapies for primary liver cancer](#)<cco.amegroups.com/article/viewFile/975/1258>

Notably, **radiofrequency ablation (RFA)** is as effective as surgical resection ... jointly convened a multidisciplinary **panel of experts** in surgery ... of **Chinese Society of Liver Cancer**, **Chinese Society of Clinical Oncology**, and **Liver Cancer Group**.

[Publication \(PDF\): Multidisciplinary Canadian consensus ...](#)[https://www.researchgate.net/.../51699915\\_Multidisciplinary\\_Canadian\\_consensus\\_recommendations\\_for\\_the\\_management\\_and\\_treatment\\_of\\_...](https://www.researchgate.net/.../51699915_Multidisciplinary_Canadian_consensus_recommendations_for_the_management_and_treatment_of_...)

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 35489

**Manuscript Type:** MINIREVIEWS

**Radiofrequency ablation for hepatic hemangiomas: A consensus from Chinese panel of experts**

Jun Gao, Rui-Fang Fan, Jia-Yin Yang, Yan Cui, Jian-Song Ji, Kuan-Sheng Ma, Xiao-Long Li, Long Zhang, Chong-Liang Xu, Xin-Liang Kong, Shan Ke, Xue-Mei Ding, Shao-Hong Wang, Meng-Meng Yang, Jin-Jin Song, Bo Zhai, Chun-Ming Nin, Shi-Gang Guo, Zong-Hai Xin, Yong-Hong Dong, Jun Lu, Hua-Qiang Zhu, Wen-Bing Sun

**Abstract**

### Match Overview

1	<b>Crossref</b> 219 words Shaohong Wang, Jun Gao, Mengmeng Yang, Shan Ke, Xuemei Ding, Jian Kong, Li Xu, Wenbing Sun. "Intratumo	5%
2	<b>Crossref</b> 202 words Jun Gao, Jian-Song Ji, Xue-Mei Ding, Shan Ke, Zong-Hai Xin, Chun-Min Ning, Shi-Gang Guo, Xiao-Long Li, Yong	4%
3	<b>Internet</b> 162 words crawled on 03-Jul-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	4%
4	<b>Internet</b> 111 words crawled on 06-Jul-2017 <a href="http://www.medandlife.ro">www.medandlife.ro</a>	2%
5	<b>Crossref</b> 103 words Gao, Jun, Xuemei Ding, Shan Ke, Zonghai Xin, Chunmin Ning, Qi Sha, and Wenbing Sun. "Radiofrequency Ablati	2%
6	<b>Internet</b> 78 words crawled on 10-Apr-2016 <a href="http://tpp.uah.edu">tpp.uah.edu</a>	2%
7	<b>Internet</b> 55 words crawled on 05-Jun-2017 <a href="http://tcr.amegroups.com">tcr.amegroups.com</a>	1%
8	<b>Crossref</b> 49 words van Tilborg, Aukje A. J. M., Helena F. Dresselaars, Hester J. Scheffer, Karin Nielsen, Colin Sietses, Petrousjka M.	1%
9	<b>Crossref</b> 49 words for the International Study Group on Pancreatic Fistula ... efinition. "Postoperative pancreatic fistula: An internation	1%



Radiofrequency ablation for hepatic hemangiomas: A consensus from Chine



学术搜索

找到约 203 条结果 (用时0.13秒)

我的著作引用情况

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[HTML] Guidelines and good clinical practice recommendations for contrast enhanced ultrasound (CEUS) in the liver—update 2012

[HTML] thieme-connect.com

..., N Lassau, ELS Leen, RF Mattrey... - Ultraschall in der ..., 2013 - thieme-connect.com  
... RF: radio-frequency. SPIO: superparamagnetic iron oxide. SWI: slope of the wash in (TIC parameter). TIC: time intensity curve(s). TPI: time to peak ... RF data refers to the radiofrequency information after the beam former. ... Linear data refers to the RF or Raw data, before compression. ...  
被引用次数: 617 相关文章 所有 25 个版本 引用 保存

时间不限

2017以来

2016以来

2013以来

自定义范围...

[HTML] Multidisciplinary Canadian consensus recommendations for the management and treatment of hepatocellular carcinoma

[HTML] nih.gov

M Sherman, K Burak, J Maroun, P Metrakos... - Current ..., 2011 - ncbi.nlm.nih.gov  
... diagnosis, staging, prognosis, surgical resection, transplantation, percutaneous ethanol injection, radiofrequency ablation, transarterial chemotherapy ... mesh term) combined with the text words "ablation," "biopsy," "diagnosis ... For patients with lesions in the liver that are not clearly ...  
被引用次数: 50 相关文章 所有 11 个版本 引用 保存

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

Guidelines on the diagnosis and treatment of primary liver cancer (2011 edition)

[HTML] amegroups.com

TE Panel - Chinese clinical oncology, 2012 - cco.amegroups.com  
Abstract Primary liver cancer (PLC) is one of the common malignant tumors. Due to its insidious onset, lack of symptoms (or nonspecific presenting symptoms) in its early stage, and quick progression, PLC usually has been in its locally advanced stage or develops  
被引用次数: 11 相关文章 所有 3 个版本 引用 保存 更多

包括专利

包含引用

[HTML] Sonazoid-enhanced ultrasound in the diagnosis and treatment of hepatic tumors

[HTML] sciencedirect.com

M Kudo, K Hatanaka, K Maekawa - Journal of Medical Ultrasound, 2008 - Elsevier  
... 2 the Kupffer defect (positive defect reperfusion sign), and radiofrequency ablation under the ... reperfusion sign (-) → non-typical HCC Defect (Regenerative nodule, post-ablated nodule) Defect ...  
Differential diagnosis of hepatic tumors by using contrast enhancement patterns at ...  
被引用次数: 37 相关文章 所有 6 个版本 引用 保存

创建快讯

Hepatic tumor ablation

TJ Ziemiłowicz, SA Wells, MG Lubner... - Surgical ..., 2016 - surgical.theclinics.com  
... Doppler flow is noted along the needle tract (arrow) to the liver surface. (B) Echoes (arrow) were noted flowing into perihepatic fluid from the hepatic surface at site of needle insertion (arrowhead)



Radiofrequency ablation for hepatic hemangiomas: A consensus from Chi



登录

全部 新闻 图片 视频 购物 更多 设置 工具

找到约 48,400 条结果 (用时 0.61 秒)

## Google 学术: Radiofrequency ablation for hepatic hemangiomas: A consensus from Chinese panel of experts

... for contrast enhanced ultrasound (CEUS) in the liver- ... - Claudon - 被引用次数: 618

... Canadian consensus recommendations for the ... - Sherman - 被引用次数: 50

... and treatment of primary liver cancer (2011 edition) - Panel - 被引用次数: 11

## Radiofrequency ablation for large hepatic hemangiomas: initial ...

<https://www.ncbi.nlm.nih.gov/pubmed/22853860> - 翻译此页

作者: J Gao - 2013 - 被引用次数: 42 - 相关文章

缺少字词: consensus chinese panel experts

## Intratumoral coagulation by radiofrequency ablation ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5584308/> - 翻译此页

作者: S Wang - 2017

2017年7月5日 - RF ablation for hepatic hemangiomas can be performed via percutaneous or laparoscopic approach. ... A consensus was reached in the case discussion, attended by a multidisciplinary panel of experts in hepatobiliary tumor treatment, .... grant from the National Natural Science Foundation of China (No.

## Percutaneous radiofrequency ablation of symptomatic giant hepatic ...

<https://www.ncbi.nlm.nih.gov/pubmed/22720896> - 翻译此页

作者: EE Sharpe 3rd - 2012 - 被引用次数: 10 - 相关文章

Percutaneous radiofrequency ablation of symptomatic giant hepatic cavernous hemangiomas: report of two cases and review of literature. Sharpe EE 3rd(1), ...

缺少字词: consensus chinese panel experts