

Name of journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 19842

Manuscript Type: Case Report

Successful living donor intestinal transplantation in cross-match positive recipients: initial experience

Raquel Garcia-Roca, MD¹; Ivo G Tzvetanov, MD¹; Hoonbaae Jeon, MD¹;
Elisabeth Hettermann, PhraMD²; Jose Oberholzer, MD¹; Enrico Benedetti, MD¹.

Abstract:

Background

Sensitized patients tend to have longer waiting times ¹on the deceased donor list and ¹are at increased risk of graft loss from acute or chronic rejection compared to

Match Overview

1	CrossCheck 42 words "AMERICAN TRANSPLANT CONGRESS 2012 ABSTRACTS", American Journal of Transplantation, 05/2012	2%
2	CrossCheck 31 words Smith, J. M., M. A. Skeans, B. Thompson, S. P. Horslen, E. B. Edwards, A. M. Harper, J. J. Snyder, A. K. Israni, et al.	1%
3	CrossCheck 30 words Enrico Benedetti. "Living Related Segmental Bowel Transplantation", Annals of Surgery, 11/2006	1%
4	CrossCheck 21 words "WORLD TRANSPLANT CONGRESS 2006 ORAL ABSTRACTS", American Journal of Transplantation, 8/2006.	1%
5	CrossCheck 19 words "Abstracts (1206 - 1603)", American Journal of Transplantation, 5/2003	1%
6	Internet 14 words crawled on 11-Nov-2010 www.tsanz.com.au	1%

SUCCESSFUL LIVING DONOR INTESTINAL TRANSPLANTATION IN CROS ▾



找到约 1,640 条结果 (用时0.06秒)

我的著作引用情况



小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

... globulin provides effective rescue therapy for refractory humoral rejection and allows kidneys to be successfully transplanted into cross-match-positive recipients

RA Montgomery, AA Zachary, LC Racusen... - ..., 2000 - journals.lww.com

... Using PP/IVIG we have successfully reversed established AHR in three patients. ... Several groups have had success using IVIG to decrease levels of anti-HLA Ab in alloantibody ... In this study we have combined these two modalities and describe the successful reversal of AHR in ...

被引用次数: 517 相关文章 所有 6 个版本 引用 保存

Successful Combined Partial Auxiliary Liver and Kidney Transplantation in Highly Sensitized Cross - Match Positive Recipients

wiley.com 中的 [HTML]

M Olausson, L Mjömstedt, G Nordén... - ... of transplantation, 2007 - Wiley Online Library

... the production of such antibodies have been reported with various success rates (2 ... analyses support the hypothesis that the liver grafts protected the successfully transplanted kidneys by ... Our five successful cases showed no signs of harmful antibody resynthesis or humoral or ...

被引用次数: 73 相关文章 所有 8 个版本 引用 保存

... immune globulin treatment inhibits crossmatch positivity and allows for successful transplantation of incompatible organs in living-donor and cadaver recipients1

SC Jordan, A Vo, S Bunnapradist, M Toyoda... - ..., 2003 - journals.lww.com

... before transplantation could decrease or eliminate CMX positivity and allow for successful transplantation. ... With this accomplished, the patients underwent living-donor transplantation within 24 to 72 hr ... additional monthly doses of IVIG (x3). Cadaver donor recipients were offered ...

被引用次数: 230 相关文章 所有 4 个版本 引用 保存

Living-donor kidney transplantation: a review of the current practices for the live donor

asnjournals.org 中的 [HTML]



Successful living donor intestinal transplantation in cross-match positive recipi



学术搜索

找到约 1,640 条结果 (用时0.09秒)

我的著作引用情况



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

... globulin provides effective rescue therapy for refractory humoral rejection and allows kidneys to be successfully transplanted into cross-match-positive recipients

RA Montgomery, AA Zachary, LC Racusen... - ..., 2000 - journals.lww.com

... Using PP/IVIg we have successfully reversed established AHR in three patients. ... Several groups have had success using IVIg to decrease levels of anti-HLA Ab in alloantibody ... In this study we have combined these two modalities and describe the successful reversal of AHR in ...

被引用次数: 517 相关文章 所有 6 个版本 引用 保存

Successful Combined Partial Auxiliary Liver and Kidney Transplantation in Highly Sensitized Cross - Match Positive Recipients

wiley.com 中的 [HTML]

M Olausson, L Mjörnstedt, G Nordén... - ... of transplantation, 2007 - Wiley Online Library

... the production of such antibodies have been reported with various success rates (2 ... analyses support the hypothesis that the liver grafts protected the successfully transplanted kidneys by ... Our five successful cases showed no signs of harmful antibody resynthesis or humoral or ...

被引用次数: 73 相关文章 所有 8 个版本 引用 保存

... immune globulin treatment inhibits crossmatch positivity and allows for successful transplantation of incompatible organs in living-donor and cadaver recipients1

SC Jordan, A Vo, S Bunnapradist, M Toyoda... - ..., 2003 - journals.lww.com

... before transplantation could decrease or eliminate CMX positivity and allow for successful transplantation. ... With this accomplished, the patients underwent living-donor transplantation within 24 to 72 hr ... additional monthly doses of IVIg (×3). Cadaver donor recipients were offered ...

被引用次数: 230 相关文章 所有 4 个版本 引用 保存

Living-donor kidney transplantation: a review of the current practices for the live donor

asnjournals.org 中的 [HTML]

CI Davis, FI Delmonico - Journal of the American Society of ... 2005 - Am Soc Nephrol

[网页](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 12,800 条结果 (用时 0.63 秒)

Google 学术: Successful living donor intestinal transplantation in cross-match positive recipients: Initial experience

... be successfully transplanted into cross-match-positive ... - Montgomery - 被引用次数: 516

... in Highly Sensitized Cross-Match Positive Recipients - Olausson - 被引用次数: 73

... transplantation of incompatible organs in living-donor ... - Jordan - 被引用次数: 229

Living Related Segmental Bowel Transplantation

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: E Benedetti - 2006 - 被引用次数: 40 - 相关文章

We herein present our single-center **experience** with this procedure. ... Demographics of **Living Donor Bowel Transplant Recipients**. Intestinal Donor Protocol. Potential donors were **initially** screened based on history and physical as well was found to have **positive cross-match** due to a donor-specific anti-HLA antibody ...

Get PDF (65K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1046/j.1600-6135.2003.../pdf ▾ 翻译此页

作者: C Sammartino - 2004 - 被引用次数: 12 - 相关文章

plant **recipient** candidates with **positive cross-match** have been ... **living donor** (LD) performed against an **initially positive**. FC-XM ... tive **cross-match** with a **living donor** available. Protocols us- ... In brief, the donor procedure started with trans-**abdominal** left nephrec- report and on our favorable **experience** with LD kid-

Successful Simultaneous Pancreas Kidney Transplantation ...

onlinelibrary.wiley.com > ... > Vol 4 Issue 1 > Abstract ▾ 翻译此页

作者: C Sammartino - 2004 - 被引用次数: 12 - 相关文章