

Name of Journal: *World Journal of Dermatology*

ESPS Manuscript NO: 22633

Manuscript Type: Review

The P2X7 receptor in skin biology and diseases

Nicholas J Geraghty^{1,2}, Debbie Watson^{1,2}, Sam R Adhikary^{1,2} and Ronald Sluyter^{1,2}

Match Overview

1	Internet 41 words crawled on 15-Aug-2013 ro.uow.edu.au	<1%
2	CrossCheck 29 words "P2X7 receptor activation induces CD62L shedding fro ... human CD4+ and CD8+ T cells", Inflammation and Cell	<1%
3	Internet 24 words crawled on 19-Dec-2013 www.science.gov	<1%
4	Internet 22 words crawled on 30-Oct-2015 biomedfrontiers.org	<1%
5	CrossCheck 21 words Ryan O. Stevenson. "The P2X7 receptor mediates the up take of organic cations in canine erythrocytes and mon ...	<1%
6	CrossCheck 20 words Farrell, A.W.. "P2X7 receptor activation induces cell de ... h and CD23 shedding in human RPMI 8226 multiple my	<1%



[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 19,400 条结果 (用时 0.47 秒)

Google 学术: The P2X7 receptor in skin biology and diseases

Advances in graft-versus-host disease biology and ... - Blazar - 被引用次数: 256

... of an antagonist of the ATP-sensitive receptor P2X7 ... - Peng - 被引用次数: 210

Blocking IL-1 in systemic inflammation - Dinarello - 被引用次数: 442

P2X7 receptor at the heart of disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: E Vasileiou - 2010 - 被引用次数: 7 - [相关文章](#)

Prolonged activation of the agonist on P2X7 receptor results in the formation of a

Solini et al., also investigated the role of P2X7 receptor in fibroblasts derived from skin biopsies of diabetic patients. Thrombosis and Vascular Biology.

The Role of the P2X7 Receptor in Infectious Diseases

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: CM Miller - 2011 - 被引用次数: 49 - [相关文章](#)

2011年11月10日 - ATP is an extracellular signal for the immune system, particularly

during an inflammatory response. It is sensed by the P2X7 receptor, the ...

缺少字词: skin

The Role of the P2X 7 Receptor in Infectious Diseases

journals.plos.org/plospathogens/article?id=10.1371/journal... ▾ [翻译此页](#)

作者: CM Miller - 2011 - 被引用次数: 49 - [相关文章](#)

2011年11月10日 - Affiliation: Centenary Institute of Cancer Medicine & Cell Biology, The

..... Wiley JS (2009) Genetics of the P2X7 receptor and human disease.

缺少字词: skin

P2X7 receptors and epithelial cancers - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/wmts.33/pdf ▾ [翻译此页](#)

作者: GI Gorodeski - 2012 - 被引用次数: 3 - [相关文章](#)

... the mouse in vivo. Local treatment on the skin with the P2X7A-specific agonist

benzoyl-ATP (BzATP) ... Department of Reproductive Biology, Case Western Reserve

University, Cleveland ... review focuses on the emerging role of P2X7 receptors in

学术搜索

找到约 3,970 条结果 (用时0.05秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Advances in graft-versus-host disease biology and therapy

nature.com 中的 [HTML]

BR Blazar, WJ Murphy, M Abedi - Nature Reviews Immunology, 2012 - nature.com

... who receive allogeneic HSCT, which supports the possibility that blockade of P2X7 signalling may ... has been demonstrated that signalling by the killer cell immunoglobulin-like receptor (KIR) family ... Notch family receptors interact with ligands of the jagged and Delta-like families ...

被引用次数: 286 相关文章 所有 7 个版本 引用 保存

Systemic administration of an antagonist of the ATP-sensitive receptor P2X7 improves recovery after spinal cord injury

pnas.org 中的 [HTML]

W Peng, ML Cotrina, X Han, H Yu... - Proceedings of the ... , 2009 - National Acad Sciences

... side effect was the transient acquisition of a blue tint to the skin. ... in the actions of BBG and both minocycline and methylprednisolone is that P2X7 receptors are activated ... both steroids and minocycline target inflammatory processes far downstream to P2X7 receptor activation (34 ...

被引用次数: 219 相关文章 所有 14 个版本 引用 保存

Blocking IL-1 in systemic inflammation

rupress.org 中的 [HTML]

CA Dinarello - The Journal of experimental medicine, 2005 - jem.rupress.org

... Skin rashes and urticaria are also common. ... 2001. Altered cytokine production in mice lacking P2X(7) receptors. J. Biol. Chem. 276:125-132. ... Medline. ↵ Kahlenberg, JM, and GR Dubyak. 2004. Mechanisms of caspase-1 activation by P2X7 receptor-mediated K⁺ release. Am. ...

被引用次数: 454 相关文章 所有 11 个版本 引用 保存

Endogenous antimicrobial peptides and skin infections in atopic dermatitis

academia.edu 中的 [PDF]

PY Ong, T Ohtake, C Brandt, I Strickland... - ... England Journal of ... , 2002 - Mass Medical Soc

... 15. Marco Di Gioia, Ivan Zanoni. (2014) Toll-like receptor co-receptors as master regulators of the immune response. Molecular Immunology. 16. ... (2014) Mast Cells Are Key Mediators of ...

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 125,000 条结果（用时 0.59 秒）

Google 学术: P2X7 receptor in skin biology and diseases

Advances in graft-versus-host disease biology and ... - Blazar - 被引用次数: 292

... of an antagonist of the ATP-sensitive receptor P2X7 ... - Peng - 被引用次数: 221

Blocking IL-1 in systemic inflammation - Dinarello - 被引用次数: 454

P2X7 receptor at the heart of disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: E Vasileiou - 2010 - 被引用次数: 8 - 相关文章

... of disease and was found to mediate a vast array of biological processes such ...

Prolonged activation of the agonist on P2X7 receptor results in the formation of P2X7 receptor in fibroblasts derived from skin biopsies of diabetic patients.

The Role of the P2X 7 Receptor in Infectious Diseases

journals.plos.org/plospathogens/article?id=10.1371/journal... ▾ 翻译此页

作者: CM Miller - 2011 - 被引用次数: 57 - 相关文章

2011年11月10日 - It is sensed by the P2X 7 receptor, the expression of which is upregulated by ... Affiliation: Centenary Institute of Cancer Medicine & Cell Biology, The (2010) Polymorphism in the p2x7 gene increases susceptibility to ...

The P2X7 Receptor Channel - Pharmacological Reviews

pharmrev.aspetjournals.org/content/66/3/638.full ▾

作者: R Bartlett - 2014 - 被引用次数: 51 - 相关文章

School of Biological Sciences, University of Wollongong, New South Wales, Thus,

P2X7 receptors are possibly only activated after injury, infection, or in tumor

pancreatitis) and skin (dermatitis, graft versus host disease, and melanoma).