

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 37283

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Budd-Chiari syndrome in China: A 30-year retrospective study on survival from a single center**

Wei Zhang *et al.* Long-term survival of Chinese BCS patients

Wei Zhang, Qiao-Zheng Wang, Xiao-Wei Chen, Hong-Shan Zhong, Xi-Tong Zhang, Xu-Dong Chen, Ke Xu

Wei Zhang, Xu-Dong Chen, Department of Interventional Radiology, Shenzhen People's Hospital, the Second Affiliated Hospital of Jinan

1

## Match Overview

1	Internet 53 words crawled on 22-Oct-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
2	Crossref 49 words Paul, S. B., Shalimar, V. Sreenivas, S. R. Gamanagatti, H. S harma, E. Dhamija, and S. K. Acharya. "Incidence and risk f	1%
3	Internet 45 words crawled on 26-Jun-2014 <a href="http://www.lungca.org">www.lungca.org</a>	1%
4	Internet 42 words crawled on 01-Jul-2015 <a href="http://vhds.org">vhds.org</a>	1%
5	Crossref 35 words Han, G., X. Qi, W. Zhang, C. He, Z. Yin, J. Wang, J. Xia, K. Xu , W. Guo, J. Niu, K. Wu, and D. Fan. "Percutaneous Recanal	1%
6	Crossref 17 words X. Qi, G. Han, X. Guo, V. De Stefano, K. Xu, Z. Lu, H. Xu, A. M ancuso, W. Zhang, X. Han, D. C. Valla, D. Fan. "Review artic	<1%
7	Publications 12 words Mete, Uttam Singh, Dig Bhattacharya, Ani. "Fulminant Budd chiari syndrome caused by renal primitive neuroectoderm ...	<1%
8	Crossref 11 words "Abstracts", Hepatology, 10/2011	<1%
9	Crossref 10 words Yusuf Bayraktar. "Hepatic Venous Outflow Obstruction", Mol ecular Pathology Library, 2011	<1%



文章

找到约 45 条结果 (用时0.08秒)



我的个人学术档案



我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### Diagnostic and interventional radiology for Budd-Chiari syndrome

[HTML] rsna.org

M Cura, Z Haskal, J Lopera - Radiographics, 2009 - pubs.rsna.org

... Contrast-enhanced abdominal CT images obtained in a 30-year-old woman (4a at a ... Medical management of Budd-Chiari syndrome may be offered to patients with mild symptoms and no ... control patients' symptoms temporarily, but it fails to arrest the progression of disease ...

☆ 99 被引用次数: 75 相关文章 所有 4 个版本

... mapping and sentinel node (SN) biopsy in breast cancer contribute to more accurate staging, while using less invasive techniques. The aim of this study is to improve ...

FWC van der Ent, RAM Kengen... - European Journal of ..., 1999 - infona.pl

... The analysis focused on morbidity, mortality and long-term function following gastric transposition.ResultsThe ... AimsTo investigate survival after radical treatment for transitional cell carcinomas of the bladder.MethodsThis retrospective study included 135 patients with ...

☆ 99 >>

### Ultrasound-guided direct intrahepatic portosystemic shunt in patients with Budd-Chiari syndrome: Short-and long-term results

[HTML] akademiai.com

A Hatzidakis, N Galanakis, E Kehagias... - ... Medicine and Applied ..., 2017 - akademiai.com

... Nevertheless, conservative treatment with anticoagulation drugs and correction of underlying disease is not ... A Chinese study reported a case series of 115 patients with BCS, who underwent ... Group for the Study of Vascular Disorders of the Liver: Budd-Chiari syndrome: A review ...

☆ 99 所有 7 个版本

Intracardiac thrombus in Behçet's disease: four new cases and a comprehensive literature review



找到约 5,360 条结果 (用时 0.50 秒)

### Percutaneous recanalization for Budd-Chiari syndrome: an 11-year ...

<https://www.ncbi.nlm.nih.gov/pubmed/23143028> - 翻译此页

作者: G Han - 2013 - 被引用次数: 56 - 相关文章

2012年11月9日 - Percutaneous recanalization for Budd-Chiari syndrome: an 11-year retrospective study on patency and survival in 177 Chinese patients from a single center. ... Fifty-one of the 168 patients (30%) were treated with percutaneous transluminal angioplasty (PTA) alone and 117 (70%) were treated with a ...

### Budd-Chiari Syndrome in China: A Systematic Analysis of ... - Hindawi

<https://www.hindawi.com/journals/grp/2015/738548/> - 翻译此页

作者: W Zhang - 2015 - 被引用次数: 6 - 相关文章

2014年12月9日 - Thousands of Budd-Chiari syndrome (BCS) studies have been published in China, and yet no one has explored its incidence or prevalence in the whole ..... for Budd-Chiari syndrome: an 11-year retrospective study on patency and survival in 177 Chinese patients from a single center," Radiology, vol. 266 ...

### Percutaneous Recanalization for Budd-Chiari Syndrome: An 11-year ...

[pubs.rsna.org/doi/full/10.1148/radiol.12120856](https://pubs.rsna.org/doi/full/10.1148/radiol.12120856) - 翻译此页

作者: G Han - 2013 - 被引用次数: 56 - 相关文章

Percutaneous Recanalization for Budd-Chiari Syndrome: An 11-year Retrospective Study on Patency and Survival in 177 Chinese Patients from a Single Center ..... patients who were consecutively admitted to our center and treated with percutaneous recanalization by our medical team were included in our study.

### Survival and prognostic indicators of Budd-Chiari syndrome: a ...

[www.tandfonline.com/doi/pdf/10.1586/17474124.2015.1024224](https://www.tandfonline.com/doi/pdf/10.1586/17474124.2015.1024224) - 翻译此页

作者: X Qi - 2015 - 被引用次数: 13 - 相关文章

Survival and prognostic indicators of Budd-Chiari syndrome: a systematic review of 79 studies. Expert Rev. Gastroenterol. Hepatol. 9(6), 865-875 (2015). Xingshun ... treatment modalities, the median 1-, 5- and 10-year survival rate was 93, 83 and 73% after ..... considered as one of the most common significant prognostic.

### Validation of prognostic indices in Egyptian Budd-Chiari syndrome ...

<https://www.wjgnet.com/1007-9327/full/v23/i4/629.htm> - 翻译此页

作者: M Sakr - 2017 - 相关文章

2017年1月28日 - To compare predictive ability of Budd-Chiari syndrome (BCS) prognostic indices (PIs)

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 5,820 条结果 (用时 0.56 秒)

### Percutaneous recanalization for Budd-Chiari syndrome: an 11-year ...

<https://www.ncbi.nlm.nih.gov/pubmed/23143028> - 翻译此页

作者: G Han - 2013 - 被引用次数: 57 - 相关文章

2012年11月9日 - Percutaneous recanalization for Budd-Chiari syndrome: an 11-year retrospective study on patency and survival in 177 Chinese patients from a single center. ... Fifty-one of the 168 patients (30%) were treated with percutaneous transluminal angioplasty (PTA) alone and 117 (70%) were treated with a ...

### Budd-Chiari syndrome - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4669515/> - 翻译此页

作者: P Martens - 2015 - 被引用次数: 10 - 相关文章

Budd Chiari syndrome (BCS) is the eponym used for referring to a heterogeneous group of clinical conditions presenting with hepatic venous outflow obstruction. .... A large European retrospective multicenter study performed in highly experienced TIPS centers involving 124 patients showed improved survival especially in ...

### Budd-Chiari Syndrome in China: A Systematic Analysis of ... - Hindawi

<https://www.hindawi.com/journals/grp/2015/738548/> - 翻译此页

作者: W Zhang - 2015 - 被引用次数: 6 - 相关文章

2014年12月9日 - Thousands of Budd-Chiari syndrome (BCS) studies have been published in China, and yet no one has explored its incidence or prevalence in the whole .... for Budd-Chiari syndrome: an 11-year retrospective study on patency and survival in 177 Chinese patients from a single center," Radiology, vol. 266 ...

### Survival and prognostic indicators of Budd-Chiari syndrome: a ...

[www.tandfonline.com/doi/pdf/10.1586/17474124.2015.1024224](http://www.tandfonline.com/doi/pdf/10.1586/17474124.2015.1024224) - 翻译此页

作者: X Qi - 2015 - 被引用次数: 13 - 相关文章

Survival and prognostic indicators of Budd-Chiari syndrome: a systematic review of 79 studies. Expert Rev. Gastroenterol. Hepatol. 9(6), 865–875 (2015). Xingshun ... treatment modalities, the median 1-, 5- and 10-year survival rate was 93, 83 and 73% after .... considered as one of the most common significant prognostic.