

Name of journal: World Journal of Gastroenterology
 ESFS Manuscript No: 14427
 Column: CASE REPORT

Liver transplantation for recurrent posthepatectomy malignant hepatic angiolipoma: A case report

Wen-Tao Wang, Zi-Qiang Li, Gui-Hai Zhang, Yuan Guo, Mu-Jian Teng

Abstract

Hepatic angiolipomas (AMLs) are typically benign tumors containing varying amounts of smooth muscle cells, adipose tissue, and vessels, and are commonly found in the kidney and occasionally in the liver. The preoperative diagnosis of hepatic AML is primarily made from imaging and fine-needle aspiration biopsy results, though limited experience for such diagnoses can result in misdiagnosis. Some uncommon features of hepatic AML have been reported in the literature

Match Overview

Rank	Source	Words	Match %
1	Publications	79 words Takahara, Masahiro. "A case of hepatic angiolipoma: difficult to distinguish from hepatocellular carcinoma", World	4%
2	Internet	18 words crawled on 23-Apr-2010 www.hqprint.com	1%
3	CrossCheck	16 words Laura H. Tang. "Multiple Angiolipomas of the Liver: A Case Report", Modern Pathology, 02/2002	1%
4	CrossCheck	16 words Kobayashi, Yuka, Kenya Kamimura, Minoru Namoto, Seichi Sugitani, and Yutaka Aoyagi. "Immunohistochemical Cha ...	1%
5	CrossCheck	12 words Ferre, Jose de Egypto Pereira, Daniela Meneses de Amorim, Gloria Maria Maranho Sweet, Luiz Antonio Rodrigues	1%
6	CrossCheck	12 words Kenya Kamimura. "Malignant potential of hepatic angiolipoma: case report and literature review", Clinical Journal	1%
7	Internet	10 words crawled on 05-Mar-2014 www.koreanjpathol.org	1%