

## Match Overview

- | Match Number | Source  | Words    | Similarity |
|--------------|---|----------|------------|
| 1            | Internet<br>crawled on 13-Apr-2020<br><a href="http://ecommons.aku.edu">ecommons.aku.edu</a>                                    | 44 words | 2%         |
| 2            | Crossref<br>Jakob Zierk, Farhad Arzideh, Lorenz A. Kapsner, Hans-Ulrich Prokosch, Markus Metzler, Manfred Rauh. "Reference Inte | 16 words | 1%         |

**Name of Journal:** *World Journal of Clinical Pediatrics*

**Manuscript NO:** 62877

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Indirect Determination of Serum Creatinine Reference Intervals in Pakistani Pediatric Population Using Big Data Analytics**

Determination of Serum Creatinine Reference Intervals

Sibtain Ahmed, Jakob Zierk, Imran Siddiqui, Aysha Habib Khan

激活 Windows  
转到“设置”以激活 Windows。

Indirect Determination of Serum Creatinine Reference Intervals in Pa



ALL

IMAGES

VIDEOS

1,740,000 Results

Any time ▼

## [Trimester-Specific Population Pharmacokinetics and Other ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4662941)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4662941>

**Data** on the variables age, body weight, height, parity, gestational age, and **serum creatinine**, alanine transaminase and albumin levels were collected at baseline. Plasma drug assays were...

**Cited by:** 11**Author:** Charles O. Odongo, Charles O. Odon...**Publish Year:** 2015

See more

## [Establishment of Reference Intervals for Alkaline ...](https://academic.oup.com/labmed/article-abstract/51/5/484/5682425)

<https://academic.oup.com/labmed/article-abstract/51/5/484/5682425> ▼

Dec 20, 2019 · **Reference intervals** (RIs) aid clinicians in differentiating healthy from diseased individuals and thus are important “medical decision making tools.” 1. An RI is defined as the



## Reference Interval Estimation from Mixed Distributions ...

<https://www.nature.com/articles/s41598-020-58749-2>

Feb 03, 2020 · Indirect determination of pediatric blood count reference intervals. ... R. Reference limits of plasma and serum creatinine concentrations from intra-laboratory data bases of ...

Cited by: 4

Author: Jakob Zierk, Farhad Arzideh, Lorenz A. K...

Publish Year: 2020

## Trimester-Specific Population Pharmacokinetics and Other ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4662941>

Data on the variables age, body weight, height, parity, gestational age, and serum creatinine, alanine transaminase and albumin levels were collected at baseline. Plasma drug assays were performed using high-performance liquid chromatography with ultraviolet detection. Population pharmacokinetic analysis was done using NONMEM software.

Cited by: 11

Author: Charles O. Odongo, Charles O. Odongo, ...

Publish Year: 2015

## Establishment of Reference Intervals for Alkaline ...

<https://academic.oup.com/labmed/article-abstract/51/5/484/5682425> ▼

Dec 20, 2019 · Reference intervals (RIs) aid clinicians in differentiating healthy from diseased individuals and thus are important "medical decision-making tools." 1 An RI is defined as the interval between the 2.5th and 97.5th percentiles of the results from a healthy population. It is important to note that the interval between the 2.5th and 97.5th percentiles of the results from a healthy population is not necessarily the same as the interval between the 5th and 95th percentiles.

## Search Tools

Turn off Hover Translation (关闭取词)



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

TOOLS ▾

## [Reference Interval Estimation from Mixed Distributions ...](#)

<https://www.nature.com/articles/s41598-020-58749-2>

Feb 03, 2020 · **Indirect determination of pediatric blood count reference intervals.** ... R. **Reference** limits of plasma and **serum creatinine** concentrations from intra-laboratory **data** bases of ...

**Cited by:** 4**Author:** Jakob Zierk, Farhad Arzideh, Lorenz A. Kap...**Publish Year:** 2020

## [Trimester-Specific Population Pharmacokinetics and Other ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4662941>

**Data** on the variables age, body weight, height, parity, gestational age, and **serum creatinine**, alanine transaminase and albumin levels were collected at baseline. Plasma drug assays were performed **using** high-performance liquid chromatography with ultraviolet detection. **Population** pharmacokinetic analysis was done **using** NONMEM software.

**Cited by:** 11**Author:** Charles O. Odongo, Charles O. Odongo, Kut...**Publish Year:** 2015

## [Establishment of Reference Intervals for Alkaline ...](#)

<https://academic.oup.com/labmed/article-abstract/51/5/484/5682425> ▾

Dec 20, 2019 · **Reference intervals** (RIs) aid clinicians in differentiating healthy from diseased individuals and thus are important “medical decision-making tools.” 1 An RI is defined as the **interval** between 2 values within which 95% of the results from healthy subjects would fall, that is, between the 2.5th and 97.5th percentiles of the test results. 2 Furthermore, partitioning of RIs into discrete age ...

**Cited by:** 2**Author:** Sibtain Ahmed, Jakob Zierk, Aysha Habib K...**Publish Year:** 2020

## [Google Scholar](#)

<https://scholar.google.co.in>

Google Scholar provides a simple way to broadly search for scholarly literature. Search across a wide variety of disciplines and sources: articles, theses, books, abstracts and court opinions.

## [Fast Reading of the KDIGO 2012: Guidelines for evaluation ...](#)

[www.scielo.br/scielo.php?script=sci\\_arttext&pid=S...](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S...) ▾

The **big** news of current CKD guidelines refers to the prominence given to the risk of adverse outcomes of the disease, based on the cause, the GFR, the amount of albuminuria and other concomitant medical