

Hospital costs, length of stay and prevalence of hip and knee arthroplasty in patie

全部 图片 视频 新闻 地图 图书

找到约 566,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Renal and Gastrointestinal Considerations in Joint Replacement ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4370351/>

1 Feb 2015 ... Renal **diseases** as well as gastro-intestinal **disease** affect a large portion of ...
The **prevalence** of atrial fibrillation (AFIB) in the CKD population is as high as 25 %. ...
increased **length of hospital stay**, periprosthetic joint infection, and total **hip and knee**
arthroplasties, and reaches up to be 15% in **patients** ...

[PDF] [Improving length of stay: what can hospitals do - The Nuffield Trust](#)

<https://www.nuffieldtrust.org.uk/.../improving-length-of-stay-hospitals-web-final.pdf> ▾

reducing **length of hospital stay** – the subject of this report. There is ... mapping of how **patients**
flow through the **hospital** and into the wider system beyond ... and the impact this could have
on the **costs of hospital** care and the wider **costs of** and therapy interventions post **hip** or
knee joint replacement surgery can result in .

[PDF] [Selected articles using National Hospital Discharge Survey \(NHDS\)](#)

https://www.cdc.gov/nchs/data/nhds/nhds_article_list.pdf ▾

12 Oct 2012 ... Zimmerman Richard K. Cost-effectiveness of adult vaccination ... **hospital**
length of stay among **patients** with ambulatory ... **prevalence** of clostridium difficile infections.
... thromboembolism with **inflammatory bowel disease**. pulmonary embolism after **hip and**
knee arthroplasty: a population-based study.

[PDF] [Surgical outcomes of primary hip and knee replacements in patients ...](#)

www.boneandjoint.org.uk/content/jbjsbr/96-B/4/486.full.pdf ▾

revisions, and mortality following primary **hip and knee replacement** in 857 ... The **patients** with
Parkinson's **disease** had a longer mean **length of stay** ... **prevalence** increases with age.2,3
Motor symp- ... entitled to a reimbursement for a proportion of the **cost** of ... matching to select
the controls.18 Age, gender, **hospital** dis-

[Bionic boomers: hip and knee replacements is becoming big ...](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32933

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Hospital costs, length of stay and prevalence of hip and knee arthroplasty in patients with inflammatory bowel disease

Eli D Ehrenpreis, Ying Zhou

Abstract

AIM

To examined the prevalence of hip and knee arthroplasty in patients with inflammatory bowel disease (IBD) by comparing the diagnostic codes for these procedures in patients with IBD and a control group of patients.

Match Overview

There are no matching sources for this report.

Hospital costs, length of stay and prevalence of hip and knee arthroplasty in patie

全部 图片 视频 新闻 地图 图书

找到约 566,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Renal and Gastrointestinal Considerations in Joint Replacement ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4370351/>

1 Feb 2015 ... Renal **diseases** as well as gastro-intestinal **disease** affect a large portion of ...
The **prevalence** of atrial fibrillation (AFIB) in the CKD population is as high as 25 %. ...
increased **length of hospital stay**, periprosthetic joint infection, and total **hip and knee**
arthroplasties, and reaches up to be 15% in **patients** ...

[PDF] [Improving length of stay: what can hospitals do - The Nuffield Trust](#)

<https://www.nuffieldtrust.org.uk/.../improving-length-of-stay-hospitals-web-final.pdf> ▾

reducing **length of hospital stay** – the subject of this report. There is ... mapping of how **patients**
flow through the **hospital** and into the wider system beyond ... and the impact this could have
on the **costs** of **hospital** care and the wider **costs** of and therapy interventions post **hip** or
knee joint replacement surgery can result in .

[PDF] [Selected articles using National Hospital Discharge Survey \(NHDS\)](#)

https://www.cdc.gov/nchs/data/nhds/nhds_article_list.pdf ▾

12 Oct 2012 ... Zimmerman Richard K. Cost-effectiveness of adult vaccination ... **hospital**
length of stay among **patients** with ambulatory ... **prevalence** of clostridium difficile infections.
... thromboembolism with **inflammatory bowel disease**. pulmonary embolism after **hip and**
knee arthroplasty: a population-based study.

[PDF] [Surgical outcomes of primary hip and knee replacements in patients ...](#)

www.boneandjoint.org.uk/content/jbjsbr/96-B/4/486.full.pdf ▾

revisions, and mortality following primary **hip and knee replacement** in 857 ... The **patients** with
Parkinson's **disease** had a longer mean **length of stay** ... **prevalence** increases with age.2,3
Motor symp- ... entitled to a reimbursement for a proportion of the **cost** of ... matching to select
the controls.18 Age, gender, **hospital** dis-

[Bionic boomers: hip and knee replacements is becoming big ...](#)



All

News

Images

Shopping

Videos

More

Settings

Tools

About 641,000 results (0.99 seconds)

Renal and Gastrointestinal Considerations in Joint Replacement ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by B Voss - 2015 - Cited by 2 - Related articles

1 Feb 2015 - Renal **diseases** as well as gastro-intestinal **disease** affect a large portion of ... The **prevalence** of atrial fibrillation (AFIB) in the CKD population is as high as 25%. ... increased **length** of **hospital stay**, periprosthetic joint infection, and **total hip and knee arthroplasties**, and reaches up to be 15% in **patients** ...

Has the Rate of In-hospital Infections After Total Joint Arthroplasty ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3773128/>

by MR Rasouli - 2013 - Cited by 23 - Related articles

11 Apr 2013 - The International Classification of Diseases, 9th Revision codes were ... PJI is associated with higher **costs**, increased **length of hospital stay**, of either joint had higher rates of SSI (1.07% **hip**; 1.11% **knee**). Risk of comorbidities on postoperative outcomes in **patients with inflammatory bowel disease**.

Costs in inflammatory bowel diseases - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by PW Petryszyn - 2016 - Cited by 1 - Related articles

11 Feb 2016 - **Patients with inflammatory bowel disease (IBD)** have been shown to have ... on the **prevalence** – analyses the **costs** associated with a given disease The average **length of stay** in **hospital** was 8.7 days: respectively, 7.5 ...

Missing: **hip knee arthroplasty**

[PDF] Selected articles using National Hospital Discharge Survey (NHDS)

https://www.cdc.gov/nchs/data/nhds/nhds_article_list.pdf ▼

12 Oct 2012 - Zimmerman Richard K. **Cost-effectiveness** of adult vaccination ... **hospital length of stay** among **patients** with ambulatory ... **prevalence** of clostridium difficile infections. ... thromboembolism with **inflammatory bowel disease**. pulmonary embolism after **hip and knee arthroplasty**: a population-based study.

[PDF] Improving length of stay: what can hospitals do - The Nuffield Trust