

A comparative study of ROR2 and WNT5a expression in squamous /adenosquar

全部 图片 视频 新闻 地图 图书

找到约 92 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Adenosquamous carcinoma of the gallbladder. - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/12239911>

BACKGROUND/AIMS: Adenosquamous carcinoma of the gallbladder is relatively rare. ... antigen expression were studied in four stage IV adenosquamous carcinoma ... comparing those of 14 stage IV adenocarcinoma patients at the same period. ... Comparison of pathological factors revealed that the frequency of lymph ...

[Correlation of HMGB1 expression to progression and poor ... - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4656778/

15 Oct 2015 ... We investigated HMGB1 expression in 80 cases of AC gallbladder cancer and 52 cases of ... Gallbladder cancer is the most aggressive malignancy of biliary tract ... Studies of large sample are therefore warranted to promote a better ... Squamous cell and adenosquamous carcinomas of the gallbladder: ...

[Squamous cell and adenosquamous carcinomas of the gallbladder ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/21532545>

29 Apr 2011 ... In this study, 606 resected invasive gallbladder carcinoma cases were ... of the tumors were classified as adenosquamous carcinomas (26 ...

[Yuan Yuan - publications and coauthors - SciCurve](#)

scicurve.com/author/Yuan%20Yuan

"A Comparison Study of Frying Conditions on Furan Formation in 3 Potato Varieties. ...
"Characterization of patient-derived tumor xenografts (PDXs) as models for ... and PDIA2 expression in gallbladder squamous/adenosquamous carcinoma ... "The Wnt5a/Ror2 noncanonical signaling pathway inhibits canonical Wnt ...

[oral cavity malignancies | Mehmet Düzlü and Recep Karamert ...](#)

www.academia.edu/16501537/oral_cavity_malignancies

On the contrary, the highest expression of CD166 was by malignant tumors ... Keywords: Oral

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31647

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

Comparative study of ROR2 and WNT5a expression in squamous/adenosquamous carcinoma and adenocarcinoma of the gallbladder

Zheng-Chun Wu, Li Xiong, Ling-Xiang Wang, Xiong-Ying Miao, Zi-Ru Liu, Dai-Qiang Li, Qiong Zou, Kui-Jie Liu, Hua Zhao, Zhu-Lin Yang

Abstract

Match Overview

1	Crossref 129 words Yuan, Yuan, Zhu-Lin Yang, Xiong-Ying Miao, Zi-Ru Liu, Dai-Qiang Li, Qiong Zou, Jing-He Li, Lu-Feng Liang, Gui-X	2%
2	Internet 51 words crawled on 01-Oct-2016 www.spandidos-publications.com	1%
3	Crossref 44 words Liu, Luyao, Zhu-lin Yang, Chunwei Wang, Xiongying Miao, Zhiyu Liu, Daiqiang Li, Qiong Zou, Jinghe Li, Lufeng Li	1%
4	Internet 15 words crawled on 27-Oct-2013 www.wjso.com	<1%
5	Crossref 15 words Yang, Zhulin, Zhi Yang, Qiong Zou, Yuan Yuan, Jinghe Li, Daiqiang Li, Lufeng Liang, Guixiang Zeng, and Senlin C	<1%
6	Internet 14 words crawled on 06-Sep-2009 www.pubmedcentral.nih.gov	<1%
7	Crossref 14 words Zou, Qiong, Zhu-lin Yang, Yuan Yuan, Jing-he Li, Lu-feng Liang, Gui-xiang Zeng, and Sen-lin Chen. "Clinicopathol	<1%
8	Crossref 14 words Zou, Qiong, Li Xiong, Zhulin Yang, Fang Lv, Leping Yang, and Xiongying Miao. "Expression levels of HMGA2 and C	<1%

Disruption of the TWEAK/Fn14 pathway prevents 5-fluorouracil-induced diarrhea

全部 图片 视频 新闻 地图 图书

找到约 7,070 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[5-Fluorouracil induces diarrhea with changes in the expression of ...](https://www.ncbi.nlm.nih.gov/pubmed/23382968)

<https://www.ncbi.nlm.nih.gov/pubmed/23382968>

30 Jan 2013 ... **5-Fluorouracil induces diarrhea** with changes in the expression of inflammatory cytokines and aquaporins in **mouse** intestines. Sakai H(1) ...

[5-Fluorouracil-Induced Changes of Intestinal Integrity Biomarkers in ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4189444/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4189444/>

BALB/c **mice** were divided into three experimental groups and subjected to the ... Symptom of **diarrhea** was also more severe in 200 mg/kg **5-FU** treated group than while no effective means to **prevent** or treat mucotitis has been suggested. ... A previous study suggested that hydrogen peroxide **induced** TJ **disruption** is ...

[Cell death at the intestinal epithelial front line - Delgado - 2015 - The ...](https://onlinelibrary.wiley.com/doi/10.1111/febs.13575/full)

onlinelibrary.wiley.com/doi/10.1111/febs.13575/full

11 Nov 2015 ... In contrast excessive intestinal epithelial cell death **induced** by Nonetheless, in vivo microscopy studies of the small intestine in anaesthetized **mice**, to inhibit IEC apoptosis and **prevent** epithelial barrier **disruption** [78, 142, 146]. ... neutralization of **TWEAK** using a soluble **Fn14** receptor substantially ...

[Experimental Models of Inflammatory Bowel Diseases - ScienceDirect](https://www.sciencedirect.com/science/article/pii/S2352345X15000405)

www.sciencedirect.com/science/article/pii/S2352345X15000405

However, treatment of TRUC **mice** with anti-TNF- α therapy **prevents** ... **Induction** of ER stress through **disruption** of XPB1 causes small intestinal ... and Rag1^{-/-} **mice**, indicating that effector cytokines produced by innate cells are sufficient to ... one showing that inhibition of the Wnt **pathway** by the Wnt antagonist Dkk1 favors ...

[Interleukin-13 Damages Intestinal Mucosa via TWEAK and Fn14 in ...](https://www.academia.edu/.../Interleukin-13_Damages_Intestinal_Mucosa_via_TWEAK_and_Fn14_in_Mice_A_Pathway_Associated_With_Ulc)

[www.academia.edu/.../Interleukin-13_Damages_Intestinal_Mucosa_via_](https://www.academia.edu/.../Interleukin-13_Damages_Intestinal_Mucosa_via_TWEAK_and_Fn14_in_Mice_A_Pathway_Associated_With_Ulc)

[TWEAK and Fn14 in Mice A Pathway Associated With Ulc](https://www.academia.edu/.../Interleukin-13_Damages_Intestinal_Mucosa_via_TWEAK_and_Fn14_in_Mice_A_Pathway_Associated_With_Ulc)



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 294 条结果 (用时 0.76 秒)

Squamous cell and adenosquamous carcinomas of the gallbladder ...

<https://www.ncbi.nlm.nih.gov/pubmed/21532545> - 翻译此页

作者：JC Roa - 2011 - 被引用次数：62 - 相关文章

2011年4月29日 - In this study, 606 resected invasive gallbladder carcinoma cases were ... of the tumors were classified as adenosquamous carcinomas (26 ...

缺少字词： comparative ror2 wnt5a expression

Adenosquamous carcinoma of the gallbladder. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/12239911> - 翻译此页

作者：M Kondo - 2002 - 被引用次数：43 - 相关文章

BACKGROUND/AIMS: Adenosquamous carcinoma of the gallbladder is relatively rare. ... antigen expression were studied in four stage IV adenosquamous carcinoma ... comparing those of 14 stage IV adenocarcinoma patients at the same period. ... Comparison of pathological factors revealed that the frequency of lymph ...

缺少字词： study ror2 wnt5a

Gallbladder carcinoma: Prognostic factors and therapeutic options

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4649107/> - 翻译此页

作者：TO Goetze - 2015 - 被引用次数：9 - 相关文章

2015年11月21日 - The outcome of gallbladder carcinoma is poor, and the overall 5-year ... Epidemiological studies suggest that the mortality rates are related to the incidence.

Squamous-cell carcinomas and adenocarcinomas are K-ras positive in ... However, squamous-cell and adenosquamous-cell carcinoma are not ...

缺少字词： ror2 wnt5a

oral cavity malignancies | hakan tutar - Academia.edu

www.academia.edu/11376457/oral_cavity_malignancies