

PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Endoscopy

Manuscript NO: 43386

Title: Safety and efficacy of over-the-scope clip-assisted full thickness resection of duodenal subepithelial tumors: A case report

Reviewer's code: 03434027

Reviewer's country: Egypt

Science editor: Fang-Fang Ji

Date sent for review: 2018-11-29

Date reviewed: 2018-12-07

Review time: 11 Hours, 8 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input checked="" type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

this manuscript is good as a step foreword in the new technique of polyp resection . It has been good to review your job with others. Hopefully, in the following studies to evaluate the issue of complications specially for lesions of difficult accessibility



**Baishideng
Publishing
Group**

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ [Y] No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ [Y] No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Endoscopy

Manuscript NO: 43386

Title: Safety and efficacy of over-the-scope clip-assisted full thickness resection of duodenal subepithelial tumors: A case report

Reviewer's code: 01468039

Reviewer's country: United States

Science editor: Fang-Fang Ji

Date sent for review: 2018-12-24

Date reviewed: 2018-12-26

Review time: 13 Hours, 2 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input checked="" type="checkbox"/> Grade C: Good	polishing	<input checked="" type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Well written case report.

INITIAL REVIEW OF THE MANUSCRIPT



**Baishideng
Publishing
Group**

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Endoscopy

Manuscript NO: 43386

Title: Safety and efficacy of over-the-scope clip-assisted full thickness resection of duodenal subepithelial tumors: A case report

Reviewer's code: 02917331

Reviewer's country: Japan

Science editor: Fang-Fang Ji

Date sent for review: 2018-12-24

Date reviewed: 2018-12-31

Review time: 23 Hours, 6 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input checked="" type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

This is an interesting case report. This report contains useful information for the readers.

I have one comment for the authors. 1. Is the best device to stop bleeding in performing OTSC assisted eFTR? Could you apply another method such as hemoclip or

band ligation or additional OTSC?

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ [Y] No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ [Y] No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Endoscopy

Manuscript NO: 43386

Title: Safety and efficacy of over-the-scope clip-assisted full thickness resection of duodenal subepithelial tumors: A case report

Reviewer's code: 03245122

Reviewer's country: China

Science editor: Fang-Fang Ji

Date sent for review: 2018-12-24

Date reviewed: 2019-01-02

Review time: 16 Hours, 8 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input checked="" type="checkbox"/> Grade C: Good	polishing	<input checked="" type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input checked="" type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

As duodenum is narrow and wall is thin, so the eFTR of subepithelial tumors of the duodenum remains challenging. The author reported a case of carcinoid tumor in the duodenum that was successfully resected using an OTSC and reviewed the literature on



**Baishideng
Publishing
Group**

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

the efficacy and safety of clip-assisted eFTR of subepithelial lesions in the duodenum. This article may help endoscopist make a decision in determining which therapy is optimal for subepithelial lesions in the duodenum.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ [Y] No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ [Y] No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Endoscopy

Manuscript NO: 43386

Title: Safety and efficacy of over-the-scope clip-assisted full thickness resection of duodenal subepithelial tumors: A case report

Reviewer's code: 00724436

Reviewer's country: France

Science editor: Fang-Fang Ji

Date sent for review: 2018-12-24

Date reviewed: 2019-01-06

Review time: 13 Hours, 13 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input checked="" type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

The authors report a case report on a full thickness resection of a duodenal submucosal lesion using an ovesco and a snare in lieu of an FTRD device (not approved for the upper GI). The case reads well and is fairly illustrated. The literature review is



**Baishideng
Publishing
Group**

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

uptodate and well written. My comments are the following : In the abstract, the abbreviation OTSC and the brand should be omitted In the abstract, I believe the complication (bleeding) should not be mentioned In the introduction, first paragraph : the authors seem to specifically refer to duodenal subepithelial lesions, not to adenomas. Please clarify. In the case report, the absence of EUS is rather unusual in the management of a subepithelial lesion. I would not insist on this point. In the discussion, page 7, the whole paragraph starting by « in one biohybrid model » does not add much to the discussion of the present case, and could be suppressed. In the discussion, page 8, the sentence « our group has experience.... Often echoed in the literature » is very vague and can be suppressed as well. In the conclusion, the conclusion on the comparative safety of the OTSC and Padlock is not supported by much data, and can be suppressed. Figure 2, legend : please replace ocesco by ovesco

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No