

11

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 39852

Manuscript Type: ORIGINAL ARTICLE

### Basic Study

Low expression of CDK5RAP3 and DDRGK1 indicates a poor prognosis in patients with gastric cancer

Lin JX *et al.* CDK5RAP3 and DDRGK1 in gastric cancer

Jian-Xian Lin, Xin-Sheng Xie, Xiong-Feng Weng, Chao-Hui Zheng, Jian-Wei Xie, Jia-Bin Wang, Jun Lu, Qi-Yue Chen, Long-Long Cao, Mi Lin, Ru-Hong Tu, Ping Li, Chang-Ming Huang

### Abstract

#### AIM

To investigate the effects of different levels of expression of CDK5RAP3 and

### Match Overview

1	Internet 84 words crawled on 16-Jun-2018 <a href="http://www.oncotarget.com">www.oncotarget.com</a>	2%
2	Internet 58 words crawled on 10-Feb-2018 <a href="http://jcancer.org">jcancer.org</a>	1%
3	Internet 55 words crawled on 13-Jun-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
4	Crossref 43 words Xi, Peng, Deqiang Ding, Junzhi Zhou, Miao Wang, and ... u-Sheng Cong. "DDRGK1 Regulates NF-κB Activity by M	1%
5	Internet 36 words crawled on 09-Apr-2018 <a href="http://www.spandidos-publications.com">www.spandidos-publications.com</a>	1%
6	Crossref 33 words Shou, Zhang-Xuan, Xue Jin, and Zhong-Sheng Zhao. "U pregulated Expression of ADAM17 Is a Prognostic Mar ...	1%
7	Internet 26 words crawled on 29-May-2018 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
8	Crossref 24 words Jiao Guo, Chun-Dong Zhang, Jia-Xiang An, Yun-Yun Xia o, Shuai Shao, Nuo-Ming Zhou, Dong-Qiu Dai. "Expressi	1%
9	Crossref 18 words Mak, Grace Wing-Yan, Wai-Lung Lai, Yuan Zhou, Mingta o Li, Irene Oi-Lin Ng, and Yick-Pang Ching. "CDK5RAF ...	<1%

找到约 166 条结果 (用时 0.61 秒)

### Low expression of RBMS3 and SFRP1 are associated with poor ...

<https://www.ncbi.nlm.nih.gov/pubmed/27904780> - 翻译此页

作者: T Zhang - 2016 - 被引用次数: 4 - 相关文章

2016年11月1日 - Low expression of RBMS3 and SFRP1 are associated with poor prognosis in patients with gastric cancer. Zhang T(1), Wu Y(1), Fang Z(1), Yan ...

缺少字词: edk5rap3 ddrgek1 indicates

### Low expression of MAP1LC3B, associated with low Beclin-1, predicts ...

<https://www.ncbi.nlm.nih.gov/pubmed/27655288> - 翻译此页

作者: S Yu - 2016 - 被引用次数: 2 - 相关文章

2016年9月22日 - Low expression of MAP1LC3B, associated with low Beclin-1, predicts lymph node metastasis and poor prognosis of gastric cancer. ... A total of 160 consecutive patients with gastric cancer who had undergone gastrectomy ... Relativity analysis indicated MAP1LC3B expression was positively correlated with ...

缺少字词: edk5rap3 ddrgek1

### Overexpression of Cullin1 is associated with poor prognosis of ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/21190721> - 翻译此页

作者: J Bai - 2011 - 被引用次数: 49 - 相关文章

2010年12月28日 - We also studied the role of Cullin1 in gastric cancer cell proliferation and ... and worse overall and 3-year survival rates in gastric cancer patients (P = .042 and ... Cox regression analysis revealed that Cullin1 expression was an ... Our data indicated that Cullin1 may be an important marker for human gastric ...

缺少字词: edk5rap3 ddrgek1

### Original Article Original Article - Circulation: Genomic and Precision ...

[circgenetics.ahajournals.org/content/6/4/362.full.pdf](http://circgenetics.ahajournals.org/content/6/4/362.full.pdf)

Twin Registry study estimated AF heritability at 62%, indicating ... expression studies in AF were limited by small sample size and provided ..... A gene co-expression network in whole blood of schizophrenia patients is ..... ILMN\_1738652 BAD ..... sm. 1.28E-02. KCNJ5,NR3C2. 2. Cancer hypomethylation hypomethylation of gastric





Low expression of CDK5RAP3 and DDRGK1 indicates a poor prognosis



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 98 条结果 (用时 0.56 秒)

### Low expression of RBMS3 and SFRP1 are associated with poor ...

<https://www.ncbi.nlm.nih.gov/pubmed/27904780> - 翻译此页

作者: T Zhang - 2016 - 被引用次数: 5 - 相关文章

2016年11月1日 - Low expression of RBMS3 and SFRP1 are associated with poor prognosis in patients with gastric cancer. Zhang T(1), Wu Y(1), Fang Z(1), Yan ...

缺少字词: edk5rap3 ddrgek1 indicates

### Low expression of MAP1LC3B, associated with low Beclin-1, predicts ...

<https://www.ncbi.nlm.nih.gov/pubmed/27655288> - 翻译此页

作者: S Yu - 2016 - 被引用次数: 2 - 相关文章

2016年9月22日 - Low expression of MAP1LC3B, associated with low Beclin-1, predicts lymph node metastasis and poor prognosis of gastric cancer. ... A total of 160 consecutive patients with gastric cancer who had undergone gastrectomy ... Relativity analysis indicated MAP1LC3B expression was positively correlated with ...

缺少字词: edk5rap3 ddrgek1

### Low Expression of CDK10 Correlates with Adverse Prognosis in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5604441/> - 翻译此页

作者: B Zhao - 2017 - 被引用次数: 1 - 相关文章

2017年8月25日 - Immunohistochemistry data indicated that CDK10 expression was significantly decreased ... predicts a poor prognosis in patients with gastric cancer. ... Unfortunately, in China, most gastric cancer patients are diagnosed at an ...

缺少字词: edk5rap3 ddrgek1

### LZAP is a novel Wip1 binding partner and positive regulator of its ...

<https://www.tandfonline.com/doi/pdf/10.1080/15384101.2016.1261767> - 翻译此页

作者: JJ Wamsley - 2017 - 被引用次数: 2 - 相关文章

mechanism, elevated levels of Wip1 predispose patients to cancer and correlate with tumor progression, invasion, metastasis, and poor patient prognosis. 18- ...

### Abnormally Expressed JunB Transactivated by IL ... - Bioscience Reports



Low expression of CDK5RAP3 and DDRGK1 indicates a poor prognosis



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 97 条结果 (用时 0.69 秒)

### Low expression of RBMS3 and SFRP1 are associated with poor ...

<https://www.ncbi.nlm.nih.gov/pubmed/27904780> - 翻译此页

作者: T Zhang - 2016 - 被引用次数: 6 - 相关文章

2016年11月1日 - Low expression of RBMS3 and SFRP1 are associated with poor prognosis in patients with gastric cancer. Zhang T(1), Wu Y(1), Fang Z(1), Yan ...

缺少字词: edk5rap3 ddrgek1 indicates

### Low expression of MAP1LC3B, associated with low Beclin-1, predicts ...

<https://www.ncbi.nlm.nih.gov/pubmed/27655288> - 翻译此页

作者: S Yu - 2016 - 被引用次数: 2 - 相关文章

2016年9月22日 - Low expression of MAP1LC3B, associated with low Beclin-1, predicts lymph node metastasis and poor prognosis of gastric cancer. ... A total of 160 consecutive patients with gastric cancer who had undergone gastrectomy ... Relativity analysis indicated MAP1LC3B expression was positively correlated with ...

缺少字词: edk5rap3 ddrgek1

### Low Expression of CDK10 Correlates with Adverse Prognosis in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5604441/> - 翻译此页

作者: B Zhao - 2017 - 被引用次数: 1 - 相关文章

2017年8月25日 - Immunohistochemistry data indicated that CDK10 expression was significantly decreased ... predicts a poor prognosis in patients with gastric cancer. ... Unfortunately, in China, most gastric cancer patients are diagnosed at an ...

缺少字词: edk5rap3 ddrgek1

### LZAP is a novel Wip1 binding partner and positive regulator of its ...

<https://www.tandfonline.com/doi/pdf/10.1080/15384101.2016.1261767> - 翻译此页

作者: JJ Wamsley - 2017 - 被引用次数: 2 - 相关文章

mechanism, elevated levels of Wip1 predispose patients to cancer and correlate with tumor progression, invasion, metastasis, and poor patient prognosis. 18- ...

### Abnormally Expressed JunB Transactivated by IL ... - Bioscience Reports