



Peroxisome proliferator-activated receptor-delta agonist ameliorated infla



网页

图片

视频

购物

新闻

更多

搜索工具

找到约 16,500 条结果 (用时 0.84 秒)

您是不是要找: Peroxisome proliferator-activated receptor-delta agonist *ameliorate* inflammasome activation in nonalcoholic fatty liver disease

Cookie有助于我们提供服务。使用我们的服务，即表示您同意我们使用Cookie。

了解详情

知道了

Google 学术: Peroxisome proliferator-activated receptor-delta agonist ameliorated inflammasome activation in nonalcoholic fatty liver disease

... peroxisome proliferator-activated receptor δ activation - Li - 被引用次数: 11

... with impaired NLRP3 inflammasome activation - Collino - 被引用次数: 11

Evolving therapies for non-alcoholic steatohepatitis - Tilg - 被引用次数: 4


References - Cell

[www.cell.com/trends/endocrinology.../S1043-2760\(14\)00151-...](http://www.cell.com/trends/endocrinology.../S1043-2760(14)00151-...) - 翻译此页

Human fatty liver disease: old questions and new insights. ... 4Utzschneider, K.M. and Kahn, S.E. The role of insulin resistance in nonalcoholic fatty liver disease. Fatty acid-induced NLRP3-ASC inflammasome activation interferes with insulin Dual peroxisome proliferator-activated receptor alpha/delta agonist GFT505 ...

[PDF] Nonalcoholic steatohepatitis: Pathogenesis and novel ...

www.researchgate.net/...Non-alcoholic.../5434f4080cf294006f... - 翻译此页



19417-Review

BY HYUN JUNG LEE

Quotes Excluded
Bibliography Excluded7%
SIMILAR

Name of journal: World Journal of Gastroenterology

ESPS Manuscript No: 19417

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Peroxisome proliferator-activated receptor-delta agonist ameliorated

inflammasome activation in nonalcoholic fatty liver disease

³ Hyun Jung Lee, Jong Eun Yeon, Eun Jung Ko, Eileen L Yoon, Sang Jun Suh,

Match Overview

1	CrossCheck 50 words Jin-Feng Liu. "Reduction of lipid accumulation in HepG2 Cells by luteolin is associated with activation of AMPK ..."	1%
2	CrossCheck 37 words Reilly, S.M.. "PPAR α as a therapeutic target in metabolic disease", FEBS Letters, 20080109	1%
3	Internet 35 words crawled on 08-Nov-2014 www.aasld.org	1%
4	CrossCheck 34 words Zhong, Yifei, Anna Kinio, and Maya Saleh. "Functions of ... NOD-Like Receptors in Human Diseases", Frontiers in I	1%
5	CrossCheck 34 words Imajo, Kento, Koji Fujita, Masato Yoneda, Yuichi Nozaki, Yuji Ogawa, Yoshiyasu Shinohara, Shingo Kato, Hironori	1%
6	CrossCheck 27 words Su Jong Yu. "Validation of P2/MS and Other Noninvasive Fibrosis Scoring Systems in the Korean Population wi ..."	1%



Peroxisome proliferator-activated receptor-delta agonist ameliorate inflammas



学术搜索

找到约 22 条结果 (用时0.07秒)

我的著作引用情况



文章

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

我的图书馆

... capsaicin prevents nonalcoholic fatty liver disease through transient receptor potential vanilloid researchgate.net 中的 [PDF]

1-mediated peroxisome proliferator-activated receptor δ activation

Q Li, L Li, F Wang, J Chen, Y Zhao, P Wang... - ... -European Journal of ..., 2013 - Springer

... Recent studies suggest that peroxisome proliferator- activated receptor (PPAR) δ regulates lipogenesis in hepato ... First, TRPV1 agonist, capsaicin, increased LC3 localization to dot structures in the ... plasmids, which was diminished by FFA and TRPV1 antagonist, capsazepine (Fig ...

被引用次数: 12 相关文章 所有 9 个版本 引用 保存

Reversal of the deleterious effects of chronic dietary HFCS-55 intake by PPAR- δ agonism correlates with impaired NLRP3 inflammasome activation

unito.it 中的 [PDF]

M Collino, E Benetti, M Rogazzo, R Mastrocola... - Biochemical ..., 2013 - Elsevier

... Peroxisome-proliferator activated receptor (PPAR)- δ agonists have never been tested in ...

Peroxisome-proliferator activated receptors (PPARs) are ligand-activated transcription factors belonging to the nuclear ... GW0742 is a highly potent and selective PPAR- δ agonist (murine EC ...

被引用次数: 12 相关文章 所有 6 个版本 引用 保存

Evolving therapies for non-alcoholic steatohepatitis

H Tilg, AR Moschen - Expert opinion on drug discovery, 2014 - informahealthcare.com

... Importantly, activation of peroxisome proliferator-activated receptor- γ (PPAR γ) as achieved after therapy with ... This agonist, GFT505, demonstrated liver-beneficial effects on steatosis, inflammation and fibrosis in ... such as OCA, PPAR- α/δ agonists and AdipoR agonists such as ...

被引用次数: 7 相关文章 所有 3 个版本 引用 保存

The inflammation highway: metabolism accelerates inflammatory traffic in obesity

nih.gov 中的 [HTML]

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

[网页](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 10,300 条结果 (用时 1.08 秒)

Google 学术 : Peroxisome proliferator-activated receptor-delta agonist ameliorated inflammasome activation in nonalcoholic fatty liver disease

... peroxisome proliferator-activated receptor δ activation - Li - 被引用次数 : 13

... with impaired NLRP3 inflammasome activation - Collino - 被引用次数 : 13

Evolving therapies for non-alcoholic steatohepatitis - Tilg - 被引用次数 : 8

PubMed Result

www.ncbi.nlm.nih.gov/pubmed?db=pubmed&cmd... - [翻译此页](#)

Diabetes of the liver: the link between nonalcoholic fatty liver disease and HFCS-55. ...

Dietary saturated fatty acids prime the NLRP3 inflammasome via TLR4 in dendritic ...

PPAR-alpha and -gamma agonists attenuate diabetic kidney disease in the ...

Peroxisome proliferator-activated receptor- δ activation ameliorates ...

Pathobiology of liver fibrosis: a translational success story

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : YA Lee - 2015 - 被引用次数 : 17 - [相关文章](#)

2015年2月13日 - Among these many events, intracellular inflammasome activation is increasingly ... along with peroxisome proliferator-activated receptor gamma (PPAR- γ),

..... Recently, a large randomised trial of the FXR agonist obeticholic acid in

Improvement of nonalcoholic fatty liver disease after bariatric surgery in ...

Non-Alcoholic Fatty Liver Disease – A Brief Insight into ...

www.researchgate.net/.../280007848_Non-Alcoholic_Fatty_Liv... - [翻译此页](#)

2015年7月13日 - ABSTRACT Non-alcoholic fatty liver disease (NAFLD) is a complication of ... Accumulation of excess fatty acid in the liver, leads to activation of