

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 48700

Manuscript Type: ORIGINAL ARTICLE

Retrospective cohort study

Lymphocyte-to-monocyte ratio effectively predicts the survival outcome of obstructive colorectal cancer

Xian-Qiang Chen, Chao-Rong Xue, Phd, Ping Hou, Bing-Qiang Lin, Jun-Rong Zhang

Abstract

BACKGROUND

Match Overview

There are no matching sources for this report.



All

Images

Videos

翻译成中文

关闭取词

32,200 Results

Any time ▾

Prognostic role of lymphocyte to monocyte ratio for ...

www.ncbi.nlm.nih.gov › ... › [Oncotarget](#) › v.7(22); 2016 May 31

May 31, 2016 · Recently, a decreased ratio of peripheral lymphocyte to monocyte ratio (LMR) has been identified as a poor prognostic indicator in various cancers [7–12], which might be a readily available and inexpensive objective prognostic index that could be used to precisely guide clinical ...

Cited by: 22

Author: Liangyou Gu, Hongzhao Li, Luyao Chen, ...

Publish Year: 2016

The Lymphocyte-to-Monocyte Ratio is a Superior Predictor ...

journals.lww.com › Home › March 2017 - Volume 265 - Issue 3

Objective: The study aims to investigate the prognostic value of the lymphocyte-to-monocyte ratio (LMR) in patients with colorectal cancer (CRC) undergoing curative resection and to compare it to established biomarkers including the neutrophil-to-lymphocyte ratio (NLR), platelet-to-lymphocyte ratio (PLR), modified Glasgow prognostic score (mGPS), and combined BRAF-mismatch repair (MMR) status.

The lymphocyte-to-monocyte ratio is a superior predictor ...

www.nature.com › scientific reports

Feb 07, 2018 · The Preoperative Lymphocyte-to-Monocyte Ratio is Prognostic of Clinical Outcomes for Patients with Liver-Only Colorectal Metastases in the Neoadjuvant Setting. *Ann Surg Oncol.* 22, 4353–4362 (2015).

Author: Yu-Ting Yang, Jing-Hang Jiang, Hao-Ji... Publish Year: 2018

Author: Yu-Ting Yang

[PDF] The preoperative neutrophil to lymphocyte ratio is a ...

<https://bmccancer.biomedcentral.com/track/pdf/10.1186/s12885-017...>

lymphocyte to monocyte ratio (LMR), neutrophil to lymphocyte ratio (NLR), platelet to lymphocyte ratio (PLR), and prognostic nutritional index (PNI), has been used in the prognosis of cancers [5–8], including CRC [9–12]. However, there is controversy about which is the best predictor of prognosis of CRC among these inflammatory biomarkers.

Cited by: 8

Author: Yongxi Song, Yuchong Yang, Peng Gao, ...

Publish Year: 2017

Prognostic significance of lymphocyte to monocyte ratio in ...

<https://www.sciencedirect.com/science/article/pii/S1743919118307799>

The lymphocyte to monocyte ratio, an inflammation-based score, has been used to predict the biological behavior of malignant tumors. However, the relationship between the lymphocyte to monocyte ratio and clinical outcomes in patients with colorectal cancer remains controversial.

Author: Dawen Tan, Yan Fu, Weidong Tang, F... Publish Year: 2018



All

Images

Videos

翻译成中文

开启取词

20,200 Results

Any time ▾

Lymphocyte-to-monocyte ratio predicts survival after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4837438>

Apr 28, 2016 · Core tip: This is a retrospective study to test the correlation between baseline lymphocyte-to-monocyte ratio (LMR) and survival outcomes in colorectal liver metastasis patients treated with radiofrequency ablation. Median overall survival (OS) was **55 mo** in patients with LMR > **3.96%** and **34 mo** in patients with LMR ≤ **3.96%** (P = 0.007).

Cited by: 11 **Author:** Antonio Facciorusso, Valentina Del Prete,...

Publish Year: 2016

Lymphocyte-to-monocyte ratio predicts survival after ...

europepmc.org/articles/PMC4837438

Apr 01, 2016 · **Lymphocyte-to-monocyte ratio predicts survival** after radiofrequency ablation for **colorectal** liver metastases. ... This is a retrospective study to test the correlation between baseline **lymphocyte-to-monocyte ratio** (LMR) and **survival outcomes** in **colorectal** liver metastasis patients treated with radiofrequency ablation. ... **Colorectal cancer** ...

Cited by: 11 **Author:** Antonio Facciorusso, Valentina Del Prete,...

Publish Year: 2016

Lymphocyte-to-monocyte ratio predicts survival of patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4600591>

Oct 14, 2015 · Lymphocyte-to-monocyte ratio **predicts survival** of **patients** with **hepatocellular carcinoma** after curative resection

Cited by: 21 **Author:** Ze-Xiao Lin, Dan-Yun Ruan, Yang Li, Don...

Publish Year: 2015

Lymphocyte to Monocyte Ratio Predicts Resectability and ...

<https://link.springer.com/article/10.1007/s11605-018-04086-9> ▾

Background. The objective of our research was to investigate the value of the **lymphocyte to monocyte ratio** (LMR) and its dynamic changes (LMRc) in predicting tumor resectability and early recurrence of radiologically resectable type IV hilar cholangiocarcinoma (HC).

Author: Dingzhong Peng, Jiong Lu, Haijie Hu, ... **Publish Year:** 2019



All

Images

Videos

翻译成中文

关闭取词

12,300 Results

Any time ▾

Lymphocyte-to-monocyte ratio predicts survival of patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4600591>

Oct 14, 2015 · Lymphocyte-to-monocyte ratio predicts survival of patients with hepatocellular carcinoma after curative resection. Ze-Xiao ... has been recently investigated and confirmed to be a predictor of clinical outcomes in lymphoma[19,20], colon cancer ... An elevated peripheral blood lymphocyte-to-monocyte ratio predicts favorable response and ...

Cited by: 21

Author: Ze-Xiao Lin, Dan-Yun Ruan, Yang Li, Don...

Publish Year: 2015

Lymphocyte-to-monocyte ratio predicts survival after ...

europepmc.org/articles/PMC4837438

Apr 01, 2016 · Lymphocyte-to-monocyte ratio predicts survival after radiofrequency ablation for colorectal liver metastases. ... This is a retrospective study to test the correlation between baseline lymphocyte-to-monocyte ratio (LMR) and survival outcomes in colorectal liver metastasis patients treated with radiofrequency ablation. ... Colorectal cancer ...

Cited by: 11

Author: Antonio Facciorusso, Valentina Del Prete,...

Publish Year: 2016

The Preoperative Lymphocyte-to-Monocyte Ratio is ...

<https://link.springer.com/article/10.1245/s10434-015-4481-8> ▾

Mar 13, 2015 · Conversely, circulating lymphocytes are the source of tumor-infiltrating lymphocytes, which are associated with an improved prognosis. This study evaluated the prognostic value of the preoperative blood lymphocyte-to-monocyte ratio (LMR) for patients undergoing hepatectomy for liver-only colorectal ...

Cited by: 21

Author: Kyriakos Neofytou, Elizabeth C. Smyth, A...

Publish Year: 2015

Preoperative neutrophil:lymphocyte and platelet:lymphocyte ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4506386>

Jul 14, 2015 · Preoperative neutrophil:lymphocyte and platelet:lymphocyte ratios predict endometrial cancer survival M Cummings , 1 L Merone , 1 C Keeble , 2 L Burland , 1 M Grzelinski , 1 K Sutton , 1 N Begum , 1 A Thacoor , 1 B Green , 1 J Sarveswaran , 1 R Hutson , 1 and N M Orsi 1, *

Cited by: 52

Author: M Cummings, L Merone, C Keeble, L Bur...

Publish Year: 2015

Lymphocyte-to-monocyte ratio in pancreatic cancer ...

<https://www.researchgate.net/publication/323716476> Lymphocyte-to-monocyte ratio in