

国内版 国际版

g

Polidocanol sclerotherapy for multiple gastrointestinal hemangiomas



ALL IMAGES VIDEOS

43,200 Results Any time ▾

Including results for polidocanol sclerotherapy for multiple **gastrointestinal hemangiomas** a case report and review of literature,.

Do you want results only for Polidocanol sclerotherapy for multiple gastrointestinal hemangiomas: A case report and review of literature,?

[PDF] [Successful Endoscopic Sclerotherapy Using Polidocanol ...](#)

https://www.jstage.jst.go.jp/article/internalmedicine/advpub/0/advpub_4327-19/_pdf/...

【CASE REPORT】 Successful Endoscopic **Sclerotherapy** Using **Polidocanol** for Small Bowel **Hemangioma** Taiki Aoyama, Akira Fukumoto, Kenjiro Shigita, Naoki Asayama, Shinichi Mukai and Shinji Nagata Abstract: Small-bowel **hemangiomas** are a possible source of **gastrointestinal** bleeding for which there is no estab-lished treatment approach.

Se

Her
A n

Se
Tur

[Polidocanol injection therapy for small-bowel hemangioma ...](#)

<https://www.sciencedirect.com/science/article/pii/S0016510716001711>

Jul 01, 2016 · **Polidocanol** is widely accepted for endoscopic therapy of esophageal varices as a safe and effective hemostatic treatment for **GI** bleeding.8, 9, 10 Previously, we reported the usefulness of **polidocanol** injection (PDI) for small-bowel angiectasia by using double-balloon endoscopy (DBE). 11 The aim of this study was to evaluate the usefulness of ...

Cited by: 10 **Author:** Atsushi Igawa, Shiro Oka, Shinji Tanaka, ...

Publish Year: 2016

[Hemangiomas of the maxillofacial area: Case Report ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5368859>

Result was a venous low flow lesion; hence **sclerotherapy** by a 3% **Polidocanol** solution (Atossisclerol) followed by surgery was planned. **Polidocanol** is a moderate form of ethanol and is commonly used in European countries: injection of this agent promotes thrombosis and blood vessel occlusion and hence

国内版 国际版

Polidocanol sclerotherapy for multiple gastrointestinal hemangiomas



ALL IMAGES VIDEOS

42,700 Results Any time ▾

[PDF] Successful Endoscopic Sclerotherapy Using Polidocanol for ...

<https://www.jstage.jst.go.jp/article/internal...>

Successful Endoscopic Sclerotherapy Using Polidocanol for Small Bowel Hemangioma Taiki Aoyama, Akira Fukumoto, Kenjiro Shigita, Naoki Asayama, Shinichi Mukai and Shinji Nagata Abstract: **Small-bowel hemangiomas** are a possible source of **gastrointestinal bleeding** for which there is no established treatment approach. In this **report**, we describe the **case** of a 58-year-old woman who presented with

Polidocanol injection therapy for small-bowel hemangioma ...

<https://www.sciencedirect.com/science/article/pii/S0016510716001711>

Jul 01, 2016 · **Polidocanol** is widely accepted for endoscopic therapy of esophageal varices as a safe and effective hemostatic treatment for **GI bleeding**. 8, 9, 10 Previously, we reported the usefulness of **polidocanol** injection (PDI) for small-bowel angiectasia by using double-balloon endoscopy (DBE). 11 The aim of this study was to evaluate the usefulness of ...

Cited by: 10 **Author:** Atsushi Igawa, Shiro Oka, Shinji Tanaka, Sa...

Publish Year: 2016

Sclerotherapy for treatment of hemangiomas | Request PDF

<https://www.researchgate.net/publication/12623516...>

While **sclerotherapy** in chronic venous insufficiency and in hemorrhoids is well established, the use of **sclerotherapy** for **hemangiomas** of the skin is widely unknown.

Small intestinal hemangioma: Endoscopic or surgical ...

<https://www.wjgnet.com/1948-5204/full/v10/i12/516.htm> ▾

Meanwhile, we perform a **literature review** of the studies about **intestinal hemangiomas** published after 2000. **Literature review** revealed that 91.9% of the **lesions** were diagnosed preoperatively by CE and/or

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 60808

Manuscript Type: CASE REPORT

Polidocanol sclerotherapy for multiple gastrointestinal hemangiomas: A case report and review of literature

Polidocanol sclerotherapy

Abstract

BACKGROUND

Gastrointestinal (GI) hemangioma has a low incidence among systemic hemangiomas, and some GI hemangiomas occur in the intestine, stomach and esophagus. Polidocanol has been increasingly used in sclerotherapy. However, this case reports that the minimally invasive treatment of multiple hemangiomas with large diameter can achieve satisfactory results by multipoint injection.

Match Overview

Rank	Source	Words	Crawled	Similarity
1	Internet	63 words	24-Jul-2020 www.wjgnet.com	4%
2	Internet	23 words	07-Oct-2020 www.researchgate.net	1%
3	Crossref	17 words	Amati, Anca-Laura, Andreas Hecker, Thilo Schwandner, Hassan Ghanem, Julia Holler, Martin Reichert, and Winfried Padbe	1%
4	Internet	16 words	05-Oct-2020 insights.ovid.com	1%

国内版 国际版

Polidocanol sclerotherapy for multiple gastrointestinal hemangioma



ALL IMAGES VIDEOS

54,700 Results Any time ▾

[PDF] Successful Endoscopic Sclerotherapy Using Polidocanol for ...

https://www.jstage.jst.go.jp/article/internalmedicine/advpub/0/advpub_4327-19/_pdf/..

optimal amount of **polidocanol** for injection has been re-reported to be 0.2 mL per mm of tumor size (7). In addition to **hemangiomas**, the intralesional administration of 1% **polidocanol** has been reported to be safe and effective for the management of vascular malformations, including arteriovenous malformation (21). **Polidocanol** is a sclerosant that

Polidocanol injection therapy for small-bowel hemangioma ...

<https://www.sciencedirect.com/science/article/pii/S0016510716001711>

Jul 01, 2016 · **Polidocanol** is widely accepted for endoscopic therapy of esophageal varices as a safe and effective hemostatic treatment for **GI** bleeding.8, 9, 10 Previously, we reported the usefulness of **polidocanol** injection (PDI) for small-bowel angiectasia by using double-balloon endoscopy (DBE). 11 The aim of this study was to evaluate the usefulness of ...

Cited by: 10

Author: Atsushi Igawa, Shiro Oka, Shinji Tanaka,...

Publish Year: 2016

Sclerotherapy for treatment of hemangiomas | Request PDF

https://www.researchgate.net/.../12623516_Sclerotherapy_for_treatment_of_hemangiomas

Sclerotherapy using intralesional **polidocanol** (Aethoxysklerol) injection may be used before surgery to decrease blood loss or when a vital structure of the ...

Successful treatment of an esophageal hemangioma by ...

<https://link.springer.com/article/10.1007/BF02385711> ▾

We **report** herein the **case** of a 46-year-old man in whom an esophageal **hemangioma** was successfully treated by endoscopic injection **sclerotherapy** (EIS). The patient was admitted to hospital after a routine upper **gastrointestinal** series demonstrated a ...

Cited by: 13

Author: Taro Aoki, Kazuhiro Okagawa, Yoshio U...