



24632-Review

Quotes Excluded
Bibliography Excluded3%
SIMILAR**Name of Journal:** *World Journal of Clinical Pediatrics***ESPS Manuscript NO:** 24632**Manuscript Type:** ORIGINAL ARTICLE**Retrospective Study**

Nurse practitioner coverage is associated with a decrease in length of stay in a pediatric chronic ventilator dependent unit

Courtney M Rowan, A Ioana Cristea, Jennifer C Hamilton, Nicole M Taylor, Mara E Nitu, Veda L Ackerman

Abstract

AIM: We hypothesized a dedicated critical care nurse practitioner (NP) is associated with a decreased length of stay from a pediatric chronic ventilator dependent unit (PCVDU).

METHODS: We retrospectively reviewed patients requiring care in the PCVDU from May 2001 through May 2011 comparing the 5 years prior to the 5 years post implementation of the critical care NP in 2005. Length of stay and room charges were obtained.

Match Overview

- | | | |
|---|--|-----|
| 1 | Internet 31 words
crawled on 02-Jan-2016
www.ncbi.nlm.nih.gov | 1% |
| 2 | Internet 17 words
crawled on 12-May-2014
jid.oxfordjournals.org | 1% |
| 3 | CrossCheck 16 words
"Resource Utilization Among Neonatologists in a University Children's Hospital", PEDIATRICS, 06/01/1997 | <1% |
| 4 | Internet 11 words
crawled on 20-Apr-2015
www.leapfroggroup.org | <1% |
| 5 | CrossCheck 9 words
Luca M. Bigatello. "Outcome of patients undergoing prolonged mechanical ventilation after critical illness", Critical Care Medicine | <1% |

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 97,000 条结果 (用时 0.55 秒)

SCCM | Critical Care Statistics

www.sccm.org > SCCM > Communications ▾ [翻译此页](#)

Impact of telemedicine intensive care **unit coverage** on patient outcomes: a ... Patients admitted to the **pediatric** ICU (PICU) often have complex **chronic** conditions. ... Intensive care **unit** (ICU) **length of stay** (LOS) has been estimated at 3.8 days in ... critical care nurses, and 15,375 acute care **nurse practitioners** practice in the ...

缺少字词: dependent

Pediatric Safety and Quality - Patient Safety and Quality ...

www.ncbi.nlm.nih.gov > NCBI > Literature > Bookshelf ▾ [翻译此页](#)

作者: RG Hughes - 2008 - 被引用次数: 1 - 相关文章

We are only beginning to understand the relationship between **nurse** staffing and ... In addition, because children are **dependent** on their caregivers, their care must be ... acute episodic care, not care for **chronic** conditions as with adult patients. ... **units**, followed by **ventilator-associated** pneumonia. **Length of stay** increases ...

Ventilator-Associated Pneumonia in Neonatal and Pediatric ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: E Foglia - 2007 - 被引用次数: 210 - 相关文章

The attributable mortality and excess **length of ICU stay** for patients with VAP have not ... to hand hygiene for children have been **associated** with **decreased** VAP rates. ... hospital-acquired infection among **pediatric** and neonatal intensive care **unit** ... daily for the second 2 years of the study through a **nursing** sentinel sheet.

缺少字词: dependent

[PDF] Nurse practitioners and physician assistants in the intensi...

mc.vanderbilt.edu/.../NP%20and%20PAs%20in%20the%20inte... ▾ [翻译此页](#)

作者: RM Kleinpell - 2008 - 被引用次数: 164 - 相关文章

strategy to meet the gap in ICU **coverage** ... **nurse practitioner** and physician assistant in acute and critical ... Lead quality assurance initiatives such as **ventilator-associated** pneumonia ... No differences were found between **NP** and **pediatric** ... room; GI, gastrointestinal; LOS, **length of stay**; ICU, intensive care **unit**; MD, ...

[PDF] Hospital nurse practitioners – models, roles and scope of ...

<https://www.equinstitute.org.au/.../Model-for-productivity-nurse...> ▾ [翻译此页](#)

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 99,500 条结果 (用时 1.05 秒)

[PDF] Hospital nurse practitioners – models, roles and scope of ...

<https://www.saxinstitute.org.au/.../Workforce-productivity-nurs...> ▾ [翻译此页](#)

Adams E, Schofield D. Hospital **nurse practitioners** – models, roles and scope scope included: intensive care services (adult, **paediatric** and neonatal and retrieval); emergency departments (Minor Injury **Units**, Walk-in centres); surgical (pre/ ... **length of stay**, reduced investigations and interventions, and reduced patient

[PDF] Nurse practitioners and physician assistants in the intensiv...

<mc.vanderbilt.edu/.../NP%20and%20PAs%20in%20the%20inte...> ▾ [翻译此页](#)

作者: RM Kleinpell - 2008 - 被引用次数: 166 - 相关文章

strategy to meet the gap in ICU **coverage** ... **nurse practitioner** and physician assistant in acute and critical Lead quality assurance initiatives such as **ventilator-associated pneumonia** ... No differences were found between **NP** and **pediatric** room; GI, gastrointestinal; LOS, **length of stay**; ICU, intensive care **unit**; MD, ...

Transitioning Long-Term Ventilator-Dependent Patients Out ...

<https://www.cadth.ca/transitioning-long-term-ventilator-depend...> ▾ [翻译此页](#)

2012年2月14日 - Rising costs of hospital care³; The need to **decrease** use of critical care resources Patients transitioned to an acute-care respiratory **unit**, non-ICU more **involved** in directing their care and lives; Reduced **lengths of stay** in visits and emergency on-call **coverage**; **nurse practitioner coverage** (0800 h ...



Nurse practitioner coverage is associated with a decrease in length of stay ir



全部

图片

新闻

视频

更多 ▾

搜索工具

找到约 91,100 条结果 (用时 0.62 秒)

[PDF] Nurse practitioners and physician assistants in the intensiv...

mc.vanderbilt.edu/.../NP%20and%20PAs%20in%20the%20inte... ▾ 翻译此页

作者: RM Kleinpell - 2008 - 被引用次数: 167 - 相关文章

strategy to meet the gap in ICU coverage ... nurse practitioner and physician assistant in acute and critical Lead quality assurance initiatives such as ventilator-associated pneumonia ... No differences were found between NP and pediatric room; GI, gastrointestinal; LOS, length of stay; ICU, intensive care unit; MD, ...

A Standardized Discharge Process Decreases Length of ...

aappublications.org/content/137/4/peds.2015-0637 - 翻译此页

We aimed to decrease overall and pediatric respiratory care unit LOS as the primary ... of stay; PDN —: private duty nursing; PRCU —: pediatric respiratory care unit ... Children may require chronic ventilation in the neonatal setting for a number of The primary intervention involved implementation of the new standardized ...

[PDF] Hospital nurse practitioners – models, roles and scope of ...

<https://www.saxinstitute.org.au/.../Workforce-productivity-nurs...> ▾ 翻译此页

Adams E, Schofield D. Hospital nurse practitioners – models, roles and scope scope included: intensive care services (adult, paediatric and neonatal and retrieval); ... length of stay, reduced investigations and interventions, and reduced patient (acute and chronic care, hospital, outpatient, inpatient), and design (RCT, ...

Transitioning Long-Term Ventilator-Dependent Patients Out ...

<https://www.cadth.ca/transitioning-long-term-ventilator-depend...> ▾ 翻译此页

2012年2月14日 - Rising costs of hospital care³; The need to decrease use of critical care resources Patients transitioned to an acute-care respiratory unit, non-ICU more involved in directing their care and lives; Reduced lengths of stay in visits and emergency on-call coverage; nurse practitioner coverage (0800 h ...