

A rare cause of gastrointestinal bleeding in a patient with



ALL

IMAGES

VIDEOS

18,900 Results

Any time ▾

## Massive and life-threatening upper gastrointestinal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4961499>

Although GI bleeding due to HCC involvement is rare, the possibility of direct gastric invasion should be considered in HCC patients who have hematemesis and/or melena in addition to the common bleeding causes such as **varices and peptic ulcer**.

**Cited by:** 2

**Author:** Semih Hot, Metin Yeşiltaş, Berk Gökçek...

**Publish Year:** 2016

## A Rare Case of Severe Acute Hepatitis Associated with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3280420>

Although acute liver failure is a **rare** complication in AOSD, 8 reported cases of fulminant liver failure in association with AOSD have been reported, including 4 fatalities. All 4 **patients** had been treated with NSAIDs. 8 – 10. Our **patient** suffered from rapid deterioration of liver function without a history of hepatotoxic drug use.

**Cited by:** 3

**Author:** Tiffany Hogan, Kevin T. Kao, Jim Tung

**Publish Year:** 2011

## [PDF] Fatal gastrointestinal bleeding and perforated duodenal ...

<https://www.alliedacademies.org/articles/fatal-gastrointestinal-bleeding-and...>

a case of **deferoxamine** related gastrointestinal bleeding and duodenal perforation in a cirrhotic patient treated with deferasirox for **secondary hemochromatosis**.

**Author:** Kadri Atay, Tugce Eskazan, Ayse Sali... **Publish Year:** 2017

## Massive and life-threatening upper gastrointestinal ...

<https://www.sciencedirect.com/science/article/pii/S2210261216302292>

In the general population, the **incidence of HCC** is increased among patients with HIV infection indicating that HIV is also an additive co-factor which exacerbates the risk of HCC in patients with chronic viral hepatitis .



Gastrointestinal bleeding caused by jejunal angiosarcoma: A case report



Sign in



ALL

IMAGES

VIDEOS

40,000 Results

Any time

### Obscure gastrointestinal bleeding due to multifocal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4430205>

In our case, present a patient with **gastrointestinal bleeding** like initial symptom [2,7,8]. There is a recent **report** presented **giant abdominal angiosarcoma** (diameter > 20 cm). Ni et al., **reported** 27 cases of **angiosarcoma** involving the small intestine. The most common presentation was **abdominal pain and gastrointestinal bleeding** (37%).

Cited by: 4

Author: Dolores Navarro-Chagoya, Marco Figuer...

Publish Year: 2015

### Small intestine bleeding due to multifocal angiosarcoma

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3508646>

Nov 28, 2012 · We **report** a **case** of an 84-year-old male patient with primary small **intestinal angiosarcoma**. The patient initially presented with **anemia and melena**. Consecutive endoscopy revealed no signs of upper or lower active **gastrointestinal bleeding**. The patient had been diagnosed 3 years previously with an aortic dilation, which was treated with a stent.

### Search Tools

Turn off Hover Translation (关闭取词)

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 56497

**Manuscript Type:** CASE REPORT

**Gastrointestinal bleeding caused by jejunal angiosarcoma: A case report**

Yang-Yang Hui, Lan-Ping Zhu, Bo Yang, Zi-Yue Zhang, Yu-Jie Zhang, Xin Chen, Bang-Mao Wang

### Abstract

#### BACKGROUND

Angiosarcoma is a rare disease with poor prognosis. Its occurrence in the small intestine is low, and gastrointestinal bleeding caused by small intestinal angiosarcoma is

### Match Overview

1	<b>Internet</b> 27 words crawled on 03-May-2020 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	2%
2	<b>Crossref</b> 20 words "ESP Abstracts 2015", <i>Virchows Archiv</i> , 2015	2%
3	<b>Crossref</b> 13 words Ali, J.A.. "Epithelioid angiosarcoma of the small bowel", <i>Gastrointestinal Endoscopy</i> , 200612	1%



ALL

IMAGES

VIDEOS

41,100 Results

Any time ▾

### [Obscure gastrointestinal bleeding due to multifocal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4430205>

In our case, present a patient with **gastrointestinal bleeding** like initial symptom . There is a recent report presented giant abdominal **angiosarcoma** (diameter > 20 cm) . Ni et al., reported 27 cases of **angiosarcoma** involving the small intestine . The most common presentation was abdominal pain and **gastrointestinal bleeding** (37%).

Cited by: 4

Author: Dolores Navarro-Chagoya, Marco Figuero...

Publish Year: 2015

### [Jejunal GIST: Hunting down an unusual cause of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6609737>

GIST arising from the **jejunum** is a very rare cause of small **intestinal bleeding** . The diagnosis of **bleeding** small intestine GISTs can be challenging as these are inaccessible by conventional endoscopy . This case has been reported in line with the SCARE criteria .

Author: Diana Mellisa Dualim, Guo Hou Loo, ...

Publish Year: 2019

### [Massive gastrointestinal bleeding due to isolated jejunal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3731695>

2. Discussion. **Bleeding** due to isolated **jejunal** varices represents an extremely rare cause of **gastrointestinal** haemorrhage 3 with potential fatal outcomes if not correctly diagnosed and treated. 4 Remarkably, eleven cases have been described until 1992, clinically manifested with melena or hematochezia. 1 Aetiology of **jejunal** variceal formation is not completely clarified. 5 Common ...

Cited by: 14

Author: Miltiades Kastanakis, Dimitrios Anyfanta...

Publish Year: 2013

#### PEOPLE ALSO ASK

What causes bleeding from the GI tract? ▾

What are the symptoms of gastrointestinal bleeding? ▾

What indicates gastrointestinal bleeding? ▾