

找到约 184,000 条结果 (用时 0.51 秒)

### Management of a giant ruptured hepatocellular adenoma. Report of a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2464268/> ▼ 翻译此页

作者: V Papanikolaou - 2007 - 被引用次数: 5 - 相关文章

Hepatic adenoma (HA) is a relatively uncommon benign tumour of the liver. ... In this article we report a case of a young woman with a giant ruptured hepatic adenoma ... abdomen and hypovolemic shock and was managed by two stage treatment. .... Liver transplantation can be considered for diffuse adenomatosis or if the ...

### Case Report: Large hepatic adenoma in a 21-year-old male - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3863076/> ▼ 翻译此页

作者: G Martinez-Mier - 2013 - 相关文章

2013年12月4日 - Hepatic adenoma is an uncommon benign lesion of the liver that occurs more ... Our case is exceedingly rare in two aspects: (1) the patient was a healthy .... Large hepatic adenomas (>5 cm) have the potential to bleed and rupture ... to excise, total hepatic vascular isolation or liver transplantation has been ...

### [PDF] Giant Hepatocellular Adenoma in a Young Male: Report ... - Scholarena

[article.scholarena.co/Giant-Hepatocellular-Adenoma-in-a-Young-Male-Repo...](https://www.scholarena.co/Giant-Hepatocellular-Adenoma-in-a-Young-Male-Repo...) ▼ 翻译此页

作者: JK Bhatia - 2018 - 相关文章

2018年5月30日 - Young Male: Report of an Extremely Rare Case. ... of hepatocellular origin comprising 2% of all liver neoplasms with an incidence of ...

### Extracapsular hepatic adenoma. Case report and literature review ...

<https://www.sciencedirect.com/science/article/pii/S2444050717300086> - 翻译此页

作者: E Vargas-Flores - 2017 - 被引用次数: 1 - 相关文章

Hepatic adenomas are benign epithelial tumours of the liver that develop in ... mortality can be 62% in cases that present rupture of hepatic adenoma and pregnancy. ... In good general condition, conscious, oriented, with a BMI of 26.3 kg/m<sup>2</sup>. ... at the level of the right hypochondrium, not delimited, profound and mobile, with ...

### Critical issues in the diagnosis and treatment of hepatocellular adenoma

<https://www.sciencedirect.com/science/article/pii/S1365182X17306974> - 翻译此页

作者: A Weimann - 2000 - 被引用次数: 8 - 相关文章

The indications for operation were spontaneous rupture and bleeding in 12 ... Liver transplantation may be considered even in asymptomatic patients with ... In comparison with other publications this report describes a large number of cases provided by ... Table 2. Clinical basis for the diagnosis of hepatocellular adenoma ...

## Match Overview

There are no matching sources for this report.

**Name of Journal:** *World Journal of Hepatology*

**Manuscript NO:** 44566

**Manuscript Type:** CASE REPORT

**Two-stage liver transplant for ruptured hepatic adenoma: A case report**

**Marc Salhanick, Malcolm P MacConmara, Mark R Pedersen, Lafaine Grant, Christine S Hwang, Justin R Parekh**

**Abstract**

**BACKGROUND:**

Only one case of liver transplantation for hepatic adenoma has previously been reported for patients with rupture and uncontrolled hemorrhage. We present the case of a massive ruptured hepatic adenoma with persistent hemorrhagic shock and toxic liver



找到约 164,000 条结果 (用时 0.57 秒)

### Management of a giant ruptured hepatocellular adenoma. Report of a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2464268/> ▼ 翻译此页

作者: V Papanikolaou - 2007 - 被引用次数: 5 - 相关文章

Hepatic adenoma (HA) is a relatively uncommon benign tumour of the liver. ... In this article we report a case of a young woman with a giant ruptured hepatic adenoma ... abdomen and hypovolemic shock and was managed by two stage treatment. .... Liver transplantation can be considered for diffuse adenomatosis or if the ...

### Case Report: Large hepatic adenoma in a 21-year-old male - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3863076/> ▼ 翻译此页

作者: G Martinez-Mier - 2013 - 相关文章

2013年12月4日 - Hepatic adenoma is an uncommon benign lesion of the liver that occurs more ... Our case is exceedingly rare in two aspects: (1) the patient was a healthy .... Large hepatic adenomas (>5 cm) have the potential to bleed and rupture ... to excise, total hepatic vascular isolation or liver transplantation has been ...

### [PDF] Giant Hepatocellular Adenoma in a Young Male: Report of an ...

[https://www.researchgate.net/...Hepatocellular\\_Adenoma...Report...Case/.../G...](https://www.researchgate.net/...Hepatocellular_Adenoma...Report...Case/.../G...) ▼ 翻译此页

Young Male: Report of an Extremely Rare Case. ... of hepatocellular origin comprising 2% of all liver neoplasms with an ... generally asymptomatic, large hepatic adenomas are complicated by rupture and ... Triple phase CT scan of abdomen was done which was suggestive of a .... Liver transplantation may be reserved for.

### Extracapsular hepatic adenoma. Case report and literature ... - Elsevier

[www.elsevier.es](http://www.elsevier.es) › Inicio › Cirugía y Cirujanos (English Edition) - 翻译此页

Hepatic adenomas are benign epithelial tumours of the liver that develop in ... can be 62% in cases

找到约 174,000 条结果 (用时 0.41 秒)

### Management of a giant ruptured hepatocellular adenoma. Report of a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2464268/> ▼ 翻译此页

作者: V Papanikolaou - 2007 - 被引用次数: 5 - 相关文章

Hepatic adenoma (HA) is a relatively uncommon benign tumour of the liver. ... In this article we report a case of a young woman with a giant ruptured hepatic adenoma ... abdomen and hypovolemic shock and was managed by two stage treatment. .... Liver transplantation can be considered for diffuse adenomatosis or if the ...

### Case Report: Large hepatic adenoma in a 21-year-old male - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3863076/> ▼ 翻译此页

作者: G Martinez-Mier - 2013 - 相关文章

2013年12月4日 - Hepatic adenoma is an uncommon benign lesion of the liver that occurs more ... Our case is exceedingly rare in two aspects: (1) the patient was a healthy .... Large hepatic adenomas (>5 cm) have the potential to bleed and rupture ... to excise, total hepatic vascular isolation or liver transplantation has been ...

### Extracapsular hepatic adenoma. Case report and literature review ...

[www.elsevier.es](http://www.elsevier.es) > Inicio > Cirugía y Cirujanos (English Edition) - 翻译此页

Hepatic adenomas are benign epithelial tumours of the liver that develop in apparently ... can be 62% in cases that present rupture of hepatic adenoma and pregnancy.11 ... 2). Transurgical findings were of a tumour, 8cm in diameter with a pedicle .... options include: enucleation, resection and, rarely, liver transplantation.

### Management of bleeding liver tumors - EM|consulte

<https://www.em-consulte.com/en/article/903206> ▼ 翻译此页

作者: B Darnis - 被引用次数: 13 - 相关文章

The second step is determination of the etiology and treatment of the underlying tumor. Adenoma and hepatocellular carcinoma (HCC) are the two most frequently ... of liver bleeding, as well as the presence of potentially malignant ruptured tumor ... In most cases, the hemorrhage goes unnoticed and the hematoma is ...

### Large hepatic adenoma in a 21-year-old male | BMJ Case Reports

<https://casereports.bmj.com/content/2013/bcr-2013-202111> - 翻译此页

作者: G Martinez-Mier - 2013 - 相关文章

Hepatic adenoma is an uncommon benign lesion of the liver that occurs more .... Large hepatic adenomas (>5 cm) have the potential to bleed and rupture ... total hepatic vascular isolation or liver transplantation has been ...