

PD-L1 expression and its prognostic role in esophageal squamous cell carci

全部 图片 视频 新闻 购物 地图 图书

找到约 92,900 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: PD-L1 expression and its prognostic role in esophageal squamous cell carcinoma](#)

[... in patients with esophageal squamous cell carcinoma - Uchikado](#) - 被引用次数: 213

[... -1 ligand-2 expression in human esophageal cancer - Ohigashi](#) - 被引用次数: 356

[... cell carcinoma and adenocarcinoma of the esophagus ... - Mathé](#) - 被引用次数: 311

[The role of PD-L1 in the radiation response and prognosis for ... - NCBI](#)

www.ncbi.nlm.nih.gov/pubmed/26761210

16 Feb 2016 ... The role of PD-L1 in the radiation response and prognosis for esophageal squamous cell carcinoma related to IL-6 ... death 1 ligand 1 (PD-L1) in esophageal squamous cell carcinoma (ESCC) and its ... Here we demonstrated that PD-L1 expression was significantly higher in esophageal cancer specimens ...

[Changes in tumour expression of programmed death-ligand ... - NCBI](#)

www.ncbi.nlm.nih.gov/pubmed/26623522

26 Nov 2015 ... BACKGROUND: Programmed death-ligand 1 (PD-L1) expression has been suggested as a ... (CCRT) or chemotherapy in oesophageal squamous cell carcinoma. ... in surgical tumour specimens to evaluate its prognostic role. ... Esophageal Neoplasms/pathology; Esophageal Neoplasms/therapy* ...

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 27514

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Programmed death ligand-1 expression and its prognostic role in esophageal squamous cell carcinoma

Ryul Kim, Bhumsuk Keam, Dohee Kwon, Chan-Young Ock, Miso Kim, Tae Min Kim

Match Overview

1	Internet 43 words crawled on 10-Mar-2016 www.dovepress.com	1%
2	CrossCheck 40 words Kwon, Dohee, Sehui Kim, Pil-Jong Kim, Heounjeong Go, Soo Jeong Nam, Jin Ho Paik, Young A Kim, Tae Min Ki	1%
3	Internet 34 words crawled on 05-May-2016 www.apocpcontrol.org	1%
4	Internet 24 words crawled on 24-Oct-2010 bloodjournal.hematologylibrary.org	1%
5	CrossCheck 19 words Kim, Sehui, Moon-Young Kim, Jaemoon Koh, Heounjeong Go, Dong Soo Lee, Yoon Kyung Jeon, and Doo Hyun	1%
6	Internet 18 words crawled on 22-Jun-2016 www.wjgnet.com	1%



Programmed death ligand-1 expression and its prognostic role in esophagea



Sign in

全部 新闻 图片 视频 购物 更多 搜索工具



找到约 146,000 条结果 (用时 0.90 秒)

Google 学术: Programmed death ligand-1 expression and its prognostic role in esophageal squamous cell carcinoma

... programmed death-1 ligand-1 and programmed death ... - Ohigashi - 被引用次数: 376

... localization of programmed death-1 ligand-1 (PD-L1) in ... - Wu - 被引用次数: 214

... cell expression of programmed cell death - 1 ligand 1 is ... - Hino - 被引用次数: 242

Changes in tumour expression of programmed death-ligand 1 ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/26623522 翻译此页

作者: SH Lim - 2015 - 被引用次数: 2 - 相关文章

2015年11月26日 - Changes in tumour expression of programmed death-ligand 1 after neoadjuvant concurrent chemoradiotherapy in patients with squamous oesophageal cancer. ... (CCRT) or chemotherapy in oesophageal squamous cell carcinoma. ... expression in surgical tumour specimens to evaluate its prognostic role.

HTML - Translational Cancer Research - AME Publishing Company

tcr.amegroups.com/article/view/8621/html 翻译此页

Programmed cell death-ligand 1 expression and its prognostic significance in completely resected primary small cell carcinoma of esophagus. ... The most common histological subtype is squamous cell carcinoma occurring in ... (3-10), the management of SCCE is ill-defined and the role of current treatment has remained

全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 155,000 条结果 (用时 0.74 秒)

Google 学术 : Programmed death ligand-1 expression and its prognostic role in esophageal squamous cell carcinoma

... programmed death-1 ligand-1 and programmed death ... - Ohigashi - 被引用次数 : 377

... localization of programmed death-1 ligand-1 (PD-L1) in ... - Wu - 被引用次数 : 215

... cell expression of programmed cell death-1 ligand 1 is ... - Hino - 被引用次数 : 242

Changes in tumour expression of programmed death-ligand 1 ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/26623522 ▾ 翻译此页

作者 : SH Lim - 2015 - 被引用次数 : 2 - 相关文章

2015年11月26日 - Changes in tumour expression of programmed death-ligand 1 after neoadjuvant concurrent chemoradiotherapy in patients with squamous oesophageal cancer. ... (CCRT) or chemotherapy in oesophageal squamous cell carcinoma. ... expression in surgical tumour specimens to evaluate its prognostic role.

HTML - Translational Cancer Research - AME Publishing Company

tcr.amegroups.com/article/view/8621/html ▾ 翻译此页

Programmed cell death-ligand 1 expression and its prognostic significance in completely resected primary small cell carcinoma of esophagus. ... The most common histological subtype is squamous cell carcinoma occurring in ... (3-10), the management of SCCE is ill-defined and the role of current treatment has remained ...

[PDF] Download - Translational Cancer Research

tcr.amegroups.com/article/download/8621/pdf ▾ 翻译此页

2016年7月13日 - Esophageal carcinoma is one of the most common carcinomas in China (1). The most common histological subtype is squamous cell carcinoma occurring in ... Programmed cell death-ligand 1 expression and its prognostic ... its role as a prognostic factor for overall survival in primary small cell carcinoma of