

1

**Name of Journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 49741

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Endoscopic treatment modalities and outcomes in nonvariceal upper gastrointestinal bleeding**

Benjamin Cherng Hann Yip, Hossain Sajjad, Jie-Xun Wang, Constantinos P Anastassiades

**Abstract**

**BACKGROUND**

In nonvariceal upper gastrointestinal bleeding (NVUGIB), the optimal volume of adrenaline, the optimal number of hemoclips, and the application of thermal coagulation

### Match Overview

1	Internet 140 words crawled on 16-Dec-2018 <a href="http://eventscribe.com">eventscribe.com</a>	3%
2	Internet 83 words crawled on 13-Jul-2019 <a href="http://onlinelibrary.wiley.com">onlinelibrary.wiley.com</a>	2%
3	Internet 19 words crawled on 26-May-2013 <a href="http://beckerinfo.net">beckerinfo.net</a>	<1%
4	Internet 17 words crawled on 25-Nov-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<1%
5	Crossref 15 words Louis M Wong Kee Song. "Endoscopic clipping for the management of gastrointestinal bleeding", <i>Nature Clinical Prac</i>	<1%



All

Images

Videos

关闭取词

36,000 Results

Any time ▾

The current endoscopic modalities to treat nonvariceal upper GI bleeding include **injection therapy** (typically of diluted adrenaline), thermal coagulation therapy and mechanical treatments (clips and band ligators).

[Endoscopic hemostasis treatment: How should you perform ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC2722466/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2722466/)

Was this helpful?



## Endoscopy for Nonvariceal Upper Gastrointestinal Bleeding

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4130885>

Jul 28, 2014 · Endoscopy for acute nonvariceal upper gastrointestinal bleeding plays an important role in primary **diagnosis** and management, particularly with respect to identification of high-risk stigmata lesions and to providing **endoscopic hemostasis** to reduce the risk of **rebleeding** and mortality.

Cited by: 14

Author: Ki Bae Kim, Soon Man Yoon, Sei Jin Youn

Publish Year: 2014

## Endoscopic hemostasis treatment: How should you perform it?

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2722466>

Jun 17, 2009 · The current **endoscopic modalities** to treat nonvariceal upper GI bleeding include **injection therapy** (typically of diluted adrenaline), **thermal coagulation therapy** and **mechanical treatments** (clips and band ligators).

Cited by: 6

Author: Julia J Liu, John R Saltzman

Publish Year: 2009

## Devices for endoscopic hemostasis of nonvariceal GI ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6616320>

Jun 27, 2019 · Diluted **epinephrine** is the most commonly studied injectate for **endoscopic treatment** of nonvariceal GI bleeding.<sup>45</sup> **Epinephrine injection therapy** promotes initial hemostasis, but this effect attenuates over time, with subsequent risk of **recurrent bleeding**.<sup>46</sup> In a meta-analysis of 19 RCTs in which **epinephrine** alone was compared with **combination therapy** for control of upper-GI **bleeding** ...



24,800 Results

Any time ▾

The current endoscopic modalities to treat nonvariceal upper GI bleeding include **injection therapy** (typically of diluted adrenaline), thermal coagulation therapy and mechanical treatments (clips and band ligators).

### Endoscopic hemostasis treatment: How should you perform it?

[www.ncbi.nlm.nih.gov/pmc/articles/PMC2722466/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2722466/)

Was this helpful?

### Endoscopic hemostasis treatment: How should you perform it?

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2722466>

Jun 17, 2009 · The current **endoscopic modalities to treat nonvariceal upper GI bleeding** include **injection therapy** (typically of diluted adrenaline), **thermal coagulation therapy** and **mechanical treatments** (clips and band ligators).

Cited by: 6

Author: Julia J Liu, John R Saltzman

Publish Year: 2009

### Nonvariceal Upper Gastrointestinal Bleeding | Clinical Gate

<https://clinicalgate.com/nonvariceal-upper-gastrointestinal-bleeding> ▾

Introduction. **Upper gastrointestinal (GI) bleeding** is a common GI emergency. Frequency of occurrence is 40 to 150 cases per 100,000 in the Western population, and it accounts for a total expenditure of \$2.5 billion annually in the United States. 1, 2 Significant advances have been made not only in decreasing the overall incidence, but also in **treatment** (medical **treatment** and **endoscopic** ...

### Endoscopic management of nonvariceal upper ...

<https://www.sciencedirect.com/science/article/pii/S1521691819300113>

Apr 17, 2019 · **Endoscopic therapy** is the **mainstay of treatment for nonvariceal upper gastrointestinal bleeding (NVUGIB)**. **Injection plus mechanical or thermal therapy** ...

Author: Pablo Cañamares-Orbís, Francis K.L. Ch...

Publish Year: 2019

### Endoscopy for Nonvariceal Upper Gastrointestinal Bleeding

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4130885>

Jul 28, 2014 · **Endoscopy for acute nonvariceal upper gastrointestinal bleeding** plays an important role in primary **diagnosis** and management, particularly with respect to identification of high-risk stigmata lesions and to providing **endoscopic hemostasis** to reduce the risk of **rebleeding** and mortality.

Cited by: 14

Author: Ki Bae Kim, Soon Man Yoon, Sei Jin Youn

## Gastrointestinal Bleeding

Medical condition

Gastrointestinal (GI) bleeding is a symptom of a disorder in your digestive tract. The blood often appears in stool or vomit but isn't always visible, though it may cause the stool to look black or tarry.

[MayoClinic](#)

### Symptoms

Symptoms like changes in bowel habits, stool color (to black or red) and consistency and the presence of pain or tenderness may tell the doctor which area of the GI tract is affected. Because the intake of iron, bismuth or foods like beets can...

[Read more on Hopkinsmedicine](#)

### Causes

GI bleeding may be due to conditions that are not serious, including:

- Anal fissure
- Hemorrhoids

GI bleeding may also be a sign of more serious diseases and conditions. These may include cancers of the GI tract such as:

- Cancer of the colon
- Cancer of the...

[Read more on MedlinePlus](#)

### Treatments

Endoscopy is the primary diagnostic and therapeutic procedure for most causes of GI bleeding. Active bleeding from the upper GI tract can often be controlled by injecting chemicals directly into a bleeding site with a needle introduced through...

[Read more on Hopkinsmedicine](#)

### People also search for

[Upper gastrointestinal bleeding](#)