

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 24163

Manuscript Type: Original Article

Observational Study

Three-dimensional endoanal ultrasound for diagnosis of perianal fistulas:
Reliable and objective technique

Garcés-Albir M *et al.* 3D-EAUS for ¹diagnosis of perianal fistulas

Marina ¹Garcés-Albir, Stephanie Anne ¹García-Botello, Alejandro ¹Espi,
Vicente ¹Pla, Jose Martin-Arevalo, David Moro, Joaquin Ortega

Abstract

AIM: To evaluate accuracy of three-dimensional endoanal ultrasound (3D-EAUS) as compared to 2D-EAUS and physical examination (PE) in diagnosis of perianal fistulas and correlate with intraoperative findings.

Match Overview

1	CrossCheck 105 words &NA; "The American Society of Colon and Rectal Surgeons", <i>Diseases of the Colon & Rectum</i> , 2014.	3%
2	CrossCheck 82 words Marina Garcés-Albir. "Quantifying the extent of fistulotomy. How much sphincter can we safely divide? A three-d ...	2%
3	CrossCheck 15 words "Oral Posters", <i>Colorectal Disease</i> , 2014.	<1%
4	CrossCheck 14 words <i>Practical Pelvic Floor Ultrasonography</i> , 2014.	<1%
5	Internet 10 words crawled on 04-Mar-2016 www.wjgnet.com	<1%
6	CrossCheck 10 words Giulio A. Santoro. "The Advantages of Volume Rendering in Three-Dimensional Endosonography of the Anorectum"	<1%
7	CrossCheck 10 words H. Ortiz. "Accuracy of hydrogen peroxide-enhanced ultrasound in the identification of internal openings of anal fistulas"	<1%

学术搜索

找到约 381 条结果 (用时0.07秒)

试用新功

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Hydrogen peroxide-enhanced three-dimensional endoanal ultrasonography and endoanal magnetic resonance imaging in evaluating perianal fistulas: agreement ...

RL West, S Dwarkasing, RJF Felt-Bersma... - European journal of ..., 2004 - journals.lww.com

... EUS was performed using a 3D diagnostic ultrasound system (Hawk type 2102; BK Medical, Herlev ... Three-dimensional HPUS was able to detect secondary tracts in 17 patients and endoanal MRI in 19 ... Thus, both 3D HPUS and endoanal MRI can be considered to be reliable ...

被引用次数: 79 相关文章 所有 5 个版本 引用

MRI of fistula-in-ano: a comparison of endoanal coil with external phased array coil techniques

DJ Gilderale, GA Coutts, R Puni... - Journal of computer ..., 1998 - journals.lww.com

... ratio (SNR) with distance from the endoanal coil surface so that useful diagnostic information was ... the information provided by the use of a combined approach improves diagnosis and will in ... contrast provided by MRI and the high resolution afforded by the endoanal receiver coil ...

被引用次数: 99 相关文章 所有 4 个版本 引用

MR imaging of fistula in ano: are endoanal coils the gold standard?

S Halligan, CI Bartram - AJR. American journal of ..., 1998 - Am Roentgen Ray Soc

... Fistula-in-ano: endoanal sonography versus endoanal MR imaging in classification. ... resolution magnetic resonance imaging of the anal sphincter using a dedicated endoanal coil: comparison ... imaging of the anal sphincter in multiparous women using an endo anal coil: correlation ...

被引用次数: 120 相关文章 所有 5 个版本 引用

Transvaginal sonography of the anal sphincter: reliable, or not?

LK Stewart, SR Wilson - AJR. American journal of ..., 1999 - Am Roentgen Ray Soc

... 2Section of Ultrasound, Toronto Hospital General Division, 200 Elizabeth St., Toronto, Ontario, Canada M5G ... Diagnosis of the underlying cause of the in- continence is crucial because anal ... 2-39-year-old woman with history of endometriosis referred for sonography because MR ...

被引用次数: 54 相关文章 所有 4 个版本 引用

A novel procedure to assess anismus using three - dimensional dynamic anal ultrasonography

SM Murad - Bogadas, ESR Bogadas... Colorectal... 2007... Wiley Online Library

lapsurg.com.br 中的 [PDF]

学术搜索

找到约 381 条结果 (用时0.07秒)

试用新功

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Hydrogen peroxide-enhanced three-dimensional endoanal ultrasonography and endoanal magnetic resonance imaging in evaluating perianal fistulas: agreement ...

RL West, S Dwarkasing, RJF Felt-Bersma... - European journal of ..., 2004 - journals.lww.com

... EUS was performed using a 3D diagnostic ultrasound system (Hawk type 2102; BK Medical, Herlev ... Three-dimensional HPUS was able to detect secondary tracts in 17 patients and endoanal MRI in 19 ... Thus, both 3D HPUS and endoanal MRI can be considered to be reliable ...

被引用次数: 79 相关文章 所有 5 个版本 引用

MRI of fistula-in-ano: a comparison of endoanal coil with external phased array coil techniques

DJ Gilderdale, GA Coutts, R Puni... - Journal of computer ..., 1998 - journals.lww.com

... ratio (SNR) with distance from the endoanal coil surface so that useful diagnostic information was ... the information provided by the use of a combined approach improves diagnosis and will in ... contrast provided by MRI and the high resolution afforded by the endoanal receiver coil ...

被引用次数: 99 相关文章 所有 4 个版本 引用

MR imaging of fistula in ano: are endoanal coils the gold standard?

S Halligan, CI Bartram - AJR. American journal of ..., 1998 - Am Roentgen Ray Soc

... Fistula-in-ano: endoanal sonography versus endoanal MR imaging in classification. ... resolution magnetic resonance imaging of the anal sphincter using a dedicated endoanal coil: comparison ... imaging of the anal sphincter in multiparous women using an endo anal coil: correlation ...

被引用次数: 120 相关文章 所有 5 个版本 引用

Transvaginal sonography of the anal sphincter: reliable, or not?

LK Stewart, SR Wilson - AJR. American journal of ..., 1999 - Am Roentgen Ray Soc

... 2Section of Ultrasound, Toronto Hospital General Division, 200 Elizabeth St., Toronto, Ontario, Canada M5G ... Diagnosis of the underlying cause of the in- continence is crucial because anal ... 2-39-year-old woman with history of endometriosis referred for sonography because MR ...

被引用次数: 54 相关文章 所有 4 个版本 引用

A novel procedure to assess anismus using three - dimensional dynamic anal ultrasonography

SM Murad - Bogadas, ESR Bogadas... Colorectal... 2007... Wiley Online Library

lapsurg.com.br 中的 [PDF]

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 2,930 条结果 (用时 0.34 秒)

Google 学术: Three-dimensional endoanal ultrasound for diagnosis of perianal fistulas: Reliable and objective technique

... -dimensional endoanal ultrasonography and endoanal ... - West - 被引用次数: 79

MRI of fistula-in-ano: a comparison of endoanal coil ... - Gilderdale - 被引用次数: 100

MR imaging of fistula in ano: are endoanal coils the ... - Halligan - 被引用次数: 120

[PDF] ASCESSI e FISTOLE Three-dimensional endoanal ... - Si...

www.siccr.org/.../wp.../Aggiornamento_fine2009_012010.pdf ▾ 翻译此页

Do, South Korea. AIM: To evaluate the effectiveness of three-dimensional endoanal ultrasound (3D-EAUS) in the ... difficult cases may be economical and reliable. ...

Techniques most associated with increases in internal anal sphincter defects were ... treatment. Imaging of perianal fistulas. Ziech M, Felt-Bersma R, Stoker J.

Three-dimensional endoanal ultrasonographic assessment ...

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) ▾ 翻译此页

作者: Y Kim - 2009 - 被引用次数: 34 - 相关文章

2009年10月14日 - Keywords: Anal fistula, Endoanal ultrasound, H2O2 enhancement ...

Therefore, accurate preoperative assessment of a fistula is necessary ... Initial EAUS evaluation was not satisfactory[3], but the diagnostic ... By inspection and palpation of the perianal area and by digital rectoanal examination, the fistula ...

Endosonographic Imaging of Anorectal Diseases - Journal ...

www.jultrasoundmed.org/content/25/1/57.full.pdf ▾ 翻译此页

作者: G Engin - 2006 - 被引用次数: 24 - 相关文章

Objective. The normal sonographic anatomy of the anorectum, sonographic ... Peroxide-enhanced 2-dimensional imaging can increase the utility of endoanal sonography in