

US National Library of
Medicine National
Institutes of Health

Article types

Clinical Trial

Review

Customize ...

Text availability

Abstract

Free full text

Full text

PubMed Commons

Reader comments

Trending articles

Publication dates

5 years

10 years

Custom range...

Species

Humans

Other Animals

[Clear all](#)[Show additional filters](#)

No items found.

Search details

("osteopontin" [MeSH Terms] OR
 "osteopontin" [All Fields]) AND non-
 invasive[All Fields] AND
 parameter[All Fields] AND
 ("hypertension, portal" [MeSH Terms])

Search

See more...

Recent Activity[Turn Off](#) [Clear](#)

Osteopontin, a non-invasive parameter of portal hypertension and ... (0) PubMed

21103253[uid] (1) PubMed

Management of a Solitary Bone Metastasis to the Tibia from Colorectal Cancer. PubMed

Minimally invasive McKeown esophagectomy for esophageal canc PubMed

Screening for hepatocellular carcinoma in the state (1573) PubMed

See more...



22648-Review

BY RADAN BRUHA

Quotes Excluded
Bibliography Excluded9%
SIMILAR**Name of Journal:** *World Journal of Gastroenterology***ESPS Manuscript NO:** 22648**Manuscript Type:** Prospective Study**Osteopontin: A non-invasive parameter of portal hypertension and prognostic marker of cirrhosis**Bruha R *et al.* Osteopontin in portal hypertension

Radan Bruha, Marie Jachymova, Jaromir Petryl, Karel Dvorak, Martin Lenicek, Petr Urbanek, Tomislav Svestka, Libor Vitek

Radan Bruha, Jaromir Petryl, Karel Dvorak, Tomislav Svestka, 4th
 Department of Internal Medicine, 1st Faculty of Medicine and General University Hospital, Charles University in Prague, 12808 Prague, Czech Republic

Marie Jachymova, Martin Lenicek, Libor Vitek, Institute of Clinical

Match Overview

1	CrossCheck 165 words "Poster Session 3: Clinical and Translational Fibrosis F... search; Encephalopathy and Other Complications of Cirr	2%
2	CrossCheck 114 words Mix, Michael. "Randomized phase II trial of selenomethio nine as a modulator of efficacy and toxicity of chemora...	2%
3	CrossCheck 74 words Dvorak, Karel, Jan Stritesky, Jaromir Petryl, Libor Vitek, Renata Sroubkova, Martin Lenicek, Vaclav Smid, Martin	1%
4	CrossCheck 69 words Petryl, Jaromir, Karel Dvorak, Marie Jachymova, Libor Vi tek, Martin Lenicek, PETR Urbanek, Ales Linhart, Pavel J	1%
5	CrossCheck 54 words "Poster Session 4: Stem Cell Biology; Varices and Bleeding", Hepatology, 2014.	1%
6	Internet 31 words crawled on 06-Oct-2010 www.gwicu.com	<1%
7	CrossCheck 28 words Buck, Martina, Guadalupe Garcia-Tsao, Roberto J. Grosz mann, Caitlin Stalling, Norman D. Grace, Andrew K. Burr	<1%
8	CrossCheck 25 words Radan Bruha. "Decreased serum antioxidant capacity in patients with Wilson disease is associated with neurolo...	<1%
9	Internet 23 words crawled on 24-Jul-2014 www.hypertension2014.org	<1%
	Internet 23 words	

学术搜索

找到约 96 条结果 (用时 0.03 秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Elevated plasma osteopontin level is predictive of cirrhosis in patients with hepatitis B infection

L Zhao, T Li, Y Wang, Y Pan, H Ning... - ... journal of clinical ..., 2008 - Wiley Online Library

... Developing simple and reliable non-invasive markers to access patients for possible risk of hepatic fibrosis ... Aspartate aminotransferase to platelet ratio index is a simple parameter to predict advanced ... Osteopontin is a Th1 cytokine which is believed to play an important role in ...

被引用次数: 47 相关文章 所有 4 个版本 引用 保存

nih.gov 中的 [HTML]

[HTML] Non-invasive diagnosis of alcoholic liver disease

S Mueller, HK Seitz, V Rausch - World journal of gastroenterology; ..., 2014 - ncbi.nlm.nih.gov

... fibrosis/cirrhosis (F3-4) (histology, elastography) by conventional clinical parameters (ultrasound, laboratory ... In addition, many other non-invasive approaches to detect various stages of ALD are currently under investigation, such as controlled attenuation parameter (CAP) for ...

被引用次数: 12 相关文章 所有 9 个版本 引用 保存

nih.gov 中的 [HTML]

[HTML] Validation of aspartate aminotransferase to platelet ratio for diagnosis of liver fibrosis and prediction of postoperative prognosis in infants with biliary atresia

LY Yang, J Fu, XF Peng, SY Pang, KK Gao... - World journal of ..., 2015 - ncbi.nlm.nih.gov

... APRI is an indirect invasive parameter for assessing liver fibrosis. ... S, Chayanupatkul M, Chongsrisawat V, Vejchapipat P, Poovorawan Y. Increased osteopontin and liver ... P, Poovorawan Y. Serum adiponectin and transient elastography as non-invasive markers for postoperative ...

相关文章 所有 6 个版本 引用 保存

[HTML] Cholangiocyte proliferation and Osteopontin secretion is induced by Schistosoma mansoni egg antigens and correlates with fibrosis and portal hypertension ...

wiley.com 中的 [HTML]

TA Pereira, WK Syn, SS Choi, I Voieta, V Resende... - ..., 2013 - Wiley Online Library

... for prevention of first variceal bleed are not at increased risk of portal hypertension-related renal ... Prognostic value of diffusion-weighted MRI in cirrhotic patients with and without minimal ... to falsely elevated blood ammonia levels and to identify time parameters indicating the ...

相关文章 所有 2 个版本 引用 保存

[DOC] ... Retrospective Cohort Study Validation of aspartate aminotransferase to platelet ratio for diagnosis of liver fibrosis and postoperative prognosis in infants with ...

wjnet.com 中的 [DOC]

LY Yang, XF Peng, SY Pang, KK Gao, HY Liu, J Fu - wjnet.com



全部 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 20,800 条结果 (用时 0.62 秒)

Non-invasive diagnostic and prognostic evaluation of liver ...

www.ncbi.nlm.nih.gov/pubmed/22045398 ▾ 翻译此页

作者 : A Berzigotti - 2011 - 被引用次数 : 41 - 相关文章

Dis Markers. 2011;31(3):129-38. doi: 10.3233/DMA-2011-0835. Non-invasive diagnostic and prognostic evaluation of liver cirrhosis and portal hypertension. ... chronic liver diseases, and is almost invariably complicated by portal hypertension, ... examination, laboratory parameters, transient elastography and Doppler-US.

缺少字词 : osteopontin

[PDF] Non-invasive diagnostic and prognostic evaluation of liver ...

www.ncbi.nlm.nih.gov/pmc/articles/.../DM31-03-954812.pdf ▾ 翻译此页

作者 : A Berzigotti - 2011 - 被引用次数 : 41 - 相关文章

examination, laboratory parameters, transient elastography and Doppler-US. ... with cirrhosis and portal hypertension, and provide valuable prognostic information.

Keywords: ... invasive markers of fibrosis still insufficient to "mon- itor" the ...

缺少字词 : osteopontin

Invasive and non-invasive diagnosis of cirrhosis and portal ...

[www.ncbi.nlm.nih.gov/.../PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMed Central (PMC)) ▾ 翻译此页

作者 : MY Kim - 2014 - 被引用次数 : 30 - 相关文章

2014年4月21日 - Hepatic fibrosis and its secondary result, portal hypertension (PHT) are This parameter has also been found to correlate with the liver ... a prognostic marker and as a means to validate other noninvasive markers of fibrosis.

缺少字词 : osteopontin

14 - Journal of Hepatology

[www.journal-of-hepatology.eu/.../S0168-8278\(14\)X0004-8?pa...](http://www.journal-of-hepatology.eu/.../S0168-8278(14)X0004-8?pa...) ▾ 翻译此页

2014年4月9日 - P496 OSTEOPOINTIN IS A NEW NON-INVASIVE PARAMETER OF