

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 35,500 条结果 (用时 0.53 秒)

Google 学术: MR WITH Gd-EOB-DTPA IN ASSESSMENT OF LIVER NODULES IN CIRRHOTIC PATIENTS

... with Gd-EOB-DTPA in patients with liver cirrhosis: ... - Tschirch - 被引用次数: 158

Gd-EOB-DTPA-enhanced MR imaging: evaluation of ... - Tamada - 被引用次数: 92

... tumors: comparison of MR imaging with Gd-EOB-DTPA ... - Vogl - 被引用次数: 443

MR liver imaging with Gd-EOB-DTPA: a delay time of 10 minutes is ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3431472/> ▼ [翻译此页](#)

作者: CS van Kessel - 2012 - 被引用次数: 42 - 相关文章

2012年5月30日 - Between May 2007 and February 2010, 52 consecutive patients underwent a total of 57 MRI of the liver with Gd-EOB-DTPA for evaluation of known or suspected focal liver lesions. Patients with a history of parenchymal disease (i.e. cirrhosis, steatosis) or recent chemotherapy treatment were excluded as ...

Gd-EOB-DTPA-enhanced MRI for evaluation of liver function ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5339723/> ▼ [翻译此页](#)

作者: M Haimerl - 2017 - 被引用次数: 1 - 相关文章

2017年3月7日 - Few studies have demonstrated that Gd-EOB-DTPA-enhanced MR imaging using T1 Relaxometry can be helpful for estimating liver function according to the MELD score or Child-Pugh score in patients with chronic liver disease or cirrhosis. In this context, our study group recently has shown that liver ...

Description of focal liver lesions with Gd-EOB-DTPA enhanced MRI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4689233/> ▼ [翻译此页](#)

作者: CN CARAIANI - 2015 - 被引用次数: 3 - 相关文章

2015年11月15日 - Krinsky et al. have proven that 46% of patients with advanced cirrhosis and not diagnosed with HCC after an MR scan with Gd-DTPA present hepatocellular carcinoma at the histopathological examination of the explanted liver. An increasing number of centers prefer the use of hepatocyte-specific contrast ...

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 38791

Manuscript Type: MINIREVIEWS

MR with Gd-EOB-DTPA in assessment of liver nodules in cirrhotic patients

Riccardo Inchingolo, Riccardo Faletti, Luigi Grazioli, Eleonora Tricarico, Marco Gatti,
Anna Pecorelli, Davide Ippolito

Abstract

To date the imaging diagnosis of liver lesions is based mainly on the identification of vascular features, which are typical of overt Hepatocellular Carcinoma (HCC), but the hepatocarcinogenesis is a complex and multistep event during which, a spectrum of nodules develop within the liver parenchyma, including benign small and large regenerative nodule (RN), low-grade dysplastic nodule (LGDN), high-grade dysplastic

Match Overview

1	Internet 102 words crawled on 27-Sep-2017 www.wjgnet.com	2%
2	Crossref 71 words On behalf of the "Gruppo Italiano Patologi Apparato Dige- rente (GIPAD)". "Liver precancerous lesions and hepat ...	1%
3	Internet 61 words crawled on 08-Apr-2014 www.scribd.com	1%
4	Crossref 60 words Golfieri, Rita, Luigi Grazioli, Emanuela Orlando, Ada Dor- mi, Vincenzo Lucidi, Beniamino Corcioni, Ernesto Dettor	1%
5	Internet 52 words crawled on 01-Nov-2016 onlinelibrary.wiley.com	1%
6	Internet 45 words crawled on 16-Aug-2017 docplayer.net	1%
7	Crossref 40 words Hyun Jeong Park, Byung Ihn Choi, Eun Sun Lee, Sung Bi n Park, Jong Beum Lee. "How to Differentiate Borderlin ...	1%
8	Crossref 38 words Maxime Renot, Marco Diaguardi, Burzio, Wonne Purcell	1%

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 18,600 条结果 (用时 0.52 秒)

Google 学术: MR with Gd-EOB-DTPA in assessment of liver nodules in cirrhotic patients

... with Gd-EOB-DTPA in patients with liver cirrhosis: ... - Tschirch - 被引用次数: 160

Gd-EOB-DTPA-enhanced MR imaging: evaluation of ... - Tamada - 被引用次数: 96

... and cirrhotic liver enhancement using Gd-EOB-DTPA - Frericks - 被引用次数: 157

Description of focal liver lesions with Gd-EOB-DTPA enhanced MRI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4689233/> ▼ 翻译此页

作者: CN CARAIANI - 2015 - 被引用次数: 4 - 相关文章

2015年11月15日 - Gd-EOB-DTPA is also useful in the differential diagnosis of benign ... They all require accurate pre- and post-intervention imaging assessment. ... contrast agents, for HCC staging in cirrhotic patients candidates for liver transplant [10]. ... carcinoma diagnosis by MRI with iron oxides and MR with Gd-DTPA.

MR liver imaging with Gd-EOB-DTPA: The need for different delay ...

<https://www.ncbi.nlm.nih.gov/pubmed/26860666> ▼ 翻译此页

作者: M Liang - 2016 - 被引用次数: 3 - 相关文章

2015年12月24日 - MR liver imaging with Gd-EOB-DTPA: The need for different delay times of ... lesion characterization in cirrhosis patients with different liver function. ... for the evaluation of known or suspected focal liver lesions were enrolled ...

Gd-EOB-DTPA-enhanced MRI for evaluation of liver function - Nature

<https://www.nature.com/scientificreports/articles> - 翻译此页

作者: M Haimerl - 2017 - 被引用次数: 3 - 相关文章

2017年3月7日 - Few studies have demonstrated that Gd-EOB-DTPA-enhanced MR imaging using

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 18,800 条结果 (用时 0.45 秒)

Google 学术 : MR with Gd-EOB-DTPA in assessment of liver nodules in cirrhotic patients

... with Gd-EOB-DTPA in patients with liver cirrhosis: ... - Tschirch - 被引用次数 : 160

Gd-EOB-DTPA-enhanced MR imaging: evaluation of ... - Tamada - 被引用次数 : 96

... and cirrhotic liver enhancement using Gd-EOB-DTPA - Frericks - 被引用次数 : 157

Description of focal liver lesions with Gd-EOB-DTPA enhanced MRI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4689233/> ▼ 翻译此页

作者 : CN CARAIANI - 2015 - 被引用次数 : 4 - 相关文章

2015年11月15日 - Gd-EOB-DTPA is also useful in the differential diagnosis of benign ... They all require accurate pre- and post-intervention imaging assessment. ... contrast agents, for HCC staging in cirrhotic patients candidates for liver transplant [10]. ... carcinoma diagnosis by MRI with iron oxides and MR with Gd-DTPA.

MR liver imaging with Gd-EOB-DTPA: The need for different delay ...

<https://www.ncbi.nlm.nih.gov/pubmed/26860666> ▼ 翻译此页

作者 : M Liang - 2016 - 被引用次数 : 3 - 相关文章

2015年12月24日 - MR liver imaging with Gd-EOB-DTPA: The need for different delay times of ... lesion characterization in cirrhosis patients with different liver function. ... for the evaluation of known or suspected focal liver lesions were enrolled ...

Gd-EOB-DTPA-enhanced MRI for evaluation of liver function - Nature

<https://www.nature.com/scientificreports/articles> - 翻译此页

作者 : M Haimerl - 2017 - 被引用次数 : 3 - 相关文章

2017年3月7日 - Few studies have demonstrated that Gd-EOB-DTPA-enhanced MR imaging using both delineation of tumors from liver parenchyma as well as assessment of 27 of the 67 patients with liver cirrhosis were classified with ...

Liver fibrosis and Gd-EOB-DTPA-enhanced MRI: A histopathologic ...

<https://www.nature.com/scientificreports/articles> - 翻译此页

作者 : N Verloh - 2015 - 被引用次数 : 24 - 相关文章

2015年10月19日 - Comparison of the patients with SLF and those with liver cirrhosis (LC, Ishak Patients who had undergone Gd-EOB-DTPA-enhanced MR imaging of the liver phase MR imaging in evaluation of focal solid hepatic lesions .