

Intraepithelial lymphocytes, scores, mimickers, and challenges in diagnosing glute

全部 图片 视频 新闻 地图 图书

找到约 1,750 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Gluten-sensitive enteropathy \(celiac disease\): controversies in ...](https://www.ncbi.nlm.nih.gov/pubmed/20524861)

<https://www.ncbi.nlm.nih.gov/pubmed/20524861>

CONTEXT: Celiac disease, or gluten-sensitive enteropathy, is a chronic ... Diagnosis currently relies on clinicopathologic studies including mucosal biopsy, serologic ... ranging from mild abnormalities, including intraepithelial lymphocytosis, ... in gluten-sensitive enteropathy, in an effort to overcome the problems related to ...

[Diagnosis of gluten related disorders: Celiac disease, wheat allergy ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4476872/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4476872/>

21 Jun 2015 ... Celiac disease, wheat allergy and non-celiac gluten sensitivity represent ... clinical manifestations making their differential diagnosis challenging ... where it leads to the classical enteropathy and malabsorption syndrome ... out of duodenal biopsy range from an increase in the intraepithelial lymphocytes to ...

[Non coeliac gluten sensitivity - NCBI - National Institutes of Health](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4017515/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4017515/>

In the past, the terms gluten sensitivity and coeliac disease have been used ... Plasma cell counts in the lamina propria and intraepithelial lymphocytes were significantly ... Gluten challenge resulted in a recurrence of symptoms within 8-12 hours and ... Over the study period the severity scores of pain, satisfaction with stool ...

[\[PDF\] Advances in the Understanding of Gluten related ... - ResearchGate](https://www.researchgate.net/...Celiac_Disease/.../5593d71c08ae5af2b0ec355d.pdf)

https://www.researchgate.net/...Celiac_Disease/.../5593d71c08ae5af2b0ec355d.pdf

syndromes such as non-celiac gluten sensitive enteropathy. Another increase of epithelial lymphocytes without villous atrophy. In the last decade, large Celiac disease in Pakistan: challenges and opportunities. J Ayub Med Coll The scoring takes into account 4 items: symptoms, antibodies, HLA, and biopsy ...

[\[PDF\] table of contents - NASPGHAN](#)

Match Overview

1	Internet 342 words crawled on 17-Feb-2014 www.ncbi.nlm.nih.gov	6%
2	Internet 55 words crawled on 16-Feb-2014 www.medicel.unina.it	1%
3	Crossref 46 words S Serra. "An approach to duodenal biopsies", Journal of Clinical Pathology, 5/5/2006	1%
4	Internet 31 words crawled on 01-Aug-2016 www.science.gov	1%
5	Internet 18 words crawled on 16-Oct-2016 www.coursehero.com	<1%
6	Internet 16 words crawled on 13-Aug-2013 www.biomedcentral.com	<1%
7	Crossref 15 words SpringerBriefs in Statistics, 2016.	<1%
8	Internet 15 words crawled on 13-May-2016 www.wjgnet.com	<1%

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29977

Manuscript Type: REVIEW

Intraepithelial lymphocytes, scores, mimickers, and challenges in diagnosing gluten-sensitive enteropathy (Celiac disease)

Consolato Sergi, Fan Shen, Gerd Bouma

Abstract

The upper digestive tract is routinely scoped for several causes of malabsorption and the number of duodenal biopsy specimens has increased notably in the last 10 years. Gluten-sensitive enteropathy (GSE) is an autoimmune disease, which shows an increase in prevalence worldwide and requires a joint clinico-pathological approach. The classical histopathology of GSE with partial or total villous blunting is well recognized, but the classification of GSE is not straightforward. Moreover, several mimickers of GSE

Intraepithelial lymphocytes, scores, mimickers, and challenges in diagnosing glute

全部 图片 视频 新闻 地图 图书

找到约 1,750 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Gluten-sensitive enteropathy \(celiac disease\): controversies in ...](https://www.ncbi.nlm.nih.gov/pubmed/20524861)

<https://www.ncbi.nlm.nih.gov/pubmed/20524861>

CONTEXT: Celiac disease, or gluten-sensitive enteropathy, is a chronic ... Diagnosis currently relies on clinicopathologic studies including mucosal biopsy, serologic ... ranging from mild abnormalities, including intraepithelial lymphocytosis, ... in gluten-sensitive enteropathy, in an effort to overcome the problems related to ...

[Diagnosis of gluten related disorders: Celiac disease, wheat allergy ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4476872/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4476872/>

21 Jun 2015 ... Celiac disease, wheat allergy and non-celiac gluten sensitivity represent ... clinical manifestations making their differential diagnosis challenging ... where it leads to the classical enteropathy and malabsorption syndrome ... out of duodenal biopsy range from an increase in the intraepithelial lymphocytes to ...

[Non coeliac gluten sensitivity - NCBI - National Institutes of Health](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4017515/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4017515/>

In the past, the terms gluten sensitivity and coeliac disease have been used ... Plasma cell counts in the lamina propria and intraepithelial lymphocytes were significantly ... Gluten challenge resulted in a recurrence of symptoms within 8-12 hours and ... Over the study period the severity scores of pain, satisfaction with stool ...

[\[PDF\] Advances in the Understanding of Gluten related ... - ResearchGate](https://www.researchgate.net/...Celiac_Disease/.../5593d71c08ae5af2b0ec355d.pdf)

https://www.researchgate.net/...Celiac_Disease/.../5593d71c08ae5af2b0ec355d.pdf

syndromes such as non-celiac gluten sensitive enteropathy. Another increase of epithelial lymphocytes without villous atrophy. In the last decade, large Celiac disease in Pakistan: challenges and opportunities. J Ayub Med Coll The scoring takes into account 4 items: symptoms, antibodies, HLA, and biopsy ...

[\[PDF\] table of contents - NASPGHAN](#)

找到约 1,790 条结果 (用时 0.99 秒)

The broad spectrum of celiac disease and gluten sensitive enteropathy

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者：O MOCAN - 2016

2016年7月28日 - Severity is correlated with the number of **intraepithelial lymphocytes**, cryptic ... **Diagnostic** criteria are: positive serological **tests**, intestinal biopsy, the ... **Celiac disease** (CD) is a chronic, genetically based **gluten-sensitive** dermatitis herpetiformis, neurological **problems** and dental enamel hypoplasia.

Gluten-sensitive enteropathy (celiac disease): controversies in ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/20524861> - 翻译此页

作者：A Ensari - 2010 - 被引用次数：89 - 相关文章

CONTEXT: **Celiac disease**, or **gluten-sensitive enteropathy**, is a chronic ... **Diagnosis** currently relies on clinicopathologic studies including mucosal biopsy, serologic ... ranging from mild abnormalities, including **intraepithelial lymphocytosis**, ... in **gluten-sensitive enteropathy**, in an effort to overcome the **problems** related to ...

Celiac Disease and Malabsorptive Disorders

www.clevelandclinicmeded.com/.../diseasemanagement/.../celiac-disease-mal... ▼ 翻译此页

Non-celiac **gluten sensitivity** (NCGS) occurs with ingestion of **gluten** in patients ... Patients with gastrointestinal and classical **symptoms**: diarrhea, weight loss, ... **enteropathy** that is precipitated by exposure to dietary **gluten**. ... Positive serology and normal small bowel mucosa biopsy or increased **intraepithelial lymphocytes**: ...

[XLS] Heriot Surgical Pathology Reference List - American Society for ...

<https://www.ascp.org/content/docs/.../heriot-surgical-pathology-reference-list-1.xlsx?...2>

Immunomicroscopy: a **Diagnostic** Tool for the Surgical Pathologist, 3rd ed. The **challenge** of apocrine proliferations of the breast: a morphologic approach. Nodular **Lymphocyte**-Predominant Hodgkin Lymphoma or T-cell/Histiocyte Rich immunobiologic approach to the spectrum of **gluten** ...