

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37600

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Role of protein tyrosine phosphatase non-receptor type 2 and 22 polymorphisms in pathophysiology of Crohn's disease

Robert C Sharp, Shazia A Beg, Saleh A Naser

Abstract

AIM

To establish the relationship of *Protein Tyrosine Phosphatase Non-receptor type 2 and 22* (PTPN2/22) polymorphisms and mycobacterial infections in Crohn's disease (CD).

METHODS

All 122 subjects' blood samples were genotyped for nine single nucleotide

Match Overview

There are no matching sources for this report.

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 6,230 条结果 (用时 0.66 秒)

Genetic Variations of PTPN2 and PTPN22: Role in the ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26734582> ▼ [翻译此页](#)作者 : RC Sharp - 2015 - 被引用次数 : 12 - [相关文章](#)

2015年12月24日 - This review article is focused on the impact of SNP's in PTPN2 (protein tyrosine phosphatase, non-receptor type 2) and PTPN22 (protein tyrosine phosphatase non-receptor type 22) on the development of Crohn's disease and T1D. The PTPN2 gene mutation in T1D patients play a direct role in the ...

Protein tyrosine phosphatase non-receptor type 2 and inflammatory ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4716018/> ▼ [翻译此页](#)作者 : MR Spalinger - 2016 - 被引用次数 : 6 - [相关文章](#)

2016年1月21日 - 2016 Jan 21; 22(3): 1034-1044. ... Keywords: Protein tyrosine phosphatase non-receptor type 2, Inflammatory bowel disease, Chronic intestinal inflammation, Barrier function, Phosphorylation ... Consequently, variants in PTPN2 importantly affect intestinal homeostasis and contribute to IBD pathogenesis.

PTPN22 protein tyrosine phosphatase, non-receptor type 22 [(human)]

<https://www.ncbi.nlm.nih.gov/gene/26191> ▼ [翻译此页](#)

2017年11月26日 - C1858T polymorphism of protein tyrosine phosphatase non-receptor type 22 characterizes a subset of type 1 diabetic patients with higher levels of ... cells to antigen stimulation. role of PTPN22 in type 1 diabetes and Crohn's disease (review; a significant association between PTPN22 R620W polymorphism ...

Genetic Variations of PTPN2 and PTPN22: Role in the ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/m/pubmed/26734582> - [翻译此页](#)

This review article is focused on the impact of SNP's in PTPN2 (protein tyrosine phosphatase, non-receptor type 2) and PTPN22 (protein tyrosine phosphatase non-receptor type 22) on the development of Crohn's disease and T1D. The PTPN2 gene mutation in T1D patients play a direct role in the destruction of beta cells ...

[全部](#)
[图片](#)
[新闻](#)
[视频](#)
[购物](#)
[更多](#)
[设置](#)
[工具](#)

找到约 66,100 条结果 (用时 0.59 秒)

Protein tyrosine phosphatase non-receptor type 2 and inflammatory ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4716018/> ▾ [翻译此页](#)

作者 : MR Spalinger - 2016 - 被引用次数 : 6 - [相关文章](#)

2016年1月21日 - 2016 Jan 21; 22(3): 1034–1044. ... Keywords: **Protein tyrosine phosphatase non-receptor type 2**, Inflammatory bowel **disease**, Chronic intestinal inflammation, Barrier **function**, Phosphorylation ... Consequently, variants in PTPN2 importantly affect intestinal homeostasis and contribute to IBD **pathogenesis**.

PTPN22 protein tyrosine phosphatase, non-receptor type 22 [(human)]

<https://www.ncbi.nlm.nih.gov/gene/26191> ▾ [翻译此页](#)

3 天前 - C1858T **polymorphism** of **protein tyrosine phosphatase non-receptor type 22** characterizes a subset of **type 1** diabetic patients with higher levels of ... cells to antigen stimulation. **role** of **PTPN22** in **type 1** diabetes and **Crohn's disease** (review; a significant association between **PTPN22** R620W **polymorphism** ...

PTPN2 protein tyrosine phosphatase, non-receptor type 2 [(human)]

<https://www.ncbi.nlm.nih.gov/gene/5771> ▾ [翻译此页](#)

2017年12月17日 - The increase in miR-210 resulted in down regulation of its target PTPN2 mRNA in pre-eclampsia. **role** of PTPN2 in **type 1** diabetes and **Crohn's disease** (review); rs2542151 SNP in The PTPN2 gene is associated with T1DM in Chinese Han children; Loss of **protein tyrosine phosphatase, non-receptor type** ...

Genetic Variations of PTPN2 and PTPN22: Role in the Pathogenesis ...

<https://www.ncbi.nlm.nih.gov/pubmed/26734582> ▾ [翻译此页](#)

作者 : RC Sharp - 2015 - 被引用次数 : 12 - [相关文章](#)

2015年12月24日 - This review article is focused on the impact of SNP's in PTPN2 (**protein tyrosine phosphatase, non-receptor type 2**) and PTPN22 (**protein tyrosine phosphatase non-receptor type 22**) on the development of **Crohn's disease** and T1D. The PTPN2 gene mutation in T1D patients play a direct **role** in the ...

找到约 154,000 条结果 (用时 0.50 秒)

Protein tyrosine phosphatase non-receptor type 2 and inflammatory ...

<https://www.ncbi.nlm.nih.gov/pubmed/26811645> ▼ [翻译此页](#)

作者: MR Spalinger - 2016 - 被引用次数: 6 - 相关文章

2016 Jan 21;22(3):1034-44. doi: 10.3748/wjg.v22.i3.1034. **Protein tyrosine phosphatase non-receptor type 2** and inflammatory bowel **disease**. ... In particular, PTPN2 is involved in the regulation of inflammatory signalling cascades, and critical for protecting intestinal epithelial barrier **function**, regulating innate and adaptive ...

PTPN2 protein tyrosine phosphatase, non-receptor type 2 [(human)]

<https://www.ncbi.nlm.nih.gov/gene/5771> ▼ [翻译此页](#)

2017年12月17日 - The increase in miR-210 resulted in down regulation of its target PTPN2 mRNA in pre-eclampsia. **role** of PTPN2 in **type 1** diabetes and **Crohn's disease** (review); rs2542151 SNP in The PTPN2 gene is associated with T1DM in Chinese Han children; Loss of **protein tyrosine phosphatase, non-receptor type** ...

The role for protein tyrosine phosphatase non-receptor type 22 in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4924425/> ▼ [翻译此页](#)

作者: MR Spalinger - 2016 - 被引用次数: 3 - 相关文章

2015年8月6日 - Inflammatory bowel **disease** represents a chronic intestinal inflammation. Recent knowledge suggests a crucial **role** for genetic, immunological and bacterial factors in inflammatory bowel **disease pathogenesis**. Variations within the gene locus encoding **PTPN22** have been associated with inflammatory ...

Protein Tyrosine Phosphatase Non-Receptor Type 22 Modulates ...

journals.plos.org/plosone/article?id=10.1371/journal.pone.0072384 ▼ [翻译此页](#)

作者: MR Spalinger - 2013 - 被引用次数: 20 - 相关文章

2013年8月26日 - Background Variations within the gene locus encoding **protein tyrosine phosphatase non-receptor type 22** (PTPN22) are associated with the risk to develop inflammatory bowel **disease** (IBD). PTPN22 is involved in the regulation of T- and B-cell receptor signaling, but although it is highly expressed in ...