

1

Name of journal: *World Journal of Gastroenterology***ESPS Manuscript NO:** 14618**Columns:** ORIGINAL ARTICLE*Retrospective Study***Biliary drainage strategy of unresectable malignant hilar strictures by computed tomography volumetry**Takahashi E *et al.* Biliary drainage strategy by CT volumetry

4


Ei Takahashi, Mitsuharu Fukasawa, Tadashi Sato, Shinichi Takano, Makoto Kadokura, Hiroko Shindo, Yudai Yokota, Nobuyuki Enomoto

4

Ei Takahashi, Mitsuharu Fukasawa, Tadashi Sato, Shinichi Takano, Makoto Kadokura, Hiroko Shindo, Yudai Yokota, Nobuyuki Enomoto, First Department of Internal Medicine, Faculty of Medicine, University of Yamanashi, Yamanashi 409-3898, Japan

Match Overview

1	Internet 138 words crawled on 08-Jan-2015 www.wjgnet.com	3%
2	CrossCheck 39 words "Abstracts", Hepatology, 10/2011	1%
3	CrossCheck 34 words Suzuki, Kohta, Miri Sato, Daisuke Ando, Naoki Kondo, and Zentarō Yamagata. "Differences in the effect of mater	1%
4	CrossCheck 29 words Takano, Shinichi, Mitsuharu Fukasawa, Tadashi Sato, Ei Takahashi, Makoto Kadokura, Hiroko Shindo, and Nobu	1%
5	Internet 25 words crawled on 24-Jan-2014 www.sages.org	<1%
6	CrossCheck 24 words Yoshiaki Murakami. "Prognostic significance of lymph node metastasis and surgical margin status for distal cho...	<1%
7	CrossCheck 22 words Hyun Chin Cho. "Are endoscopic or percutaneous biliary drainage effective for obstructive jaundice caused by he...	<1%
8	CrossCheck 20 words E. K. Abdalla. "Portal vein embolization: rationale, technique and future prospects", British Journal of Surgery, 02/	<1%
9	CrossCheck 20 words T. Kohashi. "Site-specific mutation of the interferon gene	<1%

 No items found.

Search details






```
((unresectable[All Fields] AND
("oligodendroglioma"[MeSH Terms] OR
"oligodendroglioma"[All Fields] OR
"malignant"[All Fields]) AND hilar[All
Fields] AND ("constriction, pathologic"
```

Search

[See more...](#)

Recent Activity

[Turn Off](#) [Clear](#)

-  ((unresectable malignant hilar strictures) AND omputed tomography... (0) PubMed
-  Biliary drainage strategy of unresectable malignant hilar strictu... (0) PubMed
-  "Eur J Gastroenterol Hepatol"[Journal] AND 2013[PDAT] AND 25[VOL]... (1) PubMed
-  Endoscopic stenting for malignant hilar biliary obstruction: should it be meta PubMed
-  Selective MRCP and CT-targeted drainage of malignant hilar biliary obstruction PubMed

[See more...](#)

[网页](#) [图片](#) [购物](#) [视频](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

找到约 61,000 条结果 (用时 0.77 秒)

Google 学术 : Biliary drainage strategy of unresectable malignant hilar strictures by computed tomography volumetry

Hilar cholangiocarcinoma: current management - Ito - 被引用次数 : 179

... tumor resection and computer-assisted risk analysis ... - Lang - 被引用次数 : 176

Benign hilar biliary strictures stented with metallic ... - Vibert - 被引用次数 : 17

Unilateral Multiple Metallic Stent-in-stent for a Case of Hilar ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : H Matsubayashi - 2014 - 相关文章

The stenting strategy has been discussed in cases with unresectable hilar bile ... hilar biliary stricture, our strategy was to maintain the drainage of the largest, ... CT volumetry[10] showed a larger volume in the left lobe (left: 621 ml, right: 582 ml). ... Vienne et al. retrospectively studied 107 cases of malignant hilar strictures ...

Prediction of drainage effectiveness during endoscopic ...

www.pubfacts.com/.../Prediction-of-drainage-effectiveness-duri... - 翻译此页

The relative volumetry of the 3 main hepatic sectors (left, right anterior, and right posterior) was assessed ... Clinical outcome in patients with hilar malignant strictures type II ... remains a standard endoscopic treatment in patients with unresectable tumors. ... Selective MRCP and CT-targeted drainage of malignant hilar biliary ...

hilar cholangiocarcinoma - Professional Medical Resources

www.searchmedica.com/search.html?q=hilar...c... ▾ 翻译此页

Results 321 - 330 of 888 - Endoscopic biliary drainage is the mainstay of palliative treatment in patients with unresectable malignant hilar biliary obstruction. ... Twenty-one consecutive patients with malignant hilar biliary strictures were treated with ... such as ultrasound and computed tomography examination, the lesion was ...

World J Gastroenterol

www.wjnet.com/1007-9327/14/3000.asp ▾ 翻译此页