



18263-Review

Quotes Excluded
Bibliography Excluded11%
SIMILAR

Match Overview

1	CrossCheck 155 words "Poster Session 3: Basic Hepatobiliary Neoplasia", Hepatology, 2014.	3%
2	CrossCheck 65 words YI XIAO. "Cartilage oligomeric matrix protein expression in hepatocellular carcinoma and the cirrhotic liver", Journal of	1%
3	CrossCheck 51 words "AASLD Abstracts", Hepatology, 2013.	1%
4	CrossCheck 43 words "Abstracts", Hepatology, 10/2011	1%
5	Internet 37 words crawled on 25-Feb-2010 www.ncbi.nlm.nih.gov	1%
6	CrossCheck 26 words Stella Gabeta. "IgA Anti-b2GPI Antibodies in Patients with Autoimmune Liver Diseases", Journal of Clinical Immunolo	<1%
7	CrossCheck 25 words "AASLD Abstracts", Hepatology, 2012	<1%

15

Name of journal: *World Journal of Hepatology*

ESPS Manuscript NO: 18263

Columns: ORIGINAL ARTICLE

Basic Study

Cartilage oligomeric matrix protein: A novel non-invasive marker for assessing cirrhosis and risk of hepatocellular carcinoma

Gary L Norman, Nikolaos K Gatselis, Zakera Shums, Christos Liaskos, Dimitrios P Bogdanos, George K Koukoulis, George N Dalekos

Abstract

AIM: To assess serum cartilage oligomeric matrix protein (COMP) as a marker of cirrhosis and risk of progression to hepatocellular carcinoma (HCC).

METHODS: A COMP ELISA was used to test 187 patients with chronic liver diseases



COMP: a novel non-invasive marker for assessing cirrhosis and risk of H



网页

图片

新闻

视频

更多

搜索工具

找到约 460,000 条结果 (用时 0.73 秒)

Google 学术: COMP: a novel non-invasive marker for assessing cirrhosis and risk of HCC

Non invasive fibrosis biomarkers reduce but not ... - Sebastiani - 被引用次数: 201
... to identify novel serum biomarkers for liver cirrhosis ... - Gray - 被引用次数: 43
... other noninvasive tests to assess hepatic fibrosis in ... - Castera - 被引用次数: 128

Get PDF (318K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.27522/pdf - 翻译此页

ular characterization to predict patients at high risk of HCC recurrence. Cartilage oligomeric matrix protein (COMP): A novel non-invasive marker for ... liver, as a novel non-invasive marker for assessing liver cirrhosis and risk of pro-

A novel non-invasive marker for assessing liver cirrhosis ...

liverlearning.aasld.org/aasld/2014/thelivermeeting/.../undefined - 翻译此页

Cartilage oligomeric matrix protein (COMP): A novel non-invasive marker for assessing liver cirrhosis and risk of progression to hepatocellular carcinoma. Prof.

[PDF] Non-invasive prediction of forthcoming cirrhosis-related ...

www.wjgnet.com/1007-9327/pdf/v20/i10/2613.pdf - 翻译此页

作者: W Kang - 2014 - 被引用次数: 3 - 相关文章

2014年3月14日 - compensation, liver failure, hepatocellular carcinoma, or liver-related ... long-term prognosis based on the risk of developing. LREs. ... markers for liver fibrosis because of inherent limitations, ... mance of these non-invasive methods has been assessed in many ... A novel prediction model was recently in-

Non-invasive assessment of liver fibrosis in chronic hepatitis C

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者: L Castera - 2011 - 被引用次数: 29 - 相关文章

2011年1月20日 - The limitations of individual markers to assess liver fibrosis have led to the ... correlation between liver stiffness values and the risk of hepatocellular carcinoma [95]. ... The major advantage of this novel technology is that it can be easily implemented. ... Noninvasive diagnosis of hepatic fibrosis or cirrhosis



Cartilage oligomeric matrix protein: A novel non-invasive marker for asse



网页

图片

购物

新闻

视频

更多 ▾

搜索工具

找到约 4,020 条结果 (用时 0.65 秒)

Cookie有助于我们提供服务。使用我们的服务，即表示您同意我们使用Cookie。

[了解详情](#)

[知道了](#)

Google 学术: **Cartilage oligomeric matrix protein: A novel non-invasive marker for assessing cirrhosis and risk of hepatocellular carcinoma**

... and current understanding of the **matrix** as more than a ... - **Karsdal** - 被引用次数: 45

Methodology and applications of disease biomarker ... - **Sahab** - 被引用次数: 44

Follow Us - AASLD LiverLearning

liverlearning.aasld.org/aasld/2014/thelivermeeting/.../undefined ▾ [翻译此页](#)

Cartilage oligomeric matrix protein (COMP): A novel non-invasive marker for assessing liver cirrhosis and risk of progression to hepatocellular carcinoma. Prof.

Get PDF (318K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.27522/pdf ▾ [翻译此页](#)

Background: **Hepatocellular carcinoma** (HCC) has a poor prognosis due to **Cartilage oligomeric matrix protein (COMP): A novel non-invasive marker for ... liver, as a novel non-invasive marker for assessing liver cirrhosis and risk of pro-**

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 4,700 条结果 (用时 0.67 秒)

Google 学术: Cartilage oligomeric matrix protein: A novel non-invasive marker for assessing cirrhosis and risk of hepatocellular carcinoma

... and current understanding of the matrix as more than a ... - Karsdal - 被引用次数: 46

Methodology and applications of disease biomarker ... - Sahab - 被引用次数: 44

Follow Us - AASLD LiverLearning

liverlearning.aasld.org/aasld/2014/thelivermeeting/.../undefined ▾ 翻译此页

Cartilage oligomeric matrix protein (COMP): A novel non-invasive marker for assessing liver cirrhosis and risk of progression to hepatocellular carcinoma. Prof.

Get PDF (318K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/hep.27522/pdf ▾ 翻译此页

Background: Hepatocellular carcinoma (HCC) has a poor prognosis due to Cartilage oligomeric matrix protein (COMP): A novel non-invasive marker for ... liver, as a novel non-invasive marker for assessing liver cirrhosis and risk of pro-

[PDF] Hyaluronic Acid (Hyaluronan) - Life Force

www.life-force.nl/www_nl/cms/_/TECO_Hyaluron_GB.pdf ▾ 翻译此页