

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16032

Columns: ORIGINAL ARTICLE

Prospective Study

**Esophagojejunostomy after laparoscopic total gastrectomy by OrVil™ or
hemi-double stapling technique**

Wang H *et al.* Esophagojejunostomy anvil insertion methods

Hao Wang, Qun Hao, Meng Wang, Min Feng, Feng Wang, Xin Kang,
Wen-Xian Guan

Hao Wang, Meng Wang, Min Feng, Feng Wang, Xin Kang, Wen-Xian Guan,
Department of General Surgery, Drum Tower Hospital, Medical School of
Nanjing University, Nanjing 210008, Jiangsu Province, China

Match Overview

- | | | |
|---|--|-----|
| 1 | Internet 95 words
crawled on 31-Mar-2015
www.wjgnet.com | 1% |
| 2 | CrossCheck 24 words
Jin, W. "Protective effect of tert-butylhydroquinone on cerebral inflammatory response following traumatic brain injury" | <1% |
| 3 | Publications 20 words
Wen-Tao Kong. "Major complications after radiofrequency ablation for liver tumors: Analysis of 255 patients", <i>World Journal of Gastroenterology</i> | <1% |

学术搜索

获得 5 条结果 (用时0.04秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用

创建快讯

[\[PDF\] Reconstruction of the esophagojejunostomy by double stapling method using EEA™ OrVil™ in laparoscopic total gastrectomy and proximal gastrectomy](#)

N Hirahara, H Monma, Y Shimojo... - World J Surg ..., 2011 - biomedcentral.com

... esophago- jejunostomy using the tranorally inserted anvil(OrVil) after laparoscopic total gastrectomy. ... as: Hirahara et al.: Reconstruction of the esophagojejunostomy by double stapling method using EEA™ OrVil™ in laparoscopic total gastrectomy and proximal ...

被引用次数: 25 相关文章 所有 15 个版本 引用 保存 更多

[Application of the transorally inserted anvil \(OrVil™\) after laparoscopy-assisted total gastrectomy](#)

C Kunisaki, H Makino, T Oshima, S Fujii, J Kimura... - Surgical ..., 2011 - Springer

... Page 4. include reduced intraoperative blood loss, reduced pain, more rapid recovery, and fewer pulmonary ... Recently, intracorporeal circular sta- pling esophagojejunostomy using OrViITM was developed to simplify the reconstruction procedure after total gastrectomy [10]. ...

被引用次数: 41 相关文章 所有 7 个版本 引用 保存

[Survival and surgical outcomes after laparoscopy-assisted total gastrectomy for gastric cancer: case-control study](#)

BW Eom, YW Kim, SE Lee, KW Ryu, JH Lee... - Surgical ..., 2012 - Springer

... Cosmetic result, cost, recovery, and pain were major determinants for the patient [4-8 ... After completing the end-to-side jejunojunctionostomy, 40 cm distal from the esophagojejunostomy, the tip of a ... hazard ratio (95 % CI = 0.12-0.95, p = 0.039) (Table 3). Finally, after the adjustment ...

被引用次数: 27 相关文章 所有 7 个版本 引用 保存

[Proximal Anastomosis Using the OrVil™ Circular Stapler in Major Upper Gastrointestinal Surgery](#)

BC Knight, SJ Rice, PG Devitt, A Lord, PA Game... - ... Gastrointestinal Surgery, 2014 - Springer

... ultrasonography (if minimal stricturing), and diag- nostic laparoscopy (for junctional or ... S. Tanaka T. Reconstruction of the esophagojejunostomy by double ... circular stapling oesophagojejunostomy using the transorally inserted anvil (OrViITM) after laparoscopic total gastrectomy. ...

被引用次数: 1 相关文章 所有 4 个版本 引用 保存

[Extending the reach of stapled anastomosis with a prepared OrVil™ device in laparoscopic oesophageal and gastric cancer surgery](#)

AEA Salih, GA Bass, Y D'Cruz, RP Brennan... - Surgical ..., 2014 - Springer

... 5-8]. One randomised trial demonstrated earlier recovery, reduced post-operative pain and less ...

Post-operative leak is the main concern for surgeons per- forming oesophago-gastric ... They

biomedcentral.com 中的 [PDF]

[网页](#)[图片](#)[视频](#)[购物](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 237 条结果 (用时 0.74 秒)

Reconstruction of the esophagojejunostomy by double ...

www.wjso.com/content/9/1/55 ▾ [翻译此页](#)

作者 : N Hirahara - 2011 - 被引用次数 : 25 - 相关文章

2011年5月20日 - As a basic technique, laparoscopic total gastrectomy employed ...

We used EEATM OrViITM as a device that permitted mechanical ... The end-Surgitie was inserted at the right subcostal margin, and after the ... total or proximal gastrectomy by the hemi-double stapling technique using EEA™ OrViITM¹ [1].

[PDF] Reconstruction of the esophagojejunostomy by double ...

www.biomedcentral.com/content/pdf/1477-7819-9-55.pdf ▾ [翻译此页](#)

作者 : N Hirahara - 2011 - 被引用次数 : 25 - 相关文章

2011年5月20日 - As a basic technique, laparoscopic total gastrectomy employed ...

After the gastric lymph node dissection, the esophagus was cut off using an ... EEATM OrViITM ... hemi-double stapling technique using EEA™ OrViITM¹. [1].

[PDF] Intracorporeal esophagojejunostomy using the double ...

www.wjgnet.com/1007-9327/pdf/v21/i10/2973.pdf ▾ [翻译此页](#)

作者 : JH Kim - 2015

2015年3月14日 - stapling technique after laparoscopic total gastrectomy: A

retrospective case-series ... However, some techniques, such as OrViITM or overlap methods ... using modified double-stapling esophagojejunostomy, as follows.

Firstly in laparoscopic distal gastrectomy using the hemidouble-stapling technique: ...

Various types of intracorporeal esophagojejunostomy after ...

paperity.org/.../various-types-of-intracorporeal-esophagojejunostomy... ▾ [翻译此页](#)

作者 : JH Shim - 2012 - 被引用次数 : 19 - 相关文章

New double-stapling technique for esophagojejunostomy and ... intracorporeal