

PTEN is a Differential Diagnostic Marker between Nonalcoholic and Alcoholic Fa



全部 图片 视频 新闻 购物 地图 图书

找到约 34,900 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: PTEN is a Differential Diagnostic Marker between Nonalcoholic and Alcoholic Fatty Liver Disease](#)

- [... disturbances in non-alcoholic fatty liver disease](#) - Byrne - 被引用次数: 172
- [... boys at increased risk for nonalcoholic liver disease: ...](#) - Wiegand - 被引用次数: 44
- [... of diet-induced nonalcoholic fatty liver disease](#) - Alisi - 被引用次数: 98

[PTEN in liver diseases and cancer](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2951511/

7 Oct 2010 ... Indeed, the imbalance between propagation and termination of signaling ... In addition, PTEN might represent a differential diagnostic marker to ... Marchesini G , Babini M. Nonalcoholic fatty liver disease and the metabolic syndrome. Insulin resistance, inflammation, and non-alcoholic fatty liver disease.

[MicroRNAs in Nonalcoholic Fatty Liver Disease: Novel Biomarkers ...](#)

www.hindawi.com/journals/bmri/2014/741465/

13 Mar 2014 ... Nonalcoholic fatty liver disease (NAFLD) is a metabolic-related ... and have shown to be novel tissue-based markers for the diagnosis ... The link between miR-122 and the grade of liver steatosis was ... a specific differential expression pattern of miRNAs and their target genes, compared to controls [55].

[Steatohepatitis and Steatosis \(Fatty Liver\) | Doctor | Patient](#)

patient.info/doctor/steatohepatitis-and-steatosis-fatty-liver

See also: Non-alcoholic Fatty Liver Disease written for patients ... terms, it is helpful to realise the only difference between the two is the alcohol. ... Differential diagnosis ... Efforts are being made to find non-invasive markers of disease which can ... Ultrasound has some diagnostic accuracy in detecting steatosis but is not ...

[Fatty Liver: Overview, Pathophysiology, Etiology](#)

emedicine.medscape.com/article/175472-overview

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 23874

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Phosphatase and tensin homolog is a differential diagnostic marker between nonalcoholic and alcoholic fatty liver disease

Andrea Sanchez-Pareja, Sophie Clément, Marion Peyrou, Laurent Spahr, Francesco Negro, Laura Rubbia-Brandt, Michelangelo Foti

Abstract

AIM: To investigate the protein expression of phosphatase and tensin homolog (PTEN) in human liver biopsies of patients with alcoholic and non-alcoholic liver disease.

METHODS: PTEN protein expression was assessed by immunohistochemistry in

Match Overview

1	CrossCheck 116 words "PI3K/PTEN signaling in liver diseases", Signaling Pathways in Liver Diseases, 2015.	2%
2	CrossCheck 63 words Sophie Clément. "Down-regulation of phosphatase and tensin homolog by hepatitis C virus core 3a in hepatoc ...	1%
3	CrossCheck 38 words Andrea Tannapfel. "Histopathological diagnosis of non-alcoholic and alcoholic fatty liver disease", Virchows Arc	1%
4	CrossCheck 26 words "Abstracts", Hepatology, 10/2011	<1%
5	Internet 22 words crawled on 31-May-2012 lib.bioinfo.pl	<1%
6	Internet 21 words crawled on 10-May-2015 www.wjgnet.com	<1%
7	Internet 16 words crawled on 17-Dec-2015 office.wjgnet.com	<1%
8	Internet 14 words crawled on 30-Sep-2015 www.science.gov	<1%

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 21,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Phosphatase and tensin homolog is a differential diagnostic marker between nonalcoholic and alcoholic fatty liver disease](#)

[... disturbances in non-alcoholic fatty liver disease](#) - Byrne - 被引用次数: 175

[... of diet-induced nonalcoholic fatty liver disease](#) - Alisi - 被引用次数: 100

[PTEN in liver diseases and cancer](#) - Peyrou - 被引用次数: 45

[PTEN in liver diseases and cancer](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2951511/

7 Oct 2010 ... Keywords: **Phosphatase and tensin homolog**, Obesity, Insulin resistance, **Non-alcoholic fatty liver diseases**, **Steatosis**, In addition, PTEN might represent a **differential diagnostic marker** to distinguish **between** liver disorders ...

[Epigenetic Mechanisms Underlying the Link between Non-Alcoholic ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4145310/

21 Aug 2014 ... **Non-alcoholic fatty liver disease** (NAFLD) is defined as a pathologic ... may lead to the development of novel biomarkers for early **diagnosis** of NAFLD and ... suppress the expression of the **phosphatase and tensin homolog** gene (PTEN) [118], **Differential** DNA methylation patterns **between** high and low ...

[MicroRNAs in Nonalcoholic Fatty Liver Disease - MDPI.com](#)

www.mdpi.com/2077-0383/4/12/1953/htm

4 Dec 2015 ... **Nonalcoholic fatty liver disease** (NAFLD) has become the most ... **Differential** miRNA expression has identified a number of miRNAs with ... for disease pathways shared **between** NAFLD and **alcoholic fatty liver disease** (AFLD) [69], the expression of tumor suppressor **phosphatase and tensin homolog** ...

[Performance of Serum microRNAs-122,-192 and-21 as Biomarkers ...](#)

journals.plos.org/plosone/article?id=10.1371/journal.pone...



全部 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 22,000 条结果 (用时 0.71 秒)

Google 学术 : Phosphatase and tensin homolog is a differential diagnostic marker between nonalcoholic and alcoholic fatty liver disease

... disturbances in non-alcoholic fatty liver disease - Byrne - 被引用次数 : 177

... of diet-induced nonalcoholic fatty liver disease - Alisi - 被引用次数 : 100

PTEN in liver diseases and cancer - Peyrou - 被引用次数 : 45

PTEN in liver diseases and cancer

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : M Peyrou - 2010 - 被引用次数 : 45 - 相关文章

2010年10月7日 - Keywords: Phosphatase and tensin homolog, Obesity, Insulin resistance, Non-alcoholic fatty liver diseases, Steatosis, In addition, PTEN might represent a differential diagnostic marker to distinguish between liver disorders ...

Epigenetic Mechanisms Underlying the Link between Non ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : JH Lee - 2014 - 被引用次数 : 13 - 相关文章

2014年8月21日 - Non-alcoholic fatty liver disease (NAFLD) is defined as a pathologic ... may lead to the development of novel biomarkers for early diagnosis of NAFLD and suppress the expression of the phosphatase and tensin homolog gene (PTEN) [118]. Differential DNA methylation patterns between high and low ...

MicroRNAs in Nonalcoholic Fatty Liver Disease - MDPI.com

www.mdpi.com/2077-0383/4/12/1953/htm ▾ 翻译此页

作者 : G Baffy - 2015 - 相关文章