

Name of Journal: *World Journal of Clinical Paediatrics*

ESPS Manuscript NO: 23167

Manuscript Type: Case Report

Diagnosis of osteopetrosis in bilateral congenital aural atresia: Turning point in treatment strategy

Verma R *et al.* Congenital aural atresia with Osteopetrosis

Ritu Verma, Manisha Jana, Ashu Seith Bhalla, Arvind Kumar, Rakesh Kumar

### Match Overview

|   |  |     |
|---|--|-----|
| 1 | Internet 89 words<br>crawled on 16-Sep-2012<br><a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>                              | 4%  |
| 2 | Internet 39 words<br>crawled on 25-Apr-2015<br><a href="http://adc.bmj.com">adc.bmj.com</a>  | 2%  |
| 3 | Internet 14 words<br>crawled on 04-Nov-2015<br><a href="http://www.cibtech.org">www.cibtech.org</a>  | 1%  |
| 4 | CrossCheck 11 words<br>Yu, Tingting, Yongguo Yu, Jian Wang, Lei Yin, Yunfang Z<br>hou, Daming Ying, Rongkui Huang, Huijin Chen, Shenm      | <1% |
| 5 | Internet 11 words<br>crawled on 08-Oct-2010<br><a href="http://www.utmb.edu">www.utmb.edu</a>  | <1% |
| 6 | CrossCheck 11 words<br>Leibovitz, Zvi, Sandro Egenburg, Moshe Bronshtein, Isra<br>el Shapiro, Ronnie Tepper, Gustavo Malinger, and Gor ... | <1% |

学术搜索

找到约 250 条结果 (用时0.18秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

## Hearing loss

JB Nadol Jr - New England Journal of Medicine, 1993 - Mass Medical Soc

... **Diagnostic** Approaches ... Modern imaging techniques have revolutionized neuro-otologic **diagnosis**. ...

For example, left untreated, late latent syphilis will often cause profound **bilateral** sensorineural hearing loss, whereas **treatment** with a combination of corticosteroids and ...

被引用次数: 224 相关文章 所有 4 个版本 引用 保存

## Agensis of right lung with esophageal **atresia** and distal tracheoesophageal fistula.

N Surendran - Saudi medical journal, 2000 - smj.org.sa

... The **diagnosis** depends mainly on cholangiography but CT scan can also **diagnose** the disease with the advantage of telling the state a liver parenchyma; the case was **diagnosed** as Caroli's ...

Because **diagnosis** of sclerosing cholangitis is very important in LCH for the reasons ...

被引用次数: 5 相关文章 所有 6 个版本 引用 保存

## Congenital malformations of the **ear** and cochlear implantation in children: review and temporal bone report of common cavity

JM Graham, PD Phelps... - Journal of Laryngology & ..., 2000 - Cambridge Univ Press

... **congenital** malformations of the **ear** and cochlear implantation in children ... of intractable CSF leakage and where other pathology exists, such as middle **ear** choles- teatoma ... child with **bilateral** 'Mondini deformity' (possibly common cavity: the patient had **bilateral** spontaneous peri ...

被引用次数: 144 相关文章 所有 9 个版本 引用 保存

## Histiocytosis X and Caroli's disease.

R Al-Asiri, M Al-Shahed, S Wali - Saudi medical journal, 2000 - smj.psmmc.med.sa

... The **diagnosis** depends mainly on cholangiography but CT scan can also **diagnose** the disease with the advantage of telling the state a liver parenchyma; the case was **diagnosed** as Caroli's ...

Because **diagnosis** of sclerosing cholangitis is very important in LCH for the reasons ...

smj.org.sa 中的 [PDF]

psmmc.med.sa 中的 [PDF]



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 370 条结果 (用时 0.39 秒)

## Google 学术: **Diagnosis of osteoporosis in bilateral congenital aural atresia: Turning point in treatment strategy**

Hearing loss - Nadol Jr - 被引用次数: 224

Agnesis of right lung with esophageal **atresia** and ... - Surendran - 被引用次数: 5

**Congenital** malformations of the **ear** and cochlear ... - Graham - 被引用次数: 144

## Understanding Atresia, Microtia, and the Baha System Lisa ...

[www.audiologyonline.com/.../understanding-atresia-microtia-a...](http://www.audiologyonline.com/.../understanding-atresia-microtia-a...) ▾ 翻译此页

2014年7月28日 - A review of microtia, atresia and the Baha system in children, ...

Regarding microtia, there are several different modes of **treatment**. ... **Congenital aural atresia** occurs in approximately 1 in 10,000 to 20,000 .... Typically we have a **bilateral**, symmetrical conductive hearing loss. .... She was **diagnosed** at birth.

缺少字词: **osteoporosis**

## The Baha Softband: Candidacy, Evaluation and Fitting Lisa ...

[www.audiologyonline.com/.../baha-softband-candidacy-evaluat...](http://www.audiologyonline.com/.../baha-softband-candidacy-evaluat...) ▾ 翻译此页

2014年12月15日 - My personal candidacy criteria for mixed hearing loss is a **bilateral** loss .... test or **diagnosis** of hearing loss in conjunction with an ABR, most likely. .... At this **point**, we only had to use BOA to verify the fitting. .... The BAHA softband: A new **treatment** for young children with **bilateral congenital aural atresia**.

缺少字词: **osteoporosis**

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 295 条结果 (用时 0.79 秒)

您是不是要找: **Diagnosis of *osteoporosis* in bilateral congenital aural atresia: Turning point in treatment strategy**

Google 学术: **Diagnosis of osteopetrosis in bilateral congenital aural atresia: Turning point in treatment strategy**

Nosology of deafness - **Jacobson** - 被引用次数: 11

Comprehensive dictionary of audiology - **Stach** - 被引用次数: 66

... occupational **therapy** handbook: a guide to **diagnoses** ... - **Bowyer** - 被引用次数: 10

**Understanding Atresia, Microtia, and the Baha System** Lisa ...

[www.audiologyonline.com/.../understanding-atresia-microtia-a...](http://www.audiologyonline.com/.../understanding-atresia-microtia-a...) ▾ 翻译此页

2014年7月28日 - A review of microtia, atresia and the Baha system in children, ...

Regarding microtia, there are several different modes of **treatment**. ... **Congenital aural atresia** occurs in approximately 1 in 10,000 to 20,000 .... Typically we have a **bilateral**, symmetrical conductive hearing loss. .... She was **diagnosed** at birth.

缺少字词: osteopetrosis

**The Baha Softband: Candidacy, Evaluation and Fitting** Lisa ...

[www.audiologyonline.com/.../baha-softband-candidacy-evaluat...](http://www.audiologyonline.com/.../baha-softband-candidacy-evaluat...) ▾ 翻译此页

2014年12月15日 - My personal candidacy criteria for mixed hearing loss is a **bilateral**

loss .... test or **diagnosis** of hearing loss in conjunction with an ABR, most likely. .... At **this point**, we only had to use BOA to verify the fitting. .... The BAHA softband: A new **treatment** for young children with **bilateral congenital aural atresia**.