

Subclavian steal syndrome: a case report and review of ...

https://www.sciencedirect.com/science/article/pii/S1553838915002699

 $\label{eq:continuous} \mbox{Jan 01, 2016} \cdot \mbox{The criteria for subclavian steal syndrome are 1) evidence of subclavian or innominate artery occlusion or marked stenosis, 2) retrograde vertebral flow, and 3) patency of both vertebral...$

Cited by: 2 Author: Issei Komatsubara, Jun Kondo, Maki Aki...


Publish Year: 2016

[Subclavian steal syndrome associated with Sjögren's ...

https://pubmed.ncbi.nlm.nih.gov/4756189

[Subclavian steal syndrome associated with Sjögren's syndrome] [Subclavian steal syndrome associated with Sjögren's syndrome] Harefuah. 1973 Aug 15;85(4):174-6. [Article in Hebrew] Author I...

Author: | Machtey Publish Year: 1973



Subclavian steal syndrome


https://pubmed.ncbi.nlm.nih.gov/15058696


Subclavian steal syndrome is a systemic condition that may manifest ocular signs and symptoms that optometrists should recognize, and which merits referral for systemic evaluation and treatment as...

(PDF) SUBCLAVIAN STEAL SYNDROME: A CASE REPORT

https://www.researchgate.net/publication/276105176...

ABSTRACT: Subclavian steal syndrome is a relatively rare condition that results from occlusion of the subclavian artery proximal to the origin of the vertebral artery. This causes a reversal in the...





12,000 Results

IMAGES

ALL

Any time ▼

[Subclavian steal syndrome associated with the right ...

https://pubmed.ncbi.nlm.nih.gov/12684982

We report an adult case who presented vertigo attacks due to subclavian steal syndrome associated with the right aortic arch in a patient with Peutz-Jeghers syndrome. A 29-year-old male diagnosed as having Peutz-Jeghers syndrome developed frequent vertigo attacks and was admitted to our hospital. BI

Cited by: 4

Author: Masaaki Hokari, Satoshi Kuroda, Koji Fur...

Publish Year: 2003


Subclavian steal syndrome - PubMed

https://pubmed.ncbi.nlm.nih.gov/15058696

Subclavian steal syndrome is a systemic condition that may manifest ocular signs and symptoms that optometrists should recognize, and which merits referral for systemic evaluation and treatment as necessary Patients who manifest signs and symptoms of vertebro-basilar insufficiency, carotid territory ...

Author: Cindy F. Lum, Pauline F. Ilsen, Pauline F.... Cited by: 13

Publish Year: 2004



Feedback

[III]

Transient hemiballismus and subclavian steal syndrome ...

https://www.ncbi.nlm.nih.gov/pubmed/7468145

Case report. 1. Acta Neurol Belg. 1980;80 (6):329-35. Transient hemiballismus and subclavian steal syndrome. Case report. Calzetti S, Moretti G, Gemignani F, Formentini E, Lechi A. Transient hemiballismus was observed in a 74-year-old man, displaying subclavian steal syndrome. Such a