

Extreme liver resections with preservation of segment 4 only – a case control study

全部 图片 视频 新闻 地图 图书

找到约 170,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Hepatic Vascular Exclusion With Preservation of the Caval Flow for ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1420840/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1420840/>

Control of bleeding remains a major key to successful hepatic resection. ... In most cases, inflow occlusion only is used by means of portal triad clamping ... The aim of this study is to evaluate the results of total and partial HVEPC used in ... activity, was less severe with intermittent clamping than with continuous clamping for ...

[Anatomic resection of liver segments 6-8 for hepatocellular carcinoma](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3989982/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3989982/>

21 Apr 2014 ... AIM: To report the devised anatomic liver resection of segments 6, 7 and 8 to ... 7 and 8 to guarantee the maximum preservation of the remaining normal liver tissue. ... One patient suffered from severe liver dysfunction shortly after ... Core tip: Hepatic resection is the only curative treatment for patients with ...

[ALPPS Procedure for Extended Liver Resections: A Single Centre ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4689524/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4689524/>

23 Dec 2015 ... All patients were evaluated for liver surgery in a multidisciplinary meeting ... excluded from the planned ALPPS procedure because of severe liver fibrosis ... to preserve segment IVb; in this latter case the middle hepatic vein was ... related to retrospective analyses and lack of a control group in all studies.

[Laparoscopic liver resections for hepatocellular carcinoma \(HCC\) in ...](#)

Match Overview

- | Rank | Source | Words | Similarity |
|------|---|----------|------------|
| 1 | Crossref | 17 words | 1% |
| | Schadde, Erik, Massimo Malagó, Roberto Hernandez-Alejandro, Jun Li, Eddie Abdalla, Victoria Ardiles, Georg Lurje, S | | |
| 2 | Internet | 16 words | <1% |
| | crawled on 17-Nov-2015 rpcadm.hospitalmoinhos.org.br | | |
| 3 | Crossref | 13 words | <1% |
| | Susan Tsai, "Two-stage strategy for patients with extensive bilateral colorectal liver metastases : HPB", HPB, 03/04/20 | | |

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 33227

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Extreme liver resections with preservation of segment 4 only

Silvio Marcio Pegoraro Balzan, Vinícius Grando Gava, Marcelo Arbo Magalhães,
Marcelo Luiz Dotto

Abstract

AIM

To evaluate safety and outcomes of a new technique for extreme hepatic resections with preservation of segment 4 only.

METHODS

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 1,910,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Anatomic resection of liver segments 6-8 for hepatocellular carcinoma](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3989982/>

21 Apr 2014 ... AIM: To report the devised anatomic **liver resection** of **segments** 6, 7 and 8 to ... 7 and 8 to guarantee the maximum **preservation** of the remaining normal liver tissue. ... One patient suffered from **severe** liver dysfunction shortly after ... Core tip: **Hepatic resection** is the **only** curative treatment **for** patients with ...

[ALPPS Procedure for Extended Liver Resections: A Single Centre ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4689524/>

23 Dec 2015 ... All patients were evaluated **for liver surgery** in a multidisciplinary meeting ... Tumor volume was calculated **only for** mass-forming intrahepatic tumors ... excluded from the planned ALPPS procedure because of **severe** liver fibrosis ... to **preserve segment** IVb; in this latter case the middle hepatic vein was ...

[Farquharson's Textbook of Operative General Surgery 9Ed - Google 图书结果](#)<https://books.google.co.uk/books?isbn=0340814969>

Margaret Farquharson - 2005 - Medical

Once the segmental branches to **segment 4** can be identified and ligated a line of ... of the left portal triad will depend on whether **segment 1** is to be excised or **preserved**; ... plane between the gallbladder and the right **extreme** edge of the liver. ... This specialized subdivision of **liver surgery** must **only** be attempted within the ...

[\[PDF\] Parenchyma sparing liver resection of the posterior segments ... - HPB](#)[www.hpbonline.org/article/S1365-182X\(16\)30309-4/pdf](http://www.hpbonline.org/article/S1365-182X(16)30309-4/pdf)

cence imaging during laparoscopic **liver resections**. Although **only** 11/16 ... the **only** to be **preserved**. Objective: ... **only segments** 1+4) were managed with a two- stage pro- cedure. (n = 8) or the need **for** enteral feeding (n = 32) due to **severe**.

[\[PDF\] The Associating Liver Partition and Portal Vein Ligation for Staged ...](#)www.eduardodesantibanes.com/

[全部](#)[图片](#)[视频](#)[购物](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 2,120,000 条结果 (用时 0.51 秒)

ALPPS Procedure for Extended Liver Resections: A Single Centre ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4689524/> - 翻译此页

作者: M Vivarelli - 2015 - 被引用次数: 9 - 相关文章

2015年12月23日 - All patients were evaluated for liver surgery in a multidisciplinary meeting ... Tumor volume was calculated only for mass-forming intrahepatic tumors excluded from the planned ALPPS procedure because of severe liver fibrosis ... to preserve segment IVb; in this latter case the middle hepatic vein was ...

Anatomic resection of liver segments 6-8 for hepatocellular carcinoma

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: CK Jia - 2014 - 被引用次数: 6 - 相关文章

2014年4月21日 - AIM: To report the devised anatomic liver resection of segments 6, 7 and 8 to ... 7 and 8 to guarantee the maximum preservation of the remaining normal liver tissue. ... One patient suffered from severe liver dysfunction shortly after ... Core tip: Hepatic resection is the only curative treatment for patients with ...

[PDF] Parenchyma sparing liver resection of the posterior segments ... - HPB

[www.hpbonline.org/article/S1365-182X\(16\)30309-4/pdf](http://www.hpbonline.org/article/S1365-182X(16)30309-4/pdf) ▼ 翻译此页

作者: AA Fretland - 2016

cence imaging during laparoscopic liver resections. Although only 11/16 ... the only to be preserved. Objective: ... only segments 1+4) were managed with a two-stage procedure. (n = 8) or the need for enteral feeding (n = 32) due to severe.

Vascular clamping in liver surgery: physiology, indications and ...

<https://asir-journal.biomedcentral.com/articles/10.1186/1750-1164-4-2> - 翻译此页

作者: EK Chouillard - 2010 - 被引用次数: 42 - 相关文章

2010年3月26日 - In addition, clamping can be applied to the inflow only, or to both inflow and