

PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 46178

Title: International consensus statement on robotic hepatectomy surgery in 2018

Reviewer's code: 02955837

Reviewer's country: Germany

Science editor: Jia-Ping Yan

Date sent for review: 2019-02-01

Date reviewed: 2019-02-09

Review time: 21 Hours, 7 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Excellent consensus statement on robotic hepatectomy surgery. Robotic hepatectomy is used more and more in liver surgery in recent years, however, there is no international consensus statement on this technology. This comsecsus is very informative and updated, and it's very important and useful to the clinicians. Congratulations! And I am



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

looking forward to reading the update of this guideline. Only I didn't find the figure 1, please check and add it to the mani text. I suggest to publish this consensus in priority. Thanks for the authors for formulate those recommendations on robotice hepatectomy surgery.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 46178

Title: International consensus statement on robotic hepatectomy surgery in 2018

Reviewer's code: 03024280

Reviewer's country: United States

Science editor: Jia-Ping Yan

Date sent for review: 2019-02-01

Date reviewed: 2019-02-09

Review time: 22 Hours, 7 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input checked="" type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

This is a very important and useful international consensus statement on robotic hepatectomy surgery. In this study, the authors evaluated the current status of robotic hepatectomy and put sixty experts' consensus and recommendations. It will well promote the development of this technology. Although further randomized-controlled



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

trials are needed to validate these recommendations, those recommendations in this study is very useful to the surgeons. I have some minor comments. 1. Please check the manuscript again. Some minor language polishing should be revised. 2. I suggest the authors make a table to summary the 7 recommendations. It will be more clear to the readers. 3. The figure 1 is missing. Please check. 4. Since this study is a consensus or guideline article, the subtitle of method and results should be deleted or changed.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 46178

Title: International consensus statement on robotic hepatectomy surgery in 2018

Reviewer's code: 03011870

Reviewer's country: Netherlands

Science editor: Jia-Ping Yan

Date sent for review: 2019-02-01

Date reviewed: 2019-02-10

Review time: 13 Hours, 9 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input checked="" type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input checked="" type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

This consensus statement on robotic hepatectomy surgery is excellent. The these recommendations are useful and important. The manuscript requires an editing.

INITIAL REVIEW OF THE MANUSCRIPT



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 46178

Title: International consensus statement on robotic hepatectomy surgery in 2018

Reviewer's code: 02992514

Reviewer's country: Greece

Science editor: Jia-Ping Yan

Date sent for review: 2019-02-01

Date reviewed: 2019-02-11

Review time: 13 Hours, 9 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Interesting consensus statement on robotic hepatectomy surgery. There are some minor language polishing, the authors should carefully revise the manuscript.

INITIAL REVIEW OF THE MANUSCRIPT



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https:// www.wjgnet.com

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No