

**Name of Journal:** World Journal of Gastroenterology

**ESPS Manuscript No:** 17735

**Manuscript Type:** Retrospective Study

**Comparison of selected inflammation-based prognostic markers in relapsed or refractory metastatic colorectal cancer patients**

Song A *et al.* Prognosis of relapsed or refractory metastatic colorectal cancer

**Anna Song, Wankyu Eo, Sookyung Lee**

**Anna Song, Sookyung Lee,** <sup>2</sup> Department of Clinical Oncology, College of Korean Medicine, Kyung Hee University, Seoul 134-727, South Korea

**Wankyu Eo,** Department of Clinical Oncology, College of Medicine, Kyung Hee University, Seoul 134-727, South Korea

## Match Overview

1	Internet 101 words crawled on 26-May-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
2	CrossCheck 45 words Lee, Jinsoo, Jean Chae, Sookyung Lee, Kyungsuk Kim, Wankyu Eo, Sehyun Kim, Woncheol Choi, and Seong Ha Che	1%
3	Internet 23 words crawled on 28-May-2015 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	<1%



## 学术搜索

找到约 255 条结果 (用时0.10秒)

## 文章

我的图书馆

## 时间不限

2015以来

2014以来

2011以来

自定义范围...

## 按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯

Systemic inflammatory response predicts prognosis in patients with advanced-stage colorectal cancer researchgate.net 中的 [PDF]

R Sharma, M Zucknick, R London, M Kacevska... - ... colorectal cancer, 2008 - Elsevier  
... were predictive of toxicity; GPS 2 was predictive of increased grade 2/3 toxicity compared with patients ... Comparison of an inflammation-based prognostic score (GPS) with performance status (ECOG) in patients receiving ... The lasso method for variable selection in the Cox model. ...

被引用次数: 63 相关文章 所有 8 个版本 引用 保存

Bevacizumab plus irinotecan, fluorouracil, and leucovorin for metastatic colorectal cancer

H Hurwitz, L Fehrenbacher, W Novotny... - New England journal ..., 2004 - Mass Medical Soc  
... 6,12 With the exception of hypertension, we did not find an excess of these side effects as compared with their ... Phase II, randomized trial comparing bevacizumab plus fluorouracil (FU)/leucovorin (LV) with FU/LV alone in patients with metastatic ... (2014) Comparison of cetuximab ...

被引用次数: 8625 相关文章 所有 20 个版本 引用 保存

Cetuximab and chemotherapy as initial treatment for metastatic colorectal cancer

E Van Cutsem, CH Köhne, E Hitre... - ... England Journal of ..., 2009 - Mass Medical Soc  
... This trial was a randomized, open-label, multicenter study comparing 14-day cycles of ... Open-label phase III trial of panitumumab plus best supportive care compared with best ... peptide nucleic acid-mediated PCR clamping and melting curve analysis: comparison with restriction ...

被引用次数: 2411 相关文章 所有 10 个版本 引用 保存

[HTML] Prognostic role of neutrophil-to-lymphocyte ratio in solid tumors: a systematic review and meta-analysis

AJ Templeton, MG McNamara... - ... the National Cancer ..., 2014 - jnci.oxfordjournals.org  
... increased levels of some cytokines, and increased levels of leucocytes and their subtypes (4,5). Biochemical markers of inflammatory ... Study Selection. ... criteria for the primary analysis were as follows: 1) studies of people with solid tumors reporting on the prognostic impact of the ...

被引用次数: 75 相关文章 所有 4 个版本 引用 保存

Inflammation-based prognostic system predicts postoperative survival of colorectal cancer patients with a normal preoperative serum level of carcinoembryonic ...

M Ishizuka, H Nagata, K Takagi, Y Iwasaki... - Annals of surgical ..., 2012 - Springer  
... by Kaplan–Meier analysis had revealed that there was no significant difference between the ... Kaplan–Meier analysis and log rank test were used to the compare survival curves for ... Table 2 shows a comparison of the clinicolaboratory characteristics between the two groups of ...

被引用次数: 18 相关文章 所有 8 个版本 引用 保存

wisc.edu 中的 [PDF]

researchgate.net 中的 [PDF]

oxfordjournals.org 中的 [HTML]



找到约 358,000 条结果 (用时 0.86 秒)

### Google 学术 : Comparison of selected inflammation-based prognostic markers in relapsed or refractory metastatic colorectal cancer patients

... prognosis in patients with advanced-stage colorectal ... - Sharma - 被引用次数 : 64

... , and leucovorin for metastatic colorectal cancer - Hurwitz - 被引用次数 : 8641

... as initial treatment for metastatic colorectal cancer - Van Cutsem - 被引用次数 : 2420

### Systemic inflammatory response predicts prognosis in ...

[www.researchgate.net/.../23259816\\_Systemic\\_inflammatory\\_re...](http://www.researchgate.net/.../23259816_Systemic_inflammatory_re...) - 翻译此页

Inflammatory markers were measured at baseline in 52 patients with stage IV colorectal cancer. ... GPS 2 was predictive of increased grade 2/3 toxicity compared with patients with ... Article: Colorectal cancer severity and survival in correlation with tumour .... We aim to confirm the prognostic value of an inflammation-based ...

### Inflammation-Based Scores: A New Method for Patient ...

[www.hindawi.com/journals/bmri/2014/142425/](http://www.hindawi.com/journals/bmri/2014/142425/) ▾ 翻译此页

作者 : D Bugada - 2014 - 被引用次数 : 8 - 相关文章

2014年3月19日 - Inflammation plays a key role in cancer physiology, as it could promote ... time to recurrence, pathology-free survival, relapse-free survival, ... We included studies in which a selected marker was demonstrated to have a prognostic ... in patients with primary operable colorectal cancer, hypoalbuminemia ...

缺少字词 : refractory

### Inflammation-based factors and prognosis in patients with ...

[www.pubfacts.com/.../Inflammation-based-factors-and-prognos...](http://www.pubfacts.com/.../Inflammation-based-factors-and-prognos...) ▾ 翻译此页