

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 97,300 条结果 (用时 0.79 秒)

您是不是要找: **Efficacy of *non invasive* biomarkers in monitoring inflammatory bowel disease activity: a prospective study in China**

Google 学术: **Efficacy of noninvasive biomarkers in monitoring inflammatory bowel disease activity: a prospective study in China**

... for the maintenance of remission in Crohn's disease - Feagan - 被引用次数: 738

Biological markers in inflammatory bowel disease; ... - Mendoza - 被引用次数: 91

Current concepts in the management of Helicobacter ... - Malfertheiner - 被引用次数: 2944

**Comparison of non-invasive biomarkers faecal BAFF, calprotectin and ...**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5453945/> - 翻译此页

作者: Y Fu - 2017 - 相关文章

2017年6月1日 - Here in this study we compared the efficacy of faecal BAFF, ... non-invasive biomarker in IBD differential diagnosis and monitoring of intestinal inflammation. ... symptoms suggesting IBD or IBS were recruited prospectively from two ... For clinical activity, the Crohn's Disease Activity Index (CDAI) was used for ...

**Current best practice for disease activity assessment in IBD : Nature ...**

[www.nature.com/nrgastro/journal/v13/n10/abs/nrgastro.2016.128.html](http://www.nature.com/nrgastro/journal/v13/n10/abs/nrgastro.2016.128.html) - 翻译此页

作者: AJ Walsh - 2016 - 被引用次数: 3 - 相关文章

Multiple domains of disease activity assessment in IBD exist, each of which has ... radiological assessment tools, as well as the use of biomarkers and quality of life ... of a pediatric ulcerative colitis activity index: a prospective multicenter study. ... A review of activity indices and efficacy end points for clinical trials of medical ...

**The fecal microbiota as a biomarker for disease activity in Crohn's ...**

<https://www.nature.com/scientificreports/articles> - 翻译此页

2016年10月13日 - Monitoring mucosal inflammation is crucial to prevent complications and disease ...

<https://www.google.com/search?q=Efficacy+of+non+invasive+biomarkers+in+monitorin...> ed to ... of the fecal microbiota as a

4

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35702

Manuscript Type: ORIGINAL ARTICLE

### *Retrospective Study*

Genetic associations with adverse events from anti-tumor necrosis factor therapy in inflammatory bowel disease patients

Lew D *et al.* Associations with reactions from TNF inhibitors

Daniel Lew, Soon Man Yoon, Xiaofei Yan, Lori Robbins, Talin Haritunians, Zhenqiu Liu, Dalin Li, Dermot PB McGovern

### Abstract

#### AIM

To study the type and frequency of adverse events associated with anti-tumor necrosis factor (TNF) therapy and evaluate for any serologic and genetic

### Match Overview

1	Crossref 21 words J. SEIDERER. "Adalimumab in patients with Crohn's disease - safety and efficacy in an open-label single centre study ..."	1%
2	Internet 20 words crawled on 11-Sep-2016 <a href="http://www.ahcmmedia.com">www.ahcmmedia.com</a>	1%
3	Internet 15 words crawled on 06-Mar-2017 <a href="http://www.mdpi.com">www.mdpi.com</a>	1%
4	Internet 13 words crawled on 27-Aug-2017 <a href="http://digital.library.adelaide.edu.au">digital.library.adelaide.edu.au</a>	1%



[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 522,000 条结果 (用时 0.63 秒)

## Google 学术: Genetic associations with adverse events from anti-tumor necrosis factor therapy in inflammatory bowel disease patients

... anti-tumor necrosis factor  $\alpha$  therapy for inflammatory ... - Mohan - 被引用次数: 824

... -tumor necrosis factor  $\alpha$  treatment in Crohn's disease: a ... - Vermeire - 被引用次数: 319

... necrosis factor therapy: a paradoxical adverse reaction - Sfrikakis - 被引用次数: 276

## Optimizing the use of anti-tumor necrosis factor in the management of ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: DL Nguyen - 2015 - 被引用次数: 6 - [相关文章](#)

Keywords: anti-TNF, inflammatory bowel disease, ulcerative colitis, Crohn's disease ... resulting in chronic inflammation in the genetically susceptible patient. ... tumor necrosis factor antagonist (anti-TNF) therapy in late 1998, patients with CD ... querying the FDA Adverse Event Reporting System (FAERS) [Deepak et al.

## Safety of anti-tumor necrosis factor therapy in inflammatory bowel ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: F Hoentjen - 2009 - 被引用次数: 107 - [相关文章](#)

2009年5月7日 - Potential side effects of anti-TNF therapy include opportunistic ... The hypothesis of a slightly increased risk of lymphomas in IBD patients treated with anti TNF-therapy is ... infectious adverse events occurred in 36%-44% of these patients. .... the latter being a disputed association in Crohn's disease[36,37].

## Genome Wide Association (GWA) Predictors Of Anti-TNF $\alpha$ Therapeutic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2889173/> - [翻译此页](#)

作者: MC Dubinsky - 2010 - 被引用次数: 99 - [相关文章](#)

Genetic associations were identified by testing known IBD susceptibility loci and ... the known IBD susceptibility genes, under the hypothesis that anti-TNF therapy ... pharmacogenetic GWAS with anti-TNF $\alpha$  response in pediatric IBD patients, .... The development of adverse events to anti-TNF therapies such as lymphoma, ...

[Abstract](#) - [Introduction](#) - [Methods](#) - [Discussion](#)

您 17-8-12 访问过该网页。



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 498,000 条结果 (用时 0.55 秒)

## Google 学术: Genetic associations with adverse events from anti-tumor necrosis factor therapy in inflammatory bowel disease patients

... anti-tumor necrosis factor  $\alpha$  therapy for inflammatory ... - Mohan - 被引用次数: 824

... -tumor necrosis factor  $\alpha$  treatment in Crohn's disease: a ... - Vermeire - 被引用次数: 320

... necrosis factor therapy: a paradoxical adverse reaction - Sfakakis - 被引用次数: 276

## Optimizing the use of anti-tumor necrosis factor in the management of ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: DL Nguyen - 2015 - 被引用次数: 6 - 相关文章

Keywords: anti-TNF, inflammatory bowel disease, ulcerative colitis, Crohn's disease ... resulting in chronic inflammation in the genetically susceptible patient. ... tumor necrosis factor antagonist (anti-TNF) therapy in late 1998, patients with CD ... querying the FDA Adverse Event Reporting System (FAERS) [Deepak et al.

## Safety of anti-tumor necrosis factor therapy in inflammatory bowel ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: F Hoentjen - 2009 - 被引用次数: 107 - 相关文章

2009年5月7日 - Potential side effects of anti-TNF therapy include opportunistic ... The hypothesis of a slightly increased risk of lymphomas in IBD patients treated with anti TNF-therapy is ... infectious adverse events occurred in 36%-44% of these patients. .... the latter being a disputed association in Crohn's disease[36,37].

## Genome Wide Association (GWA) Predictors Of Anti-TNF $\alpha$ Therapeutic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2889173/> - 翻译此页

作者: MC Dubinsky - 2010 - 被引用次数: 98 - 相关文章

Genetic associations were identified by testing known IBD susceptibility loci and ... the known IBD susceptibility genes, under the hypothesis that anti-TNF therapy ... pharmacogenetic GWAS with anti