

学术搜索

找到约 28,500 条结果 (用时0.14秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯**Hypoxia and hepatocellular carcinoma: The therapeutic target for hepatocellular carcinoma**

XZ Wu, GR Xie, D Chen - Journal of gastroenterology and ..., 2007 - Wiley Online Library

... 1-dependent overexpression of myeloid cell factor-1 protects hypoxic cells against tert ... Expression pattern of angiogenic factors and prognosis after hepatic resection in ... Curcumin inhibits hypoxia-inducible factor-1 by degrading aryl hydrocarbon receptor nuclear translocator: a ...

被引用次数: 102 相关文章 所有 5 个版本 引用 保存

Hypoxia-inducible factors: mediators of cancer progression and targets for cancer therapy

GL Semenza - Trends in pharmacological sciences, 2012 - Elsevier

... O 2 are precisely regulated through the activity of hypoxia-inducible factors (HIFs) [1 ... methylselenocysteine, which induces HIF-1 α degradation and sensitizes hypoxic cancer cells to ... probably because impaired angiogenesis led to increased intratumoral hypoxia and increased ...

被引用次数: 334 相关文章 所有 8 个版本 引用 保存

Hypoxia inducible factor-1: a novel target for cancer therapy

VE Belozero, EG Van Meir - Anti-cancer drugs, 2005 - journals.lww.com

... Molecular biology of the hypoxic response ... occur during the adaptation of a tumor to hypoxia are mediated through a group of hypoxia inducible factors (HIFs), of ... HIF-1 is a heterodimeric transcription factor, consisting of an oxygen-sensitive HIF-1 α subunit and a constitutively ...

被引用次数: 129 相关文章 所有 4 个版本 引用 保存

Gene Therapy Targeting for Hepatocellular Carcinoma Selective and Enhanced Suicide Gene

Expression Regulated by a Hypoxia-inducible Enhancer Linked to a ...

A Ido, H Uto, A Moriuchi, K Nagata, Y Onaga, M Onaga, ... - Cancer research, 2001 - AACR

... element and two binding sites for HNF-1, a hepatocyte-specific transcriptional factor, and a ... In addition, transcriptional activation via the VEGF hypoxia-inducible enhancer, which contains HRE, is mediated by HIF-1, the activation of which occurs in the hypoxic cells of ...

被引用次数: 123 相关文章 所有 5 个版本 引用 保存

Glycolysis module activated by hypoxia-inducible factor 1 α is related to the aggressive phenotype of hepatocellular carcinoma

T Hamaguchi, N Iizuka, ... - International ..., 2008 - spandidos-publications.com

... cells, particularly the regulation system of glycolysis-related enzymes, such as the hypoxic condition, oncogenic ... HAMAGUCHI et al: GLYCOLYSIS MODULE ACTIVATED BY HYPOXIA-INDUCIBLE FACTOR 1 α 730 ... 25. Harris AL: Hypoxia: a key regulatory factor in tumour ...

被引用次数: 78 相关文章 所有 6 个版本 引用 保存

A RNA antagonist of hypoxia-inducible factor 1 α , EZN-2069, inhibits tumor cell growth

nih.gov 中的 [HTML]

aacrjournals.org 中的 [HTML]

spandidos-publications.com 中的 [PDF]

aacrjournals.org 中的 [HTML]

1

17Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO.: 18991

Manuscript Type: MINIREVIEWS

Hypoxia inducible factor in hepatocellular carcinoma: A therapeutic target

Lin D *et al.* Hypoxia inducible factor/HCC

Daniel Lin, Jennifer Wu

Daniel Lin, Fellow ¹Hematology and Medical Oncology Program, NYU School of Medicine, Perlmutter Cancer Center, NYU Langone Medical Center, Division of Hematology and Oncology, New York, NY 10016, United States

Jennifer Wu, NYU School of Medicine, Subdivision of GI Oncology, Perlmutter Cancer Center, NYU Langone Medical Center, Division of Hematology and Oncology New

Match Overview

1	CrossCheck 122 words Ashworth, René E. "Mammalian target of rapamycin inhib ... on in hepatocellular carcinoma", World Journal of Hepatolo	2%
2	CrossCheck 111 words Matos, António P. "Focal liver lesions: Practical magnetic ... sonance imaging approach", World Journal of Hepatology,	2%
3	Internet 25 words crawled on 08-Dec-2014 edoc.ub.uni-muenchen.de	<1%
4	Internet 21 words crawled on 07-May-2015 molpharm.aspetjournals.org	<1%
5	Internet 20 words crawled on 16-May-2011 www.dovepress.com	<1%

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Hypoxia and hepatocellular carcinoma: The therapeutic target for hepatocellular carcinoma

XZ Wu, GR Xie, D Chen - Journal of gastroenterology and ..., 2007 - Wiley Online Library

... 1-dependent overexpression of myeloid cell factor-1 protects hypoxic cells against tert ... Expression pattern of angiogenic factors and prognosis after hepatic resection in ... Curcumin inhibits hypoxia-inducible factor-1 by degrading aryl hydrocarbon receptor nuclear translocator: a ...

被引用次数：108 相关文章 所有 5 个版本 引用 保存

Hypoxia-inducible factors: mediators of cancer progression and targets for cancer therapy

GL Semenza - Trends in pharmacological sciences, 2012 - Elsevier

... O 2 are precisely regulated through the activity of hypoxia-inducible factors (HIFs) [1 ... methylselenocysteine, which induces HIF-1 α degradation and sensitizes hypoxic cancer cells to ... probably because impaired angiogenesis led to increased intratumoral hypoxia and increased ...

被引用次数：371 相关文章 所有 9 个版本 引用 保存

Hypoxia inducible factor-1: a novel target for cancer therapy

VE Belozero, EG Van Meir - Anti-cancer drugs, 2005 - journals.lww.com

... Molecular biology of the hypoxic response. ... occur during the adaptation of a tumor to hypoxia are mediated through a group of hypoxia inducible factors (HIFs), of ... HIF-1 is a heterodimeric transcription factor, consisting of an oxygen-sensitive HIF-1 α subunit and a constitutively ...

被引用次数：131 相关文章 所有 4 个版本 引用 保存

Inhibiting hypoxia-inducible factor 1 for cancer therapy

G Melillo - Molecular cancer research, 2006 - AACR

... The hypoxic microenvironment of the skin contributes to Akt-mediated melanocyte transformation. ... The expression and distribution of the hypoxia-inducible factors HIF-1 α and HIF-2 α in ... Levels of hypoxia-inducible factor-1 α independently predict prognosis in patients with lymph ...

被引用次数：168 相关文章 所有 6 个版本 引用 保存

Gene Therapy Targeting for Hepatocellular Carcinoma Selective and Enhanced Suicide Gene

Expression Regulated by a Hypoxia-inducible Enhancer Linked to a ...

A Ido, H Uto, A Moriuchi, K Nagata, Y Onaga, M Onaga... - Cancer research, 2001 - AACR

... element and two binding sites for HNF-1, a hepatocyte-specific transcriptional factor, and a ... In addition, transcriptional activation via the VEGF hypoxia-inducible enhancer, which contains ... is mediated by HIF-1, the activation of which occurs in the hypoxic cells of ...

nih.gov 中的 [HTML]

aacrjournals.org 中的 [HTML]

aacrjournals.org 中的 [HTML]



Hypoxia inducible factor in hepatocellular carcinoma: A therapeutic target



[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 193,000 条结果 (用时 0.54 秒)

Google 学术 : Hypoxia inducible factor in hepatocellular carcinoma: A therapeutic target

... and hepatocellular carcinoma: The therapeutic target ... - Wu - 被引用次数 : 108

Hypoxia-inducible factors: mediators of cancer ... - Semenza - 被引用次数 : 371

Hypoxia inducible factor-1: a novel target for cancer ... - Belozarov - 被引用次数 : 131

Mechanism of Hypoxia-Inducible Factor-1alpha Over ...

www.intechopen.com/.../targets...therapy/mechanism-of-hypox... ▾ [翻译此页](#)

Mechanism of Hypoxia-Inducible Factor-1alpha Over- Expression and Molecular-Target Therapy for Hepatocellular Carcinoma | InTechOpen, Published on: ...

The Role of Hypoxia Inducible Factor-1 in Hepatocellular ...

www.hindawi.com/journals/bmri/2014/409272/ ▾ [翻译此页](#)

作者 : D Luo - 2014 - 被引用次数 : 11 - 相关文章

2014年6月6日 - It has been demonstrated that a high level of HIF-1 in the HCC state to confirm the possibility of HIF-1 as a therapeutic target in HCC.

Hypoxia inducible factors in liver disease and hepatocellular ...

www.sciencedirect.com/science/article/.../S0168827814006126 ▾ [翻译此页](#)

作者 : GK Wilson - 2014 - 被引用次数 : 3 - 相关文章

Hypoxia inducible factors in liver disease and hepatocellular carcinoma: Current These studies highlight HIF-2α as a potential therapeutic target for treating ...

Hypoxia and Hepatocellular Carcinoma: The Therapeutic ...

www.medscape.com/viewarticle/561868_6 ▾ [翻译此页](#)

Hypoxia and Hepatocellular Carcinoma: The Therapeutic Target for Hepatocellular ...