



Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 44950

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Differential hepatic features presenting in Wilson disease cirrhosis and hepatitis B cirrhosis

Zhong HJ *et al.* Cirrhosis, more than one disease state

Hao-Jie Zhong, Huan-Huan Sun, Lan-Feng Xue, Eileen M McGowan, Yu Chen

Abstract

BACKGROUND

Cirrhosis is a chronic late stage liver disease associated with hepatitis viruses, alcoholism, and metabolic disorders, such as Wilson disease (WD). There are no clear markers or clinical features that define cirrhosis originating from these disparate origins. We hypothesis that cirrhosis is not

Match Overview

1	Crossref 40 words Hao-Jie Zhong, Yu Yuan, Wen-Rui Xie, Mei-Hui Chen, Xing-Xiang He. "Type 2 Diabetes Mellitus Is Associated with M...	1%
2	Crossref 22 words "Abstracts of the 26th Annual Conference of APASL, Febru... ry 15–19, 2017, Shanghai, China", <i>Hepatology International</i>	1%
3	Crossref 20 words "ACR Meeting", <i>Arthritis & Rheumatism</i> , 2012.	1%
4	Internet 18 words crawled on 21-Nov-2017 pn.bmj.com	1%
5	Internet 16 words crawled on 03-Mar-2015 www.archivesofrheumatology.org	<1%
6	Internet 14 words crawled on 03-Dec-2017 jornaldepneumologia.com.br	<1%
7	Crossref 12 words Liang-Yong Li, Wen-Ming Yang, Huai-Zhen Chen, Yun-Hu Wu, Xiang Fang, Jing Zhang, Zhen Wang, Yong-Sheng Han	<1%
8	Internet 10 words crawled on 12-May-2018	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 320,000 条结果 (用时 0.65 秒)

Hepatocellular Carcinoma in Wilson Disease-related Liver Cirrhosis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3093703/> ▼ [翻译此页](#)作者 : CV Reyes - 2008 - 被引用次数 : 8 - [相关文章](#)

Wilson disease (WD), an inborn copper metabolism defect, is traditionally diagnosed on the basis of clinical **features**, positive family history, biochemical parameters, the ... a well-differentiated trabecular HCC in micronodular **cirrhosis** (Figure 2). ... and **liver cirrhosis**, such as **hepatitis B** virus, hepatitis C virus, alcohol abuse, ...

Cirrhosis in children and adolescents: An overview - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4381165/> ▼ [翻译此页](#)作者 : RB Pinto - 2015 - 被引用次数 : 43 - [相关文章](#)

Its main clinical **features** are cholestasis, a **characteristic** facies, cardiac ... The **differential** diagnosis must include other causes of ductopenia such as ... **Hepatitis B/D** are the most common viral causes of **cirrhosis** in children and adolescents. ... The clinical **presentation** of **Wilson's disease** (WD) involves abnormal **liver** ...

Cirrhosis in adults: Etiologies, clinical manifestations, and diagnosis ...

<https://www.uptodate.com/.../cirrhosis-in-adults-etologies-clinical-manifestat...> ▼ [翻译此页](#)作者 : E Goldberg - 被引用次数 : 2 - [相关文章](#)

2018年9月5日 - **Cirrhosis** represents a late stage of progressive **hepatic** fibrosis characterized by ... clinical **features**, and diagnosis of nonalcoholic fatty **liver disease** in adults ... The most common causes of **cirrhosis** in the United States are hepatitis C, alcoholic **liver disease**, and ... Chronic viral

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 266,000 条结果 (用时 0.49 秒)

Hepatocellular Carcinoma in Wilson Disease-related Liver Cirrhosis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3093703/> - [翻译此页](#)作者: CV Reyes - 2008 - 被引用次数: 8 - [相关文章](#)

Wilson disease (WD), an inborn copper metabolism defect, is traditionally diagnosed on the basis of clinical **features**, positive family history, biochemical parameters, the ... a well-differentiated trabecular HCC in micronodular **cirrhosis** (Figure 2). ... and **liver cirrhosis**, such as **hepatitis B** virus, hepatitis C virus, alcohol abuse, ...

Clinically diagnosed late-onset fulminant Wilson's disease without ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5768947/> - [翻译此页](#)作者: T Amano - 2018 - [相关文章](#)

2018年1月14日 - Keywords: **Wilson's disease**, Fulminant hepatitis, Late-onset, **Liver cirrhosis**, Copper ... transpeptidase; HAVAb: Hepatitis A virus antibody; Hb: Hemoglobin; HBcAb: **Hepatitis B** core ... The **presenting feature** of WD is **hepatic** dysfunction, which is shown in more than half of patients. **Differential** diagnosis.

Cirrhosis in adults: Etiologies, clinical manifestations, and diagnosis ...

<https://www.uptodate.com/.../cirrhosis-in-adults-etiologicals-clinical-manifestat...> - [翻译此页](#)作者: E Goldberg - 被引用次数: 2 - [相关文章](#)

2018年9月5日 - **Cirrhosis** represents a late stage of progressive **hepatic** fibrosis ... **Differential** diagnosis and evaluation - Hepatorenal **syndrome** ... causes of **cirrhosis** in the United States are **hepatitis C**, alcoholic **liver disease**, and Becker CD, Scheidegger J, Marincek B. **Hepatic** vein occlusion: morphologic **features** on ...

Wilson disease: Clinical manifestations, diagnosis, and natural history ...

<https://www.uptodate.com/.../wilson-disease-clinical-manifestations-diagnosis...> - [翻译此页](#)作者: ML Schilsky - 被引用次数: 1 - [相关文章](#)

2018年6月25日 - **DIFFERENTIAL DIAGNOSIS** - **Liver disease**: 18 to 24 percent of patients

[全部](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 260,000 条结果 (用时 0.58 秒)

Hepatocellular Carcinoma in Wilson Disease-related Liver Cirrhosis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3093703/> ▼ 翻译此页

作者: CV Reyes - 2008 - 被引用次数: 8 - 相关文章

Wilson disease (WD), an inborn copper metabolism defect, is traditionally diagnosed on the basis of clinical **features**, positive family history, biochemical parameters, the ... a well-differentiated trabecular HCC in micronodular **cirrhosis** (Figure 2). ... and **liver cirrhosis**, such as **hepatitis B** virus, hepatitis C virus, alcohol abuse, ...

Cirrhosis in children and adolescents: An overview - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4381165/> ▼ 翻译此页

作者: RB Pinto - 2015 - 被引用次数: 46 - 相关文章

Its main clinical **features** are cholestasis, a **characteristic** facies, cardiac ... The **differential** diagnosis must include other causes of ductopenia such as ... **Hepatitis B/D** are the most common viral causes of **cirrhosis** in children and adolescents. ... The clinical **presentation** of **Wilson's disease** (WD) involves abnormal **liver** ...

Cirrhosis in adults: Etiologies, clinical manifestations, and diagnosis ...

<https://www.uptodate.com/.../cirrhosis-in-adults-etologies-clinical-manifestat...> ▼ 翻译此页

作者: E Goldberg - 被引用次数: 2 - 相关文章

2018年9月5日 - **Cirrhosis** represents a late stage of progressive **hepatic** fibrosis characterized by ... clinical **features**, and diagnosis of nonalcoholic fatty **liver disease** in adults ... The most common causes of **cirrhosis** in the United States are hepatitis C, alcoholic **liver disease**, and ... ○Chronic viral hepatitis (**hepatitis B, C**).

Cirrhosis: Practice Essentials, Overview, Etiology - Medscape eMedicine

<https://emedicine.medscape.com/article/185856-overview> ▼ 翻译此页

Cirrhosis is defined histologically as a diffuse **hepatic** process characterized by fibrosis ... Interferon and other antiviral agents - For **hepatitis B** and C mushroom), autoimmune hepatitis, **Wilson disease**, or a variety of less common etiologies. Thus, Budd-Chiari syndrome must be included in the **differential** diagnosis of ...