

Name of journal: World Journal of Hepatology

ESPS Manuscript NO: 24837

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Obese diet-induced mouse models of nonalcoholic steatohepatitis-tracking disease by liver biopsy

Maria NB Kristiansen, Sanne S Veidal, Kristoffer TG Rigbolt, Kirstine S Tølbøl, Jonathan Roth, Jacob Jelsing, Niels Vrang, Michael Feigh

Match Overview

There are no matching sources for this report.

Obese mouse models of diet-induced nonalcoholic steatohepatitis – Tracking

全部 图片 视频 新闻 购物 地图 图书

找到约 47,300 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Obese mouse models of diet-induced nonalcoholic steatohepatitis – Tracking disease progression by liver biopsy](#)

[Steatosis in chronic hepatitis C: why does it really ...](#) - Asselah - 被引用次数: 370

[Cytokines in alcoholic and nonalcoholic steatohepatitis](#) - Epstein - 被引用次数: 916

[... of steatosis and fibrosis progression in chronic hepatitis ...](#) - Fartoux - 被引用次数: 367

[A Diet-Induced Obese Mouse Model of Fatty Liver Disease and ...](#)

https://www.researchgate.net/.../276026595_A_Diet-Induced_Obese_Mouse_Model_of_Fatty_Liver_Disease_and_Nonalcoholic_Steatohepatitis_-_...

9 May 2015 ... Official Full-Text Publication: A Diet-Induced Obese Mouse Model of ... Steatohepatitis - Tracking Disease Progression by Liver Biopsy on ... Keystone Meeting on Nonalcoholic Fatty Liver Disease and Liver Metabolism (2015).

[AASLD LiverLearning® - Official eLearning Portal of AASLD ...](#)

[liverlearning.aasld.org/.../thelivermeeting/.../michael.feigh.the.obese.insulin.resistant.lepob.lepob.mouse.as.an.accelerated.html](#) ▾

15 Nov 2015 ... The obese insulin resistant Lepob/Lepob mouse as an accelerated diet-induced model of nonalcoholic steatohepatitis -tracking disease progression by liver ... After diet-induction, a liver biopsy was obtained and histological ...

Obese diet-induced mouse models of nonalcoholic steatohepatitis-tracking d

全部 图片 视频 新闻 购物 地图 图书

找到约 27,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[A Diet-Induced Obese Mouse Model of Fatty Liver Disease and ...](https://www.researchgate.net/.../276026595_A_Diet-Induced_Obese_Mouse_Model_of_Fatty_Liver_Disease_and_Nonalcoholic_Steatohepatitis_-_...)

https://www.researchgate.net/.../276026595_A_Diet-Induced_Obese_Mouse_Model_of_Fatty_Liver_Disease_and_Nonalcoholic_Steatohepatitis_-_...

9 May 2015 ... Official Full-Text Publication: A Diet-Induced Obese Mouse Model of Fatty Liver Disease and Nonalcoholic Steatohepatitis - Tracking Disease Progression by Liver Biopsy on ResearchGate, the professional network for ...

[AASLD LiverLearning® - Official eLearning Portal of AASLD ...](http://liverlearning.aasld.org/.../thelivermeeting/.../michael.feigh.the.obese.insulin.resistant.lepob.lepob.mouse.as.an.accelerated.html)

liverlearning.aasld.org/.../thelivermeeting/.../michael.feigh.the.obese.insulin.resistant.lepob.lepob.mouse.as.an.accelerated.html

15 Nov 2015 ... The obese insulin resistant Lepob/Lepob mouse as an accelerated diet-induced model of nonalcoholic steatohepatitis -tracking disease progression by liver biopsy. Author(s): Michael Feigh , Michael Feigh. Affiliations: Gubra ...

[Drug metabolism alterations in nonalcoholic fatty liver disease - NCBI](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3753221/)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3753221/

25 May 2011 ... Nonalcoholic fatty liver disease (NAFLD) is the most common chronic liver reactions, specifically drug-induced liver disease (Tarantino et al., 2007, 2009). ... Obese Zucker (fa/fa) rats and db/db mice are deficient in the leptin receptor, ... To stimulate the progression to NASH, a dietary model is often used.

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 27,400 条结果 (用时 0.70 秒)

A Diet-Induced Obese Mouse Model of Fatty Liver Disease ...

https://www.researchgate.net/.../276026595_A_Diet-Induced_O... - 翻译此页

2015年5月9日 - Official Full-Text Publication: A **Diet-Induced Obese Mouse Model** of Fatty Liver **Disease** and **Nonalcoholic Steatohepatitis - Tracking Disease** Progression by **Liver Biopsy** on ResearchGate, the professional network for ...

AASLD LiverLearning® - Official eLearning Portal of AASLD ...

<liverlearning.aasld.org/.../thelivermeeting/.../michael.feigh.the.o...> ▾ 翻译此页

2015年11月15日 - The **obese** insulin resistant Lepob/Lepob **mouse** as an accelerated **diet-induced model of nonalcoholic steatohepatitis -tracking disease** progression by **liver biopsy**. Author(s): Michael Feigh, Michael Feigh. Affiliations: Gubra ...

Development of Hepatocellular Carcinoma in a Murine ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: JK Dowman - 2014 - 被引用次数: 22 - 相关文章

Mice in the American Lifestyle-**Induced Obesity Syndrome (ALIOS) model** developed ... **Nonalcoholic fatty liver disease (NAFLD)** represents one of the commonest causes of ... **ALIOS mice** were fed a trans-fat custom **diet** (TD.06303; Harlan Teklad, with more severe histological changes in human **NAFLD liver biopsies**.

Drug metabolism alterations in nonalcoholic fatty liver disease

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: MD Merrell - 2011 - 被引用次数: 41 - 相关文章

2011年5月25日 - **Nonalcoholic fatty liver disease (NAFLD)** is the most common chronic **liver** ... In 2008, the prevalence of **obese** adults (body mass index [BMI] >30kg/m²) reactions, specifically **drug-induced liver disease** (Tarantino et al., 2007, 2009). ... To stimulate the progression to NASH, a **dietary model** is often used.