



26098-Review

 Quotes Excluded
 Bibliography Excluded

 11%
 SIMILAR

 1 Name of Journal: *World Journal of Clinical Cases*

2 ESPS Manuscript NO: 26098

3 Manuscript Type: Case Report

4

 5 Extraordinary sneeze: Spontaneous transmaxillary-transnasal discharge of a migrated
 6 dental implant

7

 8 Pasquale Procacci, Daniele De Santis, Dario Bertossi, Massimo Albanese, Cristina
 9 Plotegher, Giovanni Zanette, Pier Francesco Nocini

10

11 Abstract

 12 This case report describes an extraordinary case of the spontaneous transmaxillary-
 13 transnasal discharge of a dental implant, which occurred during a sneeze. The patient was
 14 complained of symptoms of acute sinusitis. She underwent a CT scan that revealed a
 15 dental implant dislocated in the maxillary sinus. Medical treatment based on antibiotics
 16 and mucolytics was administered to the patient in order to prepare her for endoscopic

Match Overview



- | | | |
|---|---|----|
| 1 | CrossCheck 36 words
Nocini, Pier Francesco, Daniele De Santis, Biancastella Morandini, and Pasquale Procacci. "A Dental Implant in the Inframaxillary Sinus: A Case Report". <i>World Journal of Clinical Cases</i> . 2015; 6(12): 26098-26102. | 4% |
| 2 | Internet 33 words
crawled on 20-Dec-2010
lib.bioinfo.pl | 4% |
| 3 | CrossCheck 18 words
Nam, Ki-Young, and Jong-Bae Kim. "Treatment of dental implant-related maxillary sinusitis with functional endoscopic sinus surgery". <i>Journal of Korean Medical Association</i> . 2012; 55(12): 1011-1014. | 2% |
| 4 | CrossCheck 14 words
Lourdes Ridaaura-Ruiz. "Accidental Displacement of Dental Implants into the Maxillary Sinus: A Report of Nine Cases". <i>Clinical Oral Implants Research</i> . 2014; 25(1): 101-104. | 1% |

[全部](#)[图片](#)[视频](#)[新闻](#)[地图](#)[更多 ▾](#)[搜索工具](#)

获得 4 条结果 (用时 0.69 秒)

[maxillary sinus carcinoma: Topics by WorldWideScience.org](#)

[worldwidescience.org/topicpages/m/maxillary+sinus+carcinoma.html](#)

And pus **discharge**, foul odor, and headache was more prevalent in type of ... Surgical removal of **dental implants** displaced into the maxillary sinus be an adequate alternative to a traumatic **transmaxillary** approach earlier applied in such cases, maxilla may be complicated by implant **migration** into the maxillary sinus.

[\[PDF\] book of abstracts - UW Departments Web Server - Univer...](#)

[depts.washington.edu/uwconf/warc2015/WARC2015_ABSTRACTS.pdf](#)

2015年5月1日 - airways; one in four patients do not survive to **discharge**. opioid tolerant patient taking **extraordinary** amount of oral opioids. **transnasal** pre-induction airway examination in head-neutral, dentition, including multiple loose **teeth**. Registry of Transcatheter Aortic-Valve **Implantation** in High Risk ...

[OtoRhinoLaryngology - Alexandros G. Sfakianakis: MRI ...](#)

[orl-medicine.blogspot.com/.../mri-imaging-on-parotid-gland-stimulation.ht...](#)

2014年11月19日 - AgNPs exhibited **extraordinary** photocatalytic degradation (99.24%) of methylene blue. Biochemistry Creatinine (GFR) <100 **Dental** assessment Check MRI 3D Pre-Bent Titanium **Implant** for Concomitant Orbital Floor and Medial Bloodless surgical field during **transnasal** endoscopic procedures (1) ...

[\[PDF\] Abstract Book](#)



spontaneous transmaxillary-transnasal discharge of a migrated dental implant



全部

图片

视频

新闻

更多 ▾

搜索工具

获得 9 条结果 (用时 0.58 秒)

OtoRhinoLaryngology - Alexandros G. Sfakianakis: The Laryngoscope ...

otorhinolaryngology-crete.blogspot.com/2013/.../the-laryngoscope-june-182013_18.ht...

2013年6月18日 - The goals of this study were to analyze whether cochlear **implant** (CI) users over ...

Discharge data from the Nationwide Inpatient Sample for 7,791 However, when improvement of rhinorrhea, **sneezing**, and nasal using a minimally invasive **transmaxillary**/transpterygoid approach KW - **transnasal**

OtoRhinoLaryngology - Alexandros G. Sfakianakis: Delayed Migration ...

orl-agios.blogspot.com/2016/01/delayed-migration-of-fractured-k-wire.html

2016年1月4日 - Thirty to fifty percent of patients with **spontaneous** chronic urticaria have (HVGICs) after 40,000 cycles, corresponding to over 8 years of **tooth** brushing. is a common endocrine disease characterized by excessive **secretion** of Combined endoscopic **transmaxillary-transnasal** approach to the ...

maxillary sinus floor: Topics by WorldWideScience.org

worldwidescience.org/topicpages/m/maxillary+sinus+floor.html

In stage 2, simultaneously with the second sinus lift, 26 implants were placed is mandatory for the rhinologist for **drainage** of **secretions** in maxillary sinusitis. adequate alternative to a traumatic **transmaxillary** approach earlier applied in such cases. **Migration** of **dental implants** into the maxillary sinus is uncommon.

odontogenic maxillary sinusitis: Topics by WorldWideScience.org

worldwidescience.org/topicpages/o/odontogenic+maxillary+sinusitis.html

We used the videoendoscopic technique through **transmaxillary** approach to The **trans-nasal** approach with EMMM is a direct, minimally invasive method Surgical removal of **dental implants** displaced into the maxillary sinus The present case report encompasses the management of an extraoral **discharging** sinus

[全部](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 33 条结果 (用时 0.58 秒)

sinus lift technique: Topics by WorldWideScience.org

worldwidescience.org/topicpages/s/sinus+lift+technique.html ▾ [翻译此页](#)

The posterior area of the maxilla has often been considered inadequate for the insertion of **dental implants** due to insufficient height of the alveolar bone by ...

odontogenic maxillary sinusitis: Topics by WorldWideScience.org

worldwidescience.org/topicpages/o/odontogenic+maxillary+sinusitis.html

We used the videoendoscopic technique through **transmaxillary** approach to The **trans-nasal** approach with EMM is a direct, minimally invasive method Surgical removal of **dental implants** displaced into the maxillary sinus The present case report encompasses the management of an extraoral **discharging** sinus ...

maxillary sinus floor: Topics by WorldWideScience.org

worldwidescience.org/topicpages/m/maxillary+sinus+floor.html

In stage 2, simultaneously with the second sinus lift, 26 implants were placed is mandatory for the rhinologist for **drainage** of **secretions** in maxillary sinusitis. adequate alternative to a traumatic **transmaxillary** approach earlier applied in such cases. **Migration** of **dental implants** into the maxillary sinus is uncommon.

OtoRhinoLaryngology - Alexandros G. Sfakianakis: The Laryngoscope ...

otorhinolaryngology-crete.blogspot.com/2013/.../the-laryngoscope-june-182013_18.ht...

2013年6月18日 - The goals of this study were to analyze whether cochlear **implant** (CI) users over ... **Discharge** data from the Nationwide Inpatient Sample for 7,791 However, when improvement of rhinorrhea, **sneezing**, and nasal using a minimally invasive **transmaxillary**/transpterygoid approach KW - **transnasal**

ethmoid sinus: Topics by Science.gov

[翻译此页](#)