

ALL IMAGES VIDEOS

54,800 Results Any time

### Fate of the rectal stump after subtotal colectomy for ...

<https://pubmed.ncbi.nlm.nih.gov/23677401>

Importance: Total proctocolectomy with ileal pouch-anal anastomosis is considered the procedure of choice for patients requiring elective surgery for ulcerative colitis, but some patients undergoing subtotal colectomy with end ileostomy are satisfied with an ileostomy and do not choose to undergo later pelvic pouch surgery. The need and timing for completion proctectomy in this setting are uncertain.

Cited by: 24 Author: Semeret Munie, Neil Hyman, Turner Osler

Publish Year: 2013

### Fate of the Rectal Stump After Subtotal Colectomy for ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/1685083>

May 01, 2013 - Approximately one-third of patients with ulcerative colitis (UC) will require surgery within 13 years of initial diagnosis, 1 often in the setting of an acute disease exacerbation. 2 Despite advances in the medical treatment of UC, approximately 40% of patients with severe acute colitis continue to require urgent colectomy for fulminant colitis, toxic dilation, hemorrhage, or failure to respond to maximal medical therapy. 3 Subtotal colectomy --

Cited by: 24 Author: Semeret Munie, Neil Hyman, Turner Osler

Publish Year: 2013

### Search Tools

Turn off Hover Translation (关闭翻译)

国内版 国际版

Subtotal Colectomy In Ulcerative Colitis- Long Term Considerations



ALL IMAGES VIDEOS

53,800 Results Any time ▾

### Fate of the rectal stump after subtotal colectomy for ...

<https://pubmed.ncbi.nlm.nih.gov/23677401>

Importance: Total proctocolectomy with ileal pouch-anal anastomosis is considered the procedure of choice for patients requiring elective surgery for **ulcerative colitis**, but some patients undergoing **subtotal colectomy** with end ileostomy are satisfied with an ileostomy and do not choose to undergo later pelvic pouch surgery. The need and timing for completion proctectomy in this setting are uncertain.

Cited by: 24 Author: Semeret Munie, Neil Hyman, Turner Osler  
Publish Year: 2013

### Impact of Rectal Stump Inflammation After Subtotal ...

<https://academic.oup.com/ecco-jcc/advance-article...> ▾

Despite improvements in medical treatment strategies, a colectomy is still required in up to 20% of **ulcerative colitis** [UC] patients. 1, 2 For these patients, **subtotal colectomy** with ileostomy, followed by completion proctectomy and reconstruction with ileal pouch-anal anastomosis [IPAA], is the treatment of choice. 3 In the era of extensive treatment with biologics, it is preferred to perform the IPAA some months after the **subtotal colectomy** ...

### Fate of the Rectal Stump After Subtotal Colectomy for ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/1686083> ▾

May 01, 2013 · Approximately one-third of patients with **ulcerative colitis** (UC) will require surgery within 13 years of initial diagnosis, 1 often in the setting of an acute disease exacerbation. 2 Despite advances in the medical treatment of UC, approximately 40% of patients with severe acute colitis continue to require **urgent colectomy** for fulminant colitis, toxic dilation, hemorrhage, or failure to respond to maximal medical therapy. 3 **Subtotal colectomy** ...

Cited by: 24 Author: Semeret Munie, Neil Hyman, Turner Osler

**Name of Journal:** *World Journal of Gastrointestinal Surgery*

**Manuscript NO:** 60748

**Manuscript Type:** SYSTEMATIC REVIEWS

**Subtotal Colectomy In Ulcerative Colitis- Long Term Considerations For The Rectal Stump**

Considerations for the Rectal Stump

**Abstract**

**BACKGROUND**

**Background:** The initial operation of choice in many patients presenting as an emergency with ulcerative colitis is a subtotal colectomy with end ileostomy. A percentage of patients do not proceed to completion proctectomy with ileal pouch anal anastomosis.

Match Overview

1 **Crossref** 46 words  
"Abstracts from the 45 th Sir Peter Freyer Memorial Lecture ...  
nd Surgical Symposium", *Irish Journal of Medical Science* (19

4%

国内版 国际版

ig

Subtotal colectomy in ulcerative colitis—long term considerations for



ALL

IMAGES

VIDEOS

16,600 Results

Any time ▾

Open links in new tab



### Fate of the rectal stump after subtotal colectomy for ...

<https://pubmed.ncbi.nlm.nih.gov/23677401>

Considering the risk of rectal cancer, the low success rate of long-term rectal preservation, and the safety of surgery, a more aggressive approach to early completi ... Fate of the rectal stump after subtotal colectomy for ulcerative colitis in the era of ileal pouch-anal anastomosis

Cited by: 24

Author: Semeret Munie, Neil Hyman, Turner Osler

Publish Year: 2013

### [PDF] Fate of the Rectal Stump After Subtotal Colectomy for ...

[https://jamanetwork.com/journals/SURG/articlepdf/1686083/siz130011\\_408\\_411.pdf](https://jamanetwork.com/journals/SURG/articlepdf/1686083/siz130011_408_411.pdf)

Fate of the Rectal Stump After Subtotal Colectomy for Ulcerative Colitis in the Era of Ileal Pouch–Anal Anastomosis Semeret Munie, MD; Neil Hyman, MD; Turner Osler, MD ... to assess the long-term fate of the re-tained rectum compared with the mor-See Invited Critique at end of article Author Aff Departmen University of Medicine Vermont.

### The fate of the rectal stump after subtotal colectomy for ...

<https://www.ncbi.nlm.nih.gov/pubmed/4006633>

In a retrospective review of 311 patients having subtotal colectomy for ulcerative colitis, information on the fate of the rectal stump was obtained in 288. Proctectomy was performed in 159 patients (55 percent); for persistent proctitis in 118 (41 percent), cancer prophylaxis in 37 (13 percent), and cancer in four (1.4 percent).

Cited by: 63

Author: John R. Oakley, Ian C. Lavery, Victor W. ...

Publish Year: 1985

### Subcutaneous rectal stump closure after emergency subtotal ...

<https://bjssjournals.onlinelibrary.wiley.com/doi/10.1002/bjs.1800790737>

Abstract Subtotal colectomy with preservation of the rectum is now the procedure of choice for patients with severe colitis requiring emergency surgery. The use of subcutaneous 'rectal closure' whe...

### Fate of the Rectal Stump After Subtotal Colectomy for ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/1686083> ▾

May 01, 2013 · Oakley JR, Lavery IC, Fazio VW, Jagelman DG, Weakley FL, Easley K. The fate of the rectal stump after subtotal colectomy for ulcerative colitis. Dis Colon Rectum.