

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 26,700 条结果 (用时 0.84 秒)

## Google 学术: Prediction of Esophageal and Gastric Histology by Macroscopic Diagnosis During Upper Endoscopy in Pediatric Celiac Disease

... endoscopic markers in the diagnosis of celiac disease - Bardella - 被引用次数: 109

... review and consensus recommendations for diagnosis ... - Furuta - 被引用次数: 1232

... diagnosis of inflammatory bowel disease in children ... - Levine - 被引用次数: 158

## Endoscopic tools for the diagnosis and evaluation of celiac disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: G Ianiro - 2013 - 被引用次数: 24 - [相关文章](#)

2013年12月14日 - Celiac disease (CD) is an autoimmune disease of the small bowel induced by ...  
diagnosis of celiac disease can be performed without histology in some selected ... of duodenal villous pattern during a conventional upper endoscopy. .... TE-e (for esophagus), TE-g (for stomach) and TE-c (for intestine).

## The Utility of Endoscopic Biopsies in Patients with Normal Upper ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: A Teriaky - 2016

2016年7月10日 - The yield of biopsy in normal upper endoscopy varied with location, but the additional ... Upper GI tract biopsies were categorized into esophageal, gastric, or duodenal. .... The lack of NSAID use predicted abnormal esophageal histology. ... To diagnose one case of celiac disease in

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript No: 30162

Manuscript Type: ORIGINAL ARTICLE

### Retrospective Study

Prediction of esophageal and gastric histology by macroscopic diagnosis during upper endoscopy in pediatric celiac disease

Boschee ED *et al.* Predicting esophageal and gastric histology in pediatric CD

Erin D Boschee, Jason YK Yap, Justine M Turner

### Abstract

#### AIM

To determine the sensitivity of macroscopic appearance for predicting histological diagnosis at sites other than duodenum in pediatric celiac disease (CD).

### Match Overview

1	Internet 74 words crawled on 25-Nov-2016 <a href="https://pdfs.semanticscholar.org">pdfs.semanticscholar.org</a>	2%
2	Internet 52 words crawled on 16-Mar-2016 <a href="http://www.wchri.org">www.wchri.org</a>	1%
3	Internet 17 words crawled on 17-Nov-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<1%
4	Crossref 15 words Zhong, Ming-Wei, Shao-Zhuang Liu, Guang-Yong Zhang, Xi ang Zhang, Teng Liu, and San-Yuan Hu. "Alterations in gut	<1%
5	Crossref 15 words Mangiavillano, B. "Bulb biopsies for the diagnosis of celi... disease in pediatric patients", <i>Gastrointestinal Endoscopy</i> ,	<1%
6	Crossref 12 words Anna Killander. "Omitting control biopsy in paediatric coelia c disease: a follow-up study", <i>Acta Paediatrica</i> , 8/2007	<1%

找到约 26,700 条结果 (用时 0.58 秒)

## Google 学术: Prediction of esophageal and gastric histology by macroscopic diagnosis during upper endoscopy in pediatric celiac disease

... endoscopic markers in the diagnosis of celiac disease - Bardella - 被引用次数: 109

... review and consensus recommendations for diagnosis ... - Furuta - 被引用次数: 1232

... diagnosis of inflammatory bowel disease in children ... - Levine - 被引用次数: 158

## Endoscopic tools for the diagnosis and evaluation of celiac disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: G Ianiro - 2013 - 被引用次数: 24 - 相关文章

2013年12月14日 - Celiac disease (CD) is an autoimmune disease of the small bowel induced by ...  
diagnosis of celiac disease can be performed without histology in some selected ... of duodenal villous  
pattern during a conventional upper endoscopy. .... TE-e (for esophagus), TE-g (for stomach) and TE-c  
(for intestine).

## The Utility of Endoscopic Biopsies in Patients with Normal Upper ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Teriaky - 2016

2016年7月10日 - The yield of biopsy in normal upper endoscopy varied with location, but the additional  
... Upper GI tract biopsies were categorized into esophageal, gastric, or duodenal. .... The lack of  
NSAID use predicted abnormal esophageal histology. .... To diagnose one case of celiac disease in  
patients presenting with ...



y by macroscopic diagnosis during upper endoscopy in pediatric celiac disease



全部

图片

新闻

视频

更多

设置

工具

找到约 53,100 条结果 (用时 0.68 秒)

## Google 学术 : Prediction of esophageal and gastric histology by macroscopic diagnosis during upper endoscopy in pediatric celiac disease

... endoscopic markers in the diagnosis of celiac disease - Bardella - 被引用次数 : 109

... review and consensus recommendations for diagnosis ... - Furuta - 被引用次数 : 1232

... diagnosis of inflammatory bowel disease in children ... - Levine - 被引用次数 : 159

### The Utility of Endoscopic Biopsies in Patients with Normal Upper ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : A Teriaky - 2016

2016年7月10日 - The yield of biopsy in normal upper endoscopy varied with location, but the additional ... Upper GI tract biopsies were categorized into esophageal, gastric, or duodenal. .... The lack of NSAID use predicted abnormal esophageal histology. .... To diagnose one case of celiac disease in patients presenting with ...

### The concordance of endoscopic and histologic findings of 1000 ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4833447/> - 翻译此页

作者 : MA Sheiko - 2015 - 相关文章

2014年11月1日 - For celiac disease, 43% had normal-appearing mucosa. .... in the duodenum, stomach, and esophagus during EGD in pediatric ... 1000 eligible patients undergoing initial diagnostic endoscopy. .... However, endoscopic findings of gastritis predicted histologic .... Adverse events of upper GI endoscopy.

### Endoscopic and Histologic Findings in Pediatric Inflammatory Bowel ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2886464/> - 翻译此页

作者 : GP Jevon - 2010 - 被引用次数 : 24 - 相关文章

Endoscopic and Histologic Findings in Pediatric Inflammatory Bowel Disease ... Accurate diagnosis