

**Match Overview**


<b>1</b>	<b>CrossCheck</b> 163 words "20th IFSO World Congress", Obesity Surgery, 2015.	4%
<b>2</b>	<b>CrossCheck</b> 129 words van Wezenbeek, M. R., J. F. Smulders, J. P. J. G. M. de Zoete, M. D. Luyer, G. van Montfort, and S. W. Nienhuijs. "L...	3%
<b>3</b>	<b>CrossCheck</b> 23 words "9th World Congress of the International Federation For ... e Surgery of Obesity (IFSO)", Obesity Surgery, 08/01/200	1%
<b>4</b>	<b>Internet</b> 13 words crawled on 30-Nov-2009 <a href="http://www.casesurgery.com">www.casesurgery.com</a>	<1%
<b>5</b>	<b>CrossCheck</b> 12 words "Abstracts of Posters, 11th World Congress of IFSO, Sydney, Australia", Obesity Surgery, 08/01/2006	<1%
<b>6</b>	<b>CrossCheck</b> 10 words Obesity Bariatric and Metabolic Surgery, 2016.	<1%

Name of Journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 21241

Manuscript Type: ORIGINAL ARTICLE

### Retrospective Study

**1** Long-term results after revisions of failed primary vertical banded gastroplasty

Martin R van Wezenbeek, Frans JF Smulders, Jean-Paul JGM **2** de Zoete, Misha D Luyer, Gust van Montfort, Simon W Nienhuijs

### Abstract

**1** AIM: To compare the results after revision of primary VBG (Re-VBG) and conversion to sleeve gastrectomy (cSG) or gastric bypass (cRYGB).

METHODS: In this retrospective single-center study, all patients with a failed VBG who underwent revisional surgery were included. Medical charts were reviewed and

**[PDF] Short- and Long-Term Outcomes of Vertical Banded Gastroplasty ...**

[www.dillemans.be/frontend/files/userfiles/files/Vasas\\_ObesSurg.pdf](http://www.dillemans.be/frontend/files/userfiles/files/Vasas_ObesSurg.pdf)

Background **Vertical banded gastroplasty** (VBG) often necessitates ... mortality, comparable to **primary RYGB**. It produces a ... usually **changes** to maladaptive eating caused by gastric ... revisional surgery **outcome after failed VBG**, but just few.

**Bariatric Revisionary Surgery for Failed or Complicated Vertical ...**

[www.hindawi.com/journals/job/2010/206249/](http://www.hindawi.com/journals/job/2010/206249/)

14 Sep 2009 ... **Revision of failed** bariatric procedures is a significant challenge for bariatric ... **Gastric Bypass-on-Vertical Banded Gastroplasty** (RYGB-on-VBG). **Results**. ... which has proven to be more effective for **long-term** weight loss than ... the weight loss **results after the primary** operation, the patient's quality of life,....

**Long-Term Results of Primary Vertical Banded Gastroplasty.**

[www.ncbi.nlm.nih.gov/pubmed/25519773](http://www.ncbi.nlm.nih.gov/pubmed/25519773)

19 Dec 2014 ... **Long-Term Results of Primary Vertical Banded Gastroplasty**. ... by many due to a high **failure** rate, a high incidence of **long-term** complications, and the ... **After revision**, an additional EWL of 23 % and 33 % further reduction in....

**Long-Term Results of Primary Vertical Banded Gastroplasty ...**

[www.researchgate.net/publication/271513475\\_Long-Term\\_Results\\_of\\_Primary\\_Vertical](http://www.researchgate.net/publication/271513475_Long-Term_Results_of_Primary_Vertical)

Publication » **Long-Term Results of Primary Vertical Banded Gastroplasty**. ... abandoned by many due to a high **failure** rate, a high incidence of **long-term** complications, ... **After revision**, an additional EWL of 23 % and 33 % further reduction in....



[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [更多](#) [搜索工具](#)

找到约 178,000 条结果 (用时 0.40 秒)

### Long-Term Results of Primary Vertical Banded Gastroplasty.

[www.ncbi.nlm.nih.gov/pubmed/25519773](http://www.ncbi.nlm.nih.gov/pubmed/25519773) [▼ 翻译此页](#)

作者: MR van Wezenbeek - 2014 - [相关文章](#)

Long-Term Results of Primary Vertical Banded Gastroplasty. ... by many due to a high failure rate, a high incidence of long-term complications, ... After revision, an additional EWL of 23 % and 33 % further reduction in comorbidities was seen.

### Bariatric Revisionary Surgery for Failed or Complicated ...

[www.hindawi.com/journals/jobc/2010/206249/](http://www.hindawi.com/journals/jobc/2010/206249/) [▼ 翻译此页](#)

作者: S Cariani - 2009 - 被引用次数: 5 - [相关文章](#)

2009年9月14日 - Revision of failed bariatric procedures is a significant challenge for bariatric ... Gastric Bypass-on-Vertical Banded Gastroplasty (RYGB-on-VBG). Results. ... which has proven to be more effective for long-term weight loss than ... the weight loss results after the primary operation, the patient's quality of life, ...

### Gastric Bypass Surgery Outcomes After Failed Gastric ...

[www.medscape.com/viewarticle/777553](http://www.medscape.com/viewarticle/777553) [▼ 翻译此页](#)

With such a high number of reoperations after gastric banding, are the ... to (1) compare short-term outcomes for patients undergoing primary gastric bypass ... that revisions may be necessary for 12% to 60% of patients whereas long-term ...



全部 图片 视频 新闻 更多 ▾ 搜索工具

找到约 384,000 条结果 (用时 0.60 秒)

### Long-Term Results of Primary Vertical Banded Gastroplasty.

[www.ncbi.nlm.nih.gov/pubmed/25519773](http://www.ncbi.nlm.nih.gov/pubmed/25519773) ▾ 翻译此页

作者: MR van Wezenbeek - 2014 - 相关文章

Long-Term Results of Primary Vertical Banded Gastroplasty. ... by many due to a high failure rate, a high incidence of long-term complications, ... After revision, an additional EWL of 23 % and 33 % further reduction in comorbidities was seen.

### Bariatric Revisionary Surgery for Failed or Complicated ...

[www.hindawi.com/journals/job/2010/206249/](http://www.hindawi.com/journals/job/2010/206249/) ▾ 翻译此页

作者: S Cariani - 2009 - 被引用次数: 5 - 相关文章

2009年9月14日 - Revision of failed bariatric procedures is a significant challenge for bariatric ... Gastric Bypass-on-Vertical Banded Gastroplasty (RYGB-on-VBG). Results. ... which has proven to be more effective for long-term weight loss than ... the weight loss results after the primary operation, the patient's quality of life, ...

### [PDF] Short- and Long-Term Outcomes of Vertical Banded ...

[www.dillemans.be/frontend/files/userfiles/.../Vasas\\_ObesSurg.p...](http://www.dillemans.be/frontend/files/userfiles/.../Vasas_ObesSurg.p...) ▾ 翻译此页

作者: P Vasas - 2012 - 被引用次数: 16 - 相关文章

Background Vertical banded gastroplasty (VBG) often necessitates ... mortality, comparable to primary RYGB. It produces a ... usually changes to maladaptive eating caused by gastric ... revisional surgery outcome after failed VBG, but just few.

### Gastric Bypass Surgery Outcomes After Failed Gastric ...

[www.medscape.com/viewarticle/777553](http://www.medscape.com/viewarticle/777553) ▾ 翻译此页

With such a high number of reoperations after gastric banding, are the ... to (1) compare short-term outcomes for patients undergoing primary gastric bypass ... that revisions may be necessary for 12% to 60% of patients whereas long-term ...