



Fecal microbiota transplantation induced remission of infantile allergic colitis thr



登录

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 631 条结果 (用时 0.46 秒)

Microbiota restoration: natural and supplemented recovery of human ...

www.nature.com > [Journal home](#) > [Archive](#) > [Review](#) - [翻译此页](#)

2010年11月29日 - This functional homogeneity in the **infant microbiota** is surprising, The switch from homeostasis to a disease state can occur **through** The implantation seems to **re-establish** resistance to colonization, ... just before **faecal transplant**, so much of their indigenous **microbiota** Int. Arch. **Allergy Immunol.**

American Journal of Gastroenterology - Intestinal Microbiota And Diet ...

www.nature.com > [Journal home](#) > [Archive](#) > [Clinical and Systematic Reviews](#) ▼ [翻译此页](#)

2015年1月27日 - Intestinal **Microbiota** And Diet in IBS: Causes, Consequences, or Epiphenomena? ... IBS with neither constipation nor diarrhea **using** the Rome III criteria (3). ... Once **established**, the intestinal **microbiota** appears to be relatively stable for the GI **microbiota** is supported by a **fecal transplantation** experiment ...

fecal microbiota transplantation: Topics by Science.gov

<https://www.science.gov/topicpages/f/fecal+microbiota+transplantation>

To date, FMT is an **established** treatment modality for multiple recurrent Clostridium **Fecal microbiota transplantation inducing remission** in Crohn's **colitis** and the neuropsychiatric disorders, autoimmune diseases, **allergic** disorders, and tumors. The goal of FMT is to **re-introduce** a complete, stable community of gut ...

THE HUMAN MICROBIOME AND PROBIOTICS: IMPLICATIONS FOR ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者 : MH Hsieh - 2008 - [被引用次数 : 24](#) - [相关文章](#)

The human gastrointestinal tract contains a complex **microbiota** including ... for computational analysis; **establishment** of data analysis and coordinating centers as well ... At the end of the first year of life, each **infant's** gut bacterial population with ulcerative **colitis** or Crohn disease and **induce remission** in ulcerative **colitis**.

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 36134

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Fecal microbiota transplantation induced remission of infantile allergic colitis through microecology re-establishment

Liu SX *et al.* FMT on infantile AC treatment

Sheng-Xuan Liu, Yin-Hu Li, Wen-Kui Dai, Xue-Song Li, Chuang-Zhao Qiu,
Meng-Ling Ruan, Biao Zou, Chen Dong, Yan-Hong Liu, Jia-Yi He, Zhi-Hua
Huang, Sai-Nan Shu

Match Overview

1	Internet 112 words crawled on 29-Dec-2012 www.ies.net.cn	2%
2	Internet 81 words crawled on 07-Mar-2016 www.wjgnet.com	2%
3	Internet 46 words crawled on 09-Feb-2013 justfourfun.net	1%
4	Internet 42 words www.bindingsite.com	1%
5	Crossref 25 words He, Fu-Liang. "Transjugular intrahepatic portosystemic sh... nt for severe jaundice in patients with acute Budd-Chiari sy	1%
6	Internet 17 words crawled on 05-Jul-2014 www.clinmicro.com	<1%
7	Crossref 15 words Gong, Jing. "Fenugreek lactone attenuates palmitate-indu... ed apoptosis and dysfunction in pancreatic β -cells", World J	<1%
8	Internet 10 words crawled on 28-Sep-2017 www.nature.com	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 411 条结果 (用时 0.85 秒)

THE HUMAN MICROBIOME AND PROBIOTICS: IMPLICATIONS FOR ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: MH Hsieh - 2008 - 被引用次数: 24 - 相关文章

The human gastrointestinal tract contains a complex **microbiota** including between ... for computational analysis; **establishment** of data analysis and coordinating ... be translocated from mother to **infant through** maternal mononuclear cells which ulcerative **colitis** or Crohn disease and **induce remission** in ulcerative **colitis**.

Safety assessment of probiotics for human use - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3023597/> - 翻译此页

作者: ME Sanders - 2010 - 被引用次数: 231 - 相关文章

2010年3月4日 - The indigenous intestinal **microbiota** is known to be pivotal for the ... virulence factors or acquire antibiotic resistance genes **via** horizontal gene transfer. ... model of chronic **colitis**, in which VSL#3 **induced** TGF β -bearing regulatory PFGE profiles exhibited by the original strain and its **fecal re-isolates**, the ...

Beneficial microorganisms in multicellular life forms - Documents

<https://documentslide.com> > Documents

2016年12月31日 - 265 Uri Lesmes 21 Host Genetics and Gut **Microbiota** or are **re-inoculated** during contact with normally faunated nestmates, they maintain or regain their viability. host had **established** its symbiosis with termites (Ikeda-Ohtsubo et al. 4.4 The Role of Bacteria in Medium-**Induced** Assortative Mating ...

- Le Guide anti-âge - studyres.com

studyres.com/doc/7942544/-le-guide-anti-age

By **using** a combination of smaller surgical procedures with appropriate filler The polyurethane foam coated silicone breast **implant** has a very low rate of white adipose tissue of morbidly obese subjects after surgery-**induced** weight loss. fat tissues, time comes to **re-think** of these promising treatments, according to ...



Fecal microbiota transplantation induced remission of infantile allergic colitis thr



全部

图片

新闻

视频

更多

设置

工具

找到约 580 条结果 (用时 0.71 秒)

THE HUMAN MICROBIOME AND PROBIOTICS: IMPLICATIONS FOR ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: MH Hsieh - 2008 - 被引用次数: 24 - 相关文章

The human gastrointestinal tract contains a complex **microbiota** including between ... for computational analysis; **establishment** of data analysis and coordinating ... be translocated from mother to **infant through** maternal mononuclear cells which ulcerative **colitis** or Crohn disease and **induce remission** in ulcerative **colitis**.

Intestinal Microbiota And Diet in IBS: Causes, Consequences, or ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Rajilić-Stojanović - 2015 - 被引用次数: 97 - 相关文章

2015年1月27日 - Once **established**, the intestinal **microbiota** appears to be relatively stable One study showed recurrence of symptoms on **re-challenge** with ... (71) found no symptom **induction** by giving pure gluten to IBS ... the GI **microbiota** is supported by a **fecal transplantation** experiment in J Allergy Clin Immunol.

Download Book (PDF, 6843 KB) - Springer Link

<https://link.springer.com/content/pdf/10.1007%2F978-1-4614-4726-9.pdf>

2010年11月26日 - of **Allergy** and Infectious Diseases, National Institutes of Health, NTDs also promote conflict and warfare **through** populations **induced** by a therapeutic DNA vaccine enitis in the **infant** is very suspicious for CGD those that attempt to **re-establish** colonisation led to clinical **remission** [63].

Functional Dairy Product | Probiotic | Yogurt - Scribd

<https://fr.scribd.com/document/311944781/Functional-Dairy-Product>

5.5. Mechanisms of action: gut **microbiota** composition and food **allergies** Many of the peptides survive **through** the intestinal tract. niacin. the remainder being GG in **faecal** samples during daily consumption of different product forms. and environmental. not to mention milk calcium. which **re-establish** the biological ...

Journal Comments | Further Information - ALM (Production)

alm.plos.org/works/doi.org%2F10.1371%2Fjournal.pone.0009836 ▼ 翻译此页

2010年3月24日 - Antibiotics and the developing **infant** gut **microbiota** and resistome ... Cites <http://doi.org/10.1371/journal.pone.0009836> via CrossRef ... Prevalence of antimicrobial resistance in **faecal** enterococci from vet-visiting pets and in experimental **colitis** during active disease and treatment-