

国内版

国际版



Modern surgical strategies for perianal Crohn's disease



ALL

IMAGES

VIDEOS

424,000 Results

Any time ▾

Modern management of perianal fistulas in Crohn's disease ...

<https://gut.bmj.com/content/67/6/1181> ▾

Jun 01, 2018 · The multimodal **treatment** of **perianal fistulas** in **Crohn's disease**: seton versus anti-TNF versus advancement plasty (PISA) trial is actively recruiting with the aim to compare what the optimal **surgical** and **medical strategy** may be.³⁴ After seton placement and sepsis drainage, patients will be randomised into three groups: **chronic setons**+6-MP; anti-TNF+6 MP (seton ...

Cited by: 22

Author: Paulo Gustavo Kotze, Bo Shen, Amy Lig...

Publish Year: 2018

Modern management of perianal fistulas in Crohn's disease ...

<https://www.ncbi.nlm.nih.gov/pubmed/29331943>

(5)**Division of Colon and Rectal Surgery, Humanitas Clinical and Research Center, Rozzano, Italy.** (6)**Institute of Translational Medicine, University of Birmingham, Birmingham, UK.** Perianal fistulae in patients with Crohn's disease (CD) can be associated with significant morbidity resulting in negative impact on quality of life.

Cited by: 22

Author: Paulo Gustavo Kotze, Bo Shen, Amy Lig...

Publish Year: 2018

Modern management of perianal fistulas in Crohn's disease ...

<https://pubmed.ncbi.nlm.nih.gov/29331943>

Perianal fistulae in patients with **Crohn's disease** (CD) can be associated with significant morbidity resulting in negative impact on quality of life. The last two decades have seen significant advancements in the management of **perianal** fistulas in CD, which has evolved into a multidisciplinary appro ...

Cited by: 22

Author: Paulo Gustavo Kotze, Bo Shen, Amy Lig...

Publish Year: 2018

Modern management of perianal fistulas in Crohn's disease ...

... " 1000470407111



Modern surgical strategies for perianal Crohn's disease



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

119,000 Results

Any time

Modern management of perianal fistulas in Crohn's disease ...

<https://pubmed.ncbi.nlm.nih.gov/29331943>

Perianal fistulae in patients with Crohn's disease (CD) can be associated with significant morbidity resulting in negative impact on quality of life. The last two decades have seen significant advancements in the management of perianal fistulas in CD, which has evolved into a multidisciplinary approach.

Cited by: 24 Author: Paulo Gustavo Kotze, Bo Shen, Amy Ligh...

Publish Year: 2018

Modern management of perianal fistulas in Crohn's disease ...

<https://gut.bmj.com/content/67/6/1181>

Jun 01, 2018 The multimodal treatment of perianal fistulas in Crohn's disease: seton versus anti-TNF versus advancement plasty (PISA) trial is actively recruiting with the aim to compare what the optimal surgical and medical strategy may be. 34 After seton placement and sepsis drainage, patients will be randomised into three groups: chronic setons+6-MP; anti-TNF+6-MP (seton withdrawal after ...

Cited by: 24 Author: Paulo Gustavo Kotze, Bo Shen, Amy Ligh...

Publish Year: 2018

Surgical therapy for perianal Crohn's fistulas - fg.bmj.com

<https://fg.bmj.com/content/early/2020/08/13/fgastro-2020-101489>

Aug 13, 2020 Perianal manifestations of Crohn's disease constitute a distinct disease phenotype commonly affecting patients and conferring an increased risk of disability and disease burden. Much research has gone into management of fistulising manifestations, with biological therapy changing the landscape of treatment. In this article, we discuss the up-to-date surgical and medical management of ...

Author: Samuel O Adegbola, Kapil Sahnan, C... Publish Year: 2020

PEOPLE ALSO ASK

- | | |
|--|---|
| How common is perianal fissure with Crohn's disease? | ▼ |
| Can Crohn's disease cause fistulas? | ▼ |
| What is the prevalence of perianal fistula? | ▼ |

<https://global.bing.com/FORMs2WFD1>

Crohn's Disease

Medical Condition

Severe abdominal pain and tenderness



A chronic inflammation of the digestive tract.

Rare (Fewer than 200,000 cases per year in US)

Requires lab test or imaging

Treatments can help manage condition, no known cure

Can be lifelong

The exact cause is unknown but heredity and malfunctioning immune system play a role. Common symptoms include abdominal pain, diarrhea, malnutrition and fatigue. Anti-inflammatory drugs and immune system suppressors help in long term remission.

Symptoms

Symptoms range from mild to severe and include:

- Abdominal pain and tenderness
- Feeling of a filled abdomen
- Tiredness

Manuscript Type: MINIREVIEWS

Zabot GP *et al.* Surgical strategies for perianal CD

Gilmara Pandolfo Zabet, Ornella Cassol, Rogerio Saad-Hossne, Willem Bemelman

One of the most challenging phenotypes of Crohn's disease is perianal fistulizing disease (PFCD). It occurs in up to 50% of the patients who also have symptoms in other parts of the gastrointestinal tract, and in 5% of the cases it occurs as the first manifestation. It is associated with severe symptoms, such as pain, fecal incontinence, and a significant reduction in quality of life. The presence of perianal disease in conjunction with Crohn's disease portends a significantly worse disease course. These patients require close monitoring to identify those at risk of worsening disease, suboptimal biological drug levels, and signs of developing neoplasm. The last 2 decades have seen significant

10

- | | | |
|---|--|-----|
| 1 | Internet 12 words
crawled on 28-Aug-2020
mallaobc.com | 2% |
| 2 | Crossref 42 words
Xinying Wang, Bo Shen "Advances in Periodontal Disease Associated with Crohn's Disease-Evolving Approaches" Gastroenterol | 1% |
| 3 | Internet 21 words
crawled on 15-Aug-2020
docplayer.net | 1% |
| 4 | Crossref 18 words
Marco M. Bock, Rafael Albal, Nuria Maroto, Javier P. Gisbert et al. "Recommendations of the Crohn's Disease and Ulcerati | 1% |
| 5 | Crossref 15 words
H. Goudakjari, M. Garcia-Artraz, M. Dolores Herrera, K. B. Oyazkale, A. L. Lighner, D. Garcia-Olmo "Mesenchym | <1% |
| 6 | Internet 14 words
crawled on 03-Aug-2019
www.tandfonline.com | <1% |
| 7 | Internet 14 words
crawled on 26-May-2020
www.scribd.com | <1% |
| 8 | Crossref 13 words
Lesley J. Scott "Paradoxical A Review in Treatment-Reti | <1% |
| 9 | Internet 12 words
Paulo Gustavo Kotze, Bo Shen, Amy Lightner, Takayuki Yama | <1% |

国内版 国际版

Modern surgical strategies for perianal Crohn's disease



ALL IMAGES VIDEOS

119,000 Results Any time ▾

Modern management of perianal fistulas in Crohn's disease ...

<https://gut.bmj.com/content/67/6/1181>

Jun 01, 2018 · The multimodal **treatment of perianal fistulas in Crohn's disease**: seton versus anti-TNF versus advancement plasty (PISA) trial is actively recruiting with the aim to compare what the optimal **surgical and medical strategy** may be.³⁴ After seton placement and sepsis drainage, patients will be randomised into three groups: **chronic setons+6-MP**; anti-TNF+6 MP (seton ...

Cited by: 24 **Author:** Paulo Gustavo Kotze, Bo Shen, Amy Lig...

Publish Year: 2018

Modern management of perianal fistulas in Crohn's disease ...

<https://pubmed.ncbi.nlm.nih.gov/29331943>

The last two decades have seen significant advancements in the management of **perianal fistulas** in CD, which has evolved into a **multidisciplinary appro ... Perianal fistulae** in patients with **Crohn's disease** (CD) can be associated with significant morbidity resulting in negative impact on ...

Cited by: 24 **Author:** Paulo Gustavo Kotze, Bo Shen, Amy Lig...

Publish Year: 2018

What is the optimal surgical strategy for complex perianal ...

<https://www.ncbi.nlm.nih.gov/pubmed/28138950>

We conducted a systematic review of the literature to examine the **best surgical strategy or strategies for pediatric complex perianal fistulous disease** (CPFD) in CD. METHODS: We searched CENTRAL, MEDLINE, EMBASE, and CINAHL for studies discussing at least one **surgical strategy** for the **treatment of pediatric CPFD** in CD.

Cited by: 1 **Author:** Navot Kantor, Navot Kantor, Carolyn Wa...

Publish Year: 2017

PEOPLE ALSO ASK

Can endoscopist identify pelvic fistula?

