



PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 40380

Title: Predicting the presence of adenomatous polyps during colonoscopy with National Cancer Institute Colorectal Cancer Risk-Assessment Tool

Reviewer’s code: 03656586

Reviewer’s country: China

Science editor: Ze-Mao Gong

Date sent for review: 2018-07-03

Date reviewed: 2018-07-09

Review time: 5 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input checked="" type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer’s expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input checked="" type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

The authors researched the effectiveness of NCI CRC risk prediction tool.

INITIAL REVIEW OF THE MANUSCRIPT



Baishideng Publishing Group

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

Google Search:

- The same title
- Duplicate publication
- Plagiarism
- No

BPG Search:

- The same title
- Duplicate publication
- Plagiarism
- No



PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 40380

Title: Predicting the presence of adenomatous polyps during colonoscopy with National Cancer Institute Colorectal Cancer Risk-Assessment Tool

Reviewer's code: 02438889

Reviewer's country: Germany

Science editor: Ze-Mao Gong

Date sent for review: 2018-07-09

Date reviewed: 2018-07-12

Review time: 3 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input checked="" type="checkbox"/> Grade C: Good	polishing	<input checked="" type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Good and valuable evidence of adenoma recurrence in colon.

INITIAL REVIEW OF THE MANUSCRIPT



Baishideng Publishing Group

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

<https://www.wjgnet.com>

Google Search:

The same title

Duplicate publication

Plagiarism

No

BPG Search:

The same title

Duplicate publication

Plagiarism

No