

学术搜索

找到约 22,400 条结果 (用时0.05秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Comparison of the efficacy and safety of new oral anticoagulants with warfarin in patients with atrial fibrillation: a meta-analysis of randomised trials

CT Ruff, RP Giugliano, E Braunwald, EB Hoffman... - The Lancet, 2014 - Elsevier

... risk-benefit profile, with significant reductions in stroke, intracranial haemorrhage, and mortality, and with similar major bleeding as for warfarin, but increased gastrointestinal bleeding. ... of new oral anticoagulants with warfarin for stroke prevention in patients with atrial ...

被引用次数: 969 相关文章 所有 23 个版本 引用 保存

[HTML] thelancetnorway.com

Dabigatran etexilate-a novel, reversible, oral direct thrombin inhibitor: interpretation of coagulation assays and reversal of anticoagulant activity

J Van Ryn, J Stangier, S Haertter... - Thrombosis & ..., 2010 - th.schattauer.de

... Concomitant medication (such as diuretics, drugs accelerating gastrointestinal transit time, paracetamol [acetaminophen ... 2-3 h) of large amounts of dabigatran etexilate in the stomach fluid ... Concern regarding potential overdosing or uncontrolled bleeding has prompted testing of ...

被引用次数: 1236 相关文章 所有 16 个版本 引用 保存

[PDF] researchgate.net

Stroke prevention with the oral direct thrombin inhibitor ximelagatran compared with warfarin in patients with non-valvular atrial fibrillation (SPORTIF III): randomised ...

Executive Steering Committee on Behalf of the ... - The Lancet, 2003 - Elsevier

... Major bleeding most often involved the gastrointestinal tract (15 patients in each group), subdural haematoma (four in ... concurrently with assigned treatment at any point during the trial, overall rates of bleeding (major and ... One had fatal gastric carcinoma with hepatic metastases. ...

被引用次数: 931 相关文章 所有 8 个版本 引用 保存

Evaluation of the novel factor Xa inhibitor edoxaban compared with warfarin in patients with atrial fibrillation: Design and rationale for the Effective aNticoagulation ...

CT Ruff, RP Giugliano, EM Antman, SE Crugnale... - American heart ..., 2010 - Elsevier

... located in the intestine, acting to pump drugs back into the intestinal lumen limiting ... as history of intracranial, intraocular, spinal, retroperitoneal, or intraarticular bleeding; overt gastrointestinal bleeding or active ... with no overt bleeding event) will be classified as "no bleeding event ...

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31891

Manuscript Type: Review

Gastrointestinal bleeding in patients on novel oral anticoagulants: Risk, prevention and management

Cheung KS *et al.* GI bleeding in patients on NOACs

Ka-Shing Cheung, Wai K Leung

Ka-Shing Cheung, Wai K Leung, Department of Medicine, The University of Hong Kong, Queen Mary Hospital, Hong Kong, China

1
Author contributions: All authors contributed equally to this paper with literature review and analysis, drafting and critical revision and editing, and approval of the final version of this article.

Match Overview

1	Internet 140 words crawled on 10-Apr-2016 www.wjgnet.com	3%
2	Internet 26 words crawled on 27-Jan-2016 bmccardiovascdisord.biomedcentral.com	1%
3	Crossref 21 words Abraham, Neena S., and Diana L. Castillo. "Novel anticoagulants : bleeding risk and management strategies", Current	1%

找到约 226,000 条结果 (用时 0.75 秒)

Google 学术: Gastrointestinal bleeding in patients on novel oral anticoagulants: Risk, prevention and management

... of new oral anticoagulants with warfarin in patients ... - Ruff - 被引用次数: 1037

... of coagulation assays and reversal of anticoagulant ... - Van Ryn - 被引用次数: 1251

Stroke prevention with the oral direct thrombin inhibitor ... - Steering Committee on ... - 被引用次数: 911

Acute management of bleeding in patients on novel oral anticoagulants

eurheartj.oxfordjournals.org/content/34/7/489 ▼ 翻译此页

作者: DM Siegal - 2013 - 被引用次数: 147 - 相关文章

2012年12月7日 - We review the risk of bleeding with the novel oral anticoagulants and the ... Apixaban is approved for stroke prevention in non-valvular atrial upper or lower gastrointestinal bleeding), anticoagulants should be discontinued.

Management of Patients on Novel Oral Anticoagulants with Bleeding ...

www.emdocs.net/management-of-patients-on-novel-oral-anticoagulants-wit... ▼ 翻译此页

作者: C Sun - 相关文章

2015年3月31日 - In recent years, novel oral anticoagulants (NOAC's) have been introduced ... complicates the management of patients who present with bleeding, overdose, ... active site of thrombin, preventing the conversion of fibrinogen to fibrin.⁵ Factor ... epistaxis, hemoptysis, gastrointestinal bleeding, and hematuria.⁸ ...

[PDF] Gastrointestinal bleeding with the new oral anticoagulants •• definin...

williams.medicine.wisc.edu/NOAC_GI_bleeding_2013.pdf ▼ 翻译此页

作者: GI Major - 2013 - 被引用次数: 57 - 相关文章

2013年5月23日 - the issues and the management strategies. Jay Desai1 ... non-inferior to warfarin for the prevention of stroke ... creased risk of GI bleeding; this risk is esti- mated to ... New oral anticoagulants and GI bleeding bleeding in patients receiving rivaroxaban: of bleeding complications of this novel oral antico-

Prevention of Gastrointestinal Bleeding in Patients Receiving ... - Nature

www.nature.com [journal home](#) [Archive](#) [Clinical and Systematic Reviews](#) ▼ 翻译此页

找到约 185,000 条结果 (用时 0.88 秒)

Google 学术 : Gastrointestinal bleeding in patients on novel oral anticoagulants: Risk, prevention and management

... of new oral anticoagulants with warfarin in patients ... - Ruff - 被引用次数 : 1092

... of coagulation assays and reversal of anticoagulant ... - Van Ryn - 被引用次数 : 1265

Stroke prevention with the oral direct thrombin inhibitor ... - ... Steering Committee on ... - 被引用次数 : 922

Acute management of bleeding in patients on novel oral anticoagulants

eurheartj.oxfordjournals.org/content/34/7/489 ▼ 翻译此页

作者 : DM Siegal - 2013 - 被引用次数 : 146 - 相关文章

2012年12月7日 - We review the risk of bleeding with the novel oral anticoagulants and the ...

Apixaban is approved for stroke prevention in non-valvular atrial upper or lower gastrointestinal bleeding), anticoagulants should be discontinued.

[PDF] Gastrointestinal bleeding with the new oral anticoagulants â•• definin...

williams.medicine.wisc.edu/NOAC_GI_bleeding_2013.pdf ▼ 翻译此页

作者 : GI Major - 2013 - 被引用次数 : 58 - 相关文章

2013年5月23日 - the issues and the management strategies. Jay Desai1 ... non-inferior to warfarin for the prevention of stroke ... creased risk of GI bleeding; this risk is esti- mated to ... New oral anticoagulants and GI bleeding bleeding in patients receiving rivaroxaban: of bleeding complications of this novel oral antico-

Prevention of Gastrointestinal Bleeding in Patients Receiving ... - Nature

www.nature.com › Journal home › Archive › Clinical and Systematic Reviews - 翻译此页

作者 : NS Abraham - 2016 - 被引用次数 : 1 - 相关文章

The direct oral anticoagulants (DOACs) have quickly become popular choices for ... of patients at