

14,300 Results

### Faecal Immunochemical Tests for Haemoglobin: Analytical ...

<https://pubmed.ncbi.nlm.nih.gov/33571484>

Quantitative **faecal immunochemical tests** for haemoglobin (FIT) are being used increasingly around the world in **colorectal cancer screening** programmes, and in patients presenting with lower bowel symptoms to determine who should proceed to further bowel visualisation investigations, usually colonoscopy. The clinical utility of FIT is well reported.

**Cited by:** 1**Author:** Sally C Benton, Erin Symonds, Natasha Dje...**Publish Year:** 2021

### Fecal immunochemical test (FIT): MedlinePlus Medical ...

<https://medlineplus.gov/ency/patientinstructions/000704.htm> ▼

The fecal **immunochemical test** (FIT) is a **screening test** for **colon cancer**. It **tests** for hidden blood in the stool, which can be an early sign of **cancer**. FIT only detects human blood from the lower intestines. Medicines and food do not interfere with the **test**. So it tends to be more accurate and have fewer false positive results than other **tests**.

### People also ask

When to use a faecal immunochemical test ( fit )?



Can a fit test help to rule out colorectal cancer?



What kind of test can you do for colon cancer?



Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 66572

Manuscript Type: MINIREVIEWS

Faecal immunochemical test: Faecal immunochemical tests outside colorectal cancer screening?

FIT outside CRC screening

#### Abstract

Faecal immunochemical tests (FIT) are the most widely colorectal cancer (CRC) diagnostic biomarker available. Many of the population screening programmes are based on this biomarker, attaining their goal to reduce CRC mortality. Moreover, in recent years, a large amount of evidence has been produced on the use of FIT to detect CRC in patients with abdominal symptoms in primary healthcare as well as in surveillance after adenoma resection. The aim of this topic highlight is to review the available evidence on these two topics. We will summarise the evidence on diagnostic

#### Match Overview

1	Crossref 296 words Noel Pin-Vieito, Coral Tejedo-Sandoval, Natalia de Vicente-Belza, Cristina Sánchez-Gómez, Joaquín Cubiella "Faecal i	4%
2	Internet 149 words crawled on 27-Aug-2020 www.scribd.com	2%
3	Internet 115 words crawled on 06-Nov-2020 discovery.dundee.ac.uk	2%
4	Internet 47 words crawled on 27-Apr-2020 journals.plos.org	1%
5	Internet 34 words crawled on 15-Oct-2020 link.springer.com	1%
6	Crossref 27 words Brian D. Nicholson, Tim James, Maria Paddon, Steve Justice, Jason L. Oke, James E. East, Brian Shine "Faecal imm	<1%
7	Crossref 27 words Josep Maria Aaga, Callum G. Fraser, Cristina Rodriguez, Alba Roset et al. "Clinical utility of one versus two faecal imm	<1%
8	Internet 25 words crawled on 15-Jul-2021 www.mdpi.com	<1%

国内版

国际版

Faecal immunochemical test: Faecal immunochemical test outside



ALL

IMAGES

VIDEOS

17,900 Results

Any time ▾

### Faecal immunochemical test-based colorectal cancer ...

<https://pubmed.ncbi.nlm.nih.gov/31961429>

Background: In middle-income countries, the burden of colorectal cancer (CRC) is increasing in parallel with resources for diagnosis and treatment. There is a potential benefit of CRC screening programs in Mexico. Objective: Since there are no organized screening programs in the country, we explored the willingness of individuals to complete a faecal immunochemical testing (FIT) based CRC ...

### Diagnostic accuracy of faecal immunochemical test for ...

<https://pubmed.ncbi.nlm.nih.gov/23957462>

Background: The role of a faecal immunochemical test (FIT) in screening individuals with a positive family history of colorectal cancer (CRC) is not clear. Aim: To assess the diagnostic accuracy of FIT using colonoscopy findings as the gold standard in identifying colorectal neoplasms. Methods: We analysed data from 4539 asymptomatic subjects aged 50-70 years who had both colonoscopy and FIT ...

Cited by: 35

Author: S. C. Ng, J. Y. L. Ching, V. Chan, M. C. ...

Publish Year: 2013

#### PEOPLE ALSO ASK

When to use a faecal immunochemical test ( fit )?



How is a colonoscopy done with a faecal test?



Can a fit test help to rule out colorectal cancer?



What kind of test can you do for colon cancer?



Feedback

### Original article: Faecal immunochemical tests (FIT) versus ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6709777>

Dec 11, 2018 · The faecal immunochemical test (FIT), widely used for CRC screening, may be an effective alternative to colonoscopy surveillance, but few data are available on FIT in surveillance settings. What are the new findings?