

[全部](#)[图片](#)[购物](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 11,600 条结果 (用时 0.66 秒)

Pancreatobiliary fistula associated with intraductal papillary mucinous ...

<https://www.ncbi.nlm.nih.gov/pubmed/29890488> - [翻译此页](#)

作者 : T Komo - 2018 - [相关文章](#)

2018年6月4日 - ... mucinous carcinoma accompanying obstructive jaundice: A **case report**. ...

Pancreatobiliary fistulas associated with **IPMNs** are rare, but ...

缺少字词 : coexistence malignant ipnb complicated

[PDF]

Cholangitis Due to Pancreaticobiliary Fistula and Intraductal Papillary ...

pancreas.imedpub.com/cholangitis-due-to-pancreaticobiliary-fistula-and-intr... ▾ [翻译此页](#)

2018年7月30日 - **Case report** Herein we report a case of an eighty-year-old man presented with a main ... rare condition and is associated with **malignancy** in half of the patients. ... of a MPD-IPMN **complicated** by PB **fistula** and obstructive.

缺少字词 : coexistence ipnb

[PDF] Pancreatico-Gastric Fistula: A Rare Complication Of Intraductal ...

pancreas.imedpub.com/pancreaticogastric-fistula-a-rare-complication-of-intr... ▾ [翻译此页](#)

作者 : V Aliyev - 2017

2017年7月31日 - **Case presentation** We **report** an unusual **case** of intraductal papillary ... the **fistula** should be removed to avoid a possible **malignant** ... cystic dilatation of the main pancreatic duct (MD-IPMN) ... et al. in 1980 as a **pancreaticobiliary fistula** [1]. **IPMN**, whether benign or **malignant**, can become **complicated**.

缺少字词 : coexistence ipnb

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 40181

Manuscript Type: CASE REPORT

**Co-occurrence of IPMN and malignant IPNB complicated by a
pancreatobiliary fistula: A case report**

Xu Ren, Chun-Lan Zhu, Xu-Fu Qin, Hong Jiang, Tian Xia, Yong-Ping Qu

Abstract

BACKGROUND

Intraductal papillary neoplasm of the bile duct (IPNB) is pathologically similar to intraductal papillary mucinous neoplasm (IPMN). However, there are several significant differences between them. The rate of IPMN associated with extrapancreatic malignancies has been reported to range from 10-40%, and may occasionally be complicated with the presence of fistulas. IPMN associated with malignant IPNB are extremely rare and only nine cases have been reported in the literature.

Match Overview

1	Crossref 36 words Kaye M. Reid-Lombardo, Kellie L. Mathis, Christina M. Wood, William S. Harmsen, Michael G. Sarr. "Frequency of Ext ...	2%
2	Crossref 26 words Intraductal Papillary Mucinous Neoplasm of the Pancreas, 2014.	1%
3	Internet 23 words crawled on 29-Jun-2017 insights.ovid.com	1%
4	Crossref 14 words Brian K. P. Goh. "A Review of Mucinous Cystic Neoplasms of the Pancreas Defined by Ovarian-type Stroma: Clinicopa...	1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 9,270 条结果 (用时 0.46 秒)

(PDF) A Rare Case of Intraductal Papillary Mucinous Neoplasm of the ...

https://www.researchgate.net/.../311622773_A_Rare_Case_of_Intraductal_P... - 翻译此页

2018年8月27日 - PDF | Intraductal papillary mucinous neoplasms (IPMNs) are ... There are few reported cases of IPMN arising from the biliary tree in the... Article (PDF Available) in *Case Reports in Gastroenterology* Endoscopic retrograde cholangiopancreatography revealed a large filling defect in the com-.

Kenjiro Date's research works | Kyushu University, Fukuoka (Kyudai ...

https://www.researchgate.net/scientific.../2071134434_Kenjiro_Date - 翻译此页

Top co-authors: Takao Ohtsuka, Masafumi Nakamura and Yoshihiro Miyasaka ... in the estimated cumulative incidence of concomitant PDAC between the IPMN-resection and ... the risk of malignancy in patients with intraductal papillary mucinous neoplasm. using a short - Type double balloon enteroscope: A case report.

[\[PDF\]](#)

Cholangitis Due to Pancreaticobiliary Fistula and Intraductal Papillary ...

<pancreas.imedpub.com/cholangitis-due-to-pancreaticobiliary-fistula-and-intr...> ▼ 翻译此页

2018年7月30日 - Case report Herein we report a case of an eighty-year-old man ... papillary mucinous neoplasm complicated by PB fistula and ... rare condition and is associated with malignancy in half of the patients. ... Intraductal papillary mucinous neoplasms (IPMN) of The incidence of obstructive jaundice due to the.

缺少字词: co ipnb

Pancreatobiliary fistula associated with intraductal papillary mucinous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6035910/> - 翻译此页

作者: T Komo - 2018 - 相关文章

2018年6月4日 - Intraductal papillary mucinous neoplasms (IPMNs) occasionally involve ... It has been reported that the incidence of obstructive jaundice or cholangitis in ... We report herein a case of