

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 3,680 条结果 (用时 0.84 秒)

### Serum Ceruloplasmin Levels Correlate Negatively with Liver Fibrosis ...

[journals.plos.org/plosone/article?id=10.1371/journal.pone.0077942](https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0077942) ▾ [翻译此页](#)

作者: DW Zeng - 2013 - 被引用次数: 10 - 相关文章

2013年10月25日 - Relationships between CP and liver inflammation and fibrosis were ... A New Noninvasive Model for Predicting Liver Fibrosis in HBV-Related Liver Disease. ... fibrosis on liver biopsy; and 2) patients with normal ALT levels in the ... predict fibrosis in patients with chronic hepatitis B-virus related liver disease.

### Serum Ceruloplasmin Levels Correlate Negatively with Liver Fibrosis ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: DW Zeng - 2013 - 被引用次数: 9 - 相关文章

2013年10月25日 - Up to 40% of patients with chronic hepatitis B (CHB) progress to chronic ... fibrosis on liver biopsy; and 2) patients with normal ALT levels in the ... predict fibrosis in patients with chronic hepatitis B-virus related liver disease. .... Multiple ROC curves for five non-invasive models (APPC, FI, APRI, GPI, and ...

### [PDF] A Simple Noninvasive Score Based on Routine ... - Hepat Mon

[hepatmon.com/20053.pdf](http://hepatmon.com/20053.pdf) ▾ [翻译此页](#)

作者: I Gentile - 2013 - 被引用次数: 27 - 相关文章

Objectives: To devise a score based on noninvasive routine parameters that ... We categorized these variables, and devised a novel ... eters can Predict Liver Cirrhosis in Patients With Chronic Hepatitis C. Hepat Mon. 2013 ... Hepatitis C virus (HCV) is estimated to infect approxi- ... The ideal noninvasive model that is easy-

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28307

Manuscript Type: ORIGINAL ARTICLE

*Restrospective Stuy*

**Ceruloplasmin, a reliable marker of fibrosis in chronic hepatitis B virus patients with normal or minimally raised alanine aminotransferase**

Zeng DW *et al.* Ceruloplasmin and liver fibrosis

Da-Wu Zeng, Jing Dong, Jia-Ji Jiang, Yue-Yong Zhu, Yu-Rui Liu

**Abstract**

**AIM**

To develop a non-invasive model to evaluate significant fibrosis and cirrhosis by investigating the association between serum ceruloplasmin (CP) levels and

### Match Overview

1	<b>Internet</b> 174 words crawled on 01-Aug-2016 <a href="http://www.wjnet.com">www.wjnet.com</a>	5%
2	<b>Crossref</b> 52 words Zeng, Da-Wu, Yu-Rui Liu, Jie-Min Zhang, Yue-Yong Zhu, Su Lin, Jia You, You-Bing Li, Jing Chen, Qi Zheng, Jia-Ji	1%
3	<b>Internet</b> 17 words crawled on 04-May-2016 <a href="http://www.clevelandclinicmeded.com">www.clevelandclinicmeded.com</a>	<1%
4	<b>Crossref</b> 16 words Min-De Zeng. "Prediction of significant fibrosis in HBeA ... -positive patients with chronic hepatitis B by a noninvasiv	<1%
5	<b>Crossref</b> 15 words Nguyen, T. "Hepatitis B surface antigen levels during t... e natural history of chronic hepatitis B: A perspective on	<1%
6	<b>Crossref</b> 14 words Seto, Wai-Kay, Danny Ka-Ho Wong, James Fung, Philip P. C. Ip, John Chi-Hang Yuen, Ivan Fan-Ngai Hung, Chin	<1%
7	<b>Internet</b> 14 words crawled on 31-Aug-2016 <a href="http://nordlib.klinmed.uni-erlangen.de">nordlib.klinmed.uni-erlangen.de</a>	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 9,530 条结果 (用时 0.88 秒)

### Serum Ceruloplasmin Levels Correlate Negatively with Liver Fibrosis ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: DW Zeng - 2013 - 被引用次数: 11 - [相关文章](#)

2013年10月25日 - Up to 40% of **patients** with **chronic hepatitis B** (CHB) progress to ... However, some **patients** with persistently **normal** levels of serum **alanine transaminase** (ALT) may also ... laboratory parameter that can be **reliably** used to reflect **fibrosis**. ..... **patients** with **high viral** load and **normal** or **minimally raised** ALT.

### Noninvasive models for assessment of liver fibrosis in patients ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: DW Zeng - 2016

2016年8月7日 - Past or current **hepatitis B virus** (HBV) infection has been confirmed in an ... The major complications of **chronic hepatitis B** (CHB) are liver cirrhosis, ... probably a **reliable** method to diagnose **fibrosis** in **patients** with **chronic hepatitis C** (CHC). .... with **normal** or **minimally elevated** serum **alanine transaminase**.

### [PDF] Full Article (PDF) - World Journal of Gastroenterology

[www.wjgnet.com/esps/DownloadFile.aspx?Type=Digital...1...](http://www.wjgnet.com/esps/DownloadFile.aspx?Type=Digital...1...) ▾ [翻译此页](#)

作者: DW Zeng - 2016

2016年8月7日 - **patients** with **chronic hepatitis B virus** infection. Da-Wu Zeng, Jing .... **fibrosis** from different levels of **alanine aminotransferase** have been limited ...

### Serum Ceruloplasmin Levels Correlate Negatively with Liver Fibrosis ...

[www.oalib.com/paper/3012919](http://www.oalib.com/paper/3012919) ▾ [翻译此页](#)

(2002). Serum **hepatitis B virus** DNA levels and liver histology in inactive HBsAg ... (2005). Prognostic



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 9,380 条结果 (用时 0.68 秒)

### Serum Ceruloplasmin Levels Correlate Negatively with Liver Fibrosis ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: DW Zeng - 2013 - 被引用次数: 11 - [相关文章](#)

2013年10月25日 - Up to 40% of **patients** with **chronic hepatitis B** (CHB) progress to ... However, some **patients** with persistently **normal** levels of serum **alanine transaminase** (ALT) may also ... laboratory parameter that can be **reliably** used to reflect **fibrosis**. ..... **patients** with **high viral** load and **normal** or **minimally raised** ALT.

### [PDF] Noninvasive models for assessment of liver fibrosis in patients with ...

[www.wjgnet.com/esps/DownloadFile.aspx?Type=Digital...1...](http://www.wjgnet.com/esps/DownloadFile.aspx?Type=Digital...1...) ▾ [翻译此页](#)

作者: DW Zeng - 2016

2016年8月7日 - **patients** with **chronic hepatitis B virus** infection. Da-Wu Zeng, Jing .... **fibrosis** from different levels of **alanine aminotransferase** have been limited ...

### Serum Ceruloplasmin Levels Correlate Negatively with Liver Fibrosis ...

[www.oalib.com/paper/3012919](http://www.oalib.com/paper/3012919) ▾ [翻译此页](#)

(2002) Serum **hepatitis B virus** DNA levels and liver histology in inactive HBsAg ... (2005) Prognostic determinants for **chronic hepatitis B** in Asians: therapeutic ..., a simple, inexpensive and **accurate marker** of **fibrosis** in HCV-infected **patients**. .... **B virus**-infected **patients** with **high viral** load and **normal** or **minimally raised** ALT.

### [PDF] When and how to evaluate mildly elevated liver enzymes in apparentl...

[www.isdbweb.org/documents/file/4ba8c52733a79.pdf](http://www.isdbweb.org/documents/file/4ba8c52733a79.pdf) ▾ [翻译此页](#)

作者: GG ArAGon - 2010 - 被引用次数: 72 - [相关文章](#)

2010年3月3日 - Most **patients** with **chronic viral hepatitis** have no symptoms or only mild symptoms and **minimally elevated** ALT and **AST** levels, ie, two to five ...

### Diagnosis and Monitoring of Hepatic Injury. II. Recommendations for ...

[www.clinchem.org/content/46/12/2050.full](http://www.clinchem.org/content/46/12/2050.full) ▾ [翻译此页](#)

作者: DR Dufour - 2000 - 被引用次数: 305 - [相关文章](#)